Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





ANDORRA NURSERIES

WM. WARNER HARDER Proprietor

CHESTNUT HILL, PHILA., PA.

SUPERIOR FERTILIZERS

For the Lawn, Garden or Farm

PRICES ON APPLICATION

Net F. O. B. Shipping Point. Local delivery by truck or express at additional charge for hauling.

CANADA UNLEACHED HARD-WOOD ASHES

Are an active fertilizer, replenishing worn-out soils, and, for the lawn or pasture, are economical and valuable. For the lawn, they are easy to handle, and the chemical properties are at once available for plant food.

Apply at the rate of 1000 to 1500 lbs. per acre for top dressing, or 2000 to 2500 lbs. for new lawns.

Prices on application.

PREPARED LIME

Where soils are sour and need a fertilizer to sweeten them, lime is a valuable agent. It puts the soil in condition to assimilate plant food.

Our prepared lime is fresh from the kilns and especially prepared, so that it will go three times as far as lump lime. Use 500 lbs. per acre.

Prices on application.

PURE GROUND BONE

Used as a top dressing for the lawn at the rate of 1000 to 1500 lbs. to the acre—as a field or garden fertilizer at 3 to 4 tons per acre. **Grade A**—Fine Ground

HUMUS. Bog-Peat

A splendid fertilizer. This air-dried Humus has been carefully prepared, screened fine so that it can be readily used for top dressing the lawn.

Use 1000 lbs. to the acre.

For top dressing lawns use 1000 lbs, to the acre.

For new lawns 5 to 10 tons per acre.

Prices on application.

"Upland" Humus-Fibrous Peat

A stock of carefully selected peat, suitable for planting or potting Rhododendrons and shrubs-that need a peaty or fibrous soil.

Carload prices on application.

MANURE

Being large users of manure for our own Nurseries we are in a position at all times to command the market's best figures in carload lots on horse manure, cow manure, stock-yard manure.

Prices on application.

ANDORRA NURSERIES

A RE extensive, covering a thousand acres, of which over six hundred are planted with trees and shrubs. They are easy of access, as Chestnut Hill is the terminus of branches of the Pennsylvania Railroad (take train at Broad Street Station) and the Philadelphia and Reading Railroad (take train at the Terminal, 12th and Market Streets). At Chestnut Hill, take the Chestnut Hill (City Line) Trolley which runs to City Line, within three minutes' walk of the Nurseries.

QUALITY.—The trees and shrubs offered are grown in open, unsheltered ground, in very exposed situations, which insure their hardiness, and on soil admirably adapted for forming robust plants having an abundance of roots. Special attention is called to the fact that our stock is grown a good distance apart in the rows, insuring heavier trees and shrubs than are generally offered.

SHIPPING INSTRUCTIONS

ORDERS.—All orders are accepted subject to the following terms and conditions. Write plainly and give explicit directions as to address and mode of shipment.

SHIPPING SEASON opens about March 1 in the spring and August

15 in the fall.

INSPECTION AND FUMIGATION.—Our stock is regularly inspected and certificate will be sent with each shipment. Stock will be fumigated when requested or when the State laws require it.

FORWARDING.—Shipments will be forwarded exactly as directed; but when without instructions, we will use our best judgment and forward by shortest and safest route. We recommend all herbaceous plants be shipped by express.

RISK.—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good condition.

company. Have delivering agent note the damaged condition on the freight bill and present your claim through him promptly.

TERMS

PRICES in this list are for goods f. o. b. here, and are subject to change without notice.

STOCK SELECTED by customers at the Nurseries will be charged according to the value of the trees chosen.

QUANTITY.—Lots of 5 and 50 will be furnished at the 10 and 100 rates respectively.

PACKING.—All goods are thoroughly packed, thus avoiding risk, if delayed in transit. All packing charges are included in our list prices.

GUARANTEE AND CLAIMS.—All goods are guaranteed true to name, full count, up to grade, and in good condition when shipped. Any plant proving untrue to name will be replaced. Claims to receive consideration must be made within five days after receipt of goods. We give no guarantee of the life of stock.

TERMS, CASH WITH ORDER, except to persons who satisfy us as to their responsibility, when accounts will be due in 30 days.

Address all orders to

ANDORRA NURSERIES

WM. WARNER HARPER, Prop.

CHESTNUT HILL, PHILADELPHIA, PA.

Telegraphic Address
CHESTNUT HILL, PHILADELPHIA

Cable Address
"ANDORRA," PHILADELPHIA

TREES

OF

UNUSUAL CHARACTER AND SIZE

The individuality of a tree can never be expressed by any listing of height or breadth, nor do such figures indicate form or worth; the following notes are of rare pieces.

| BOX BUSH. | Specimens | \$75 | 00 | to | \$500 | 00 | Each |
|-----------|---------------------------------|------|----|----|-------|----|------|
| Grown | and transplanted for many years | | | | | | |

Grown and transplanted for many years in our nurseries, these rare old Box Bush range in height from four to seven feet, and to six-feet in breadth. See also pages 19 and 21.

SPRUCE. Specimens 50 00 to 150 00 Each

The Oriental Spruce with its deep green foliage, and the popular Colorado Blue Spruce in sizes up to 15 feet in height, and in many cases of double the average breadth. See also pages 9 and 10.

RETINOSPORA. Specimens 75 00 to 250 00 Each

Over twenty years' growth is represented in many of these choice pieces which are trained into pyramid, broad pyramid, oval pyramid, and columnar shapes. Pieces of twelve to eighteen feet in height and of a breadth of four to ten feet according to the form. See also pages 12 and 13.

Our common Red Cedar and its types, the Blue Virginiana glauca and the dark green Virginiana Schotti, in heavily trimmed, nursery specimens with a weight of body and a denseness of branch and foliage that is unusual. See also pages 8 and 9.

Between ten and fourteen feet in height having a spread of from six to ten feet, and are furnished with fibrous roots insuring quick results. See also page 11.

ARBORVITAES.

In sizes up to eight to nine feet of the finest specimen character. The trees have been repeatedly transplanted, they lift with splendid roots and will carry a ball of soil for protection in transplanting. One of the most useful evergreens for hedges and for formal work of all kinds. It grows readily under trying conditions and should be more generally used.



Nursery Entrance and Office.

EVERGREEN TREES

For many years we have made a specialty of growing Evergreen Trees. Our Nursery soils are particularly well adapted to the formation of the fine fibrous feeding roots, and, at the same time, the soil is of such a consistency that our frequently transplanted trees, with their masses of fiber, retain the soil in compact balls when the trees are lifted for transplanting, and they do this without the soil packing hard as is often the case when evergreens are lifted from heavy clay land.

We want to especially emphasize the importance of the transplanted tree and the frequency with which our evergreens are transplanted in the Nursery. In no other way can the proper system of fibrous roots be obtained, and they are the all-important item when transplanting the trees you purchase, to secure a satisfactory growth.

| | List the state of | acn | 10 |
|-------|---|-----|---------|
| ABIES | cephalonica. 2 to $2\frac{1}{2}$ ft\$3 | 50 | \$32 50 |
| | concolor. White Fir. 2 to $2\frac{1}{2}$ ft | | 32 50 |
| | 3 to $3\frac{1}{2}$ ft | | 42 50 |
| | 4 to $4\frac{1}{2}$ ft | | 50 00 |
| | $4\frac{1}{2}$ to 5 ft | | 60 00 |
| | $5\frac{1}{2}$ to 6 ft | | 85 00 |
| | 6 ft+12 | | 00 00 |
| | 7 to 9 ft | | |
| | The White Fir is one of the finest and | 00 | |
| | hardiest trees of this class and in cold wind- | | |
| | swept positions stands perfectly. An unus- | | |
| | ually attractive tree. | | |
| | | | |
| | Lasiocarpa var Arizonica. Silver Cork Fir 5 ft \$10 | 00 | |
| | Nordmanniana. Nordmann's Fir. 2½ to 3 ft 3 | 50 | 32 50 |
| | 3 to $3\frac{1}{2}$ ft 4 | 50 | 42 50 |
| | $3\frac{1}{2}$ to 4 ft | | 57 50 |
| | 4 to $4\frac{1}{2}$ ft. Specimens | 50 | 70 00 |
| | $4\frac{1}{2}$ to 5 ft. Specimens | 00 | 85 00 |
| | *5 to $5\frac{1}{2}$ ft. Specimens | 00 | |
| | ★6 to 16 ft. Fine specimens+\$20 to 150 | 00 | |
| | | | |

| Each | 10 |
|---|---|
| BIOTA orientalis. Oriental Arborvitæ. $3\frac{1}{2}$ to 4 ft. \$2 75 4 to 5 ft. 4 3 25 5 to 5 $\frac{1}{2}$ ft. 4 00 $5\frac{1}{2}$ to 6 ft. 5 00 *6 to 7 ft. 6 00 orientalis, var. aurea nana (Dwarf Golden). | \$25 00 30 00 37 50 45 00 55 00 |
| 15 to 18 in | 13 50 |
| 5 to 6 ft 4 50 6 to 7 ft | 42 50 |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | 27 50 32 50 38 50 |
| orientalis, var. conspicua. (Columnar Form). 2½ ft. 3½ to 4 ft. 3 00 5 to 6 ft. 6 to 7 ft. *8 to 10 ft. \$10 00 to 15 00 | 23 50 28 50 37 50 70 00 |
| orientalis, var. elegantissima. Rollinson's Golden Arbor-Vitæ. 2 to 2½ ft | 18 50 23 50 72 50 |
| Arborvitæa. 2 to $2\frac{1}{2}$ ft 3 00 | 28 50 |
| CEDRUS Atlantica, var. glauca. Mt. Atlas Silver Cedar— 4 to 4½ ft. 3 50 5 to 6 ft. Specimens 5 00 *7 to 8 ft. Specimens 7 50 *9 to 10 ft. Specimens \$15 to 20 00 | 32 50 47 50 70 00 |
| Lebani (Cedar of Lebanon) $3\frac{1}{2}$ to 4 ft 3 50 5 to 6 ft 7 50 | $\frac{33}{70} \frac{50}{00}$ |
| CRYPTOMERIA Japonica. Japanese Cedar. | 90 50 |
| 5 to 6 ft. 4 00 6 to 7 ft. 5 00 Japonica, var. Drachioides. 4 to 5 ft. 4 00 6 to 7 ft. 7 50 | 38 50 47 50 |
| Japonica, var. Lobbi compacta. 3 to $3\frac{1}{2}$ ft. 2 50 4 to $4\frac{1}{2}$ ft. 3 50 5 to $5\frac{1}{2}$ ft. 5 00 *6 to 10 ft. \$7.50 to 15 00 | 22 50 32 50 48 50 |
| ILEX opaca. (American Holly.) 2 to $2\frac{1}{2}$ ft. $+$ 2 50 3 to $3\frac{1}{2}$ ft. $+$ 3 50 $3\frac{1}{2}$ to 4 ft. $+$ | 23 50 |

EVERGREEN TREES

| | Each | 10 |
|--|---|---|
| PERUS chinensis. Chinese Juniper. 2½ to 3 ft 3½ to 4 ft. 4½ to 5 ft. 5 to 5½ ft. 6 to 7 ft. *7 to 8 ft. *8 to 9 ft. \$15 to | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | \$17 50 32 50 37 50 45 00 72 50 90 00 |
| chinensis var. albo-variegata. 1½ to 2 ft | . 3 50 . 4 50 . 5 00 . 6 00 | 13 50 32 50 42 50 47 50 57 50 |
| chinensis, var. aurea. Golden Chinese Juniper— 5 to 5½ ft | . 7 50 | |
| chinensis, var. femina (Reevesii). 3 to $3\frac{1}{2}$ ft 4 to $4\frac{1}{2}$ ft 5 to 6 ft | . 3 00 . 4 00 6 00 | 27 50 37 50 55 00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | . 2 50 . 3 50 . 4 00 . 4 50 . 5 00 | 20 00 32 50 37 50 42 50 48 50 90 00 |
| chinensis, var. virginalis. Dwarf— 12 to 15 in | . 1 50 | 13 50 22 50 |
| chinensis, var. virginalis aurea. 1 ft. communis, Common Upright Juniper. \div . 2 to $2\frac{1}{2}$ ft $\frac{3\frac{1}{2}}{4}$ to 4 ft. $\frac{4}{5}$ to $\frac{4}{5}$ ft. $\frac{1}{5}$ to $\frac{1}{5}$ ft. | t. 2 00 . 3 00 . 3 50 | 17 50 17 50 28 50 32 50 47 50 |
| communis, var. depressa. Spreading Canadia | ın | |
| Juniper— 12 to 15 in. spread 15 to 18 in. spread 18 to 24 in. spread | $\begin{array}{c} . & 1 & 25 \\ . & 1 & 50 \end{array}$ | $\begin{array}{c} 8 \ 50 \\ 10 \ 00 \\ 12 \ 50 \end{array}$ |
| communis, var. depressa aurea. (Golden Form)) 12 to 15 in. spread 15 to 18 in. spread 18 to 24 in. spread. Heavy 24 to 30 in. spread. Heavy | $\begin{array}{c} & 1 & 00 \\ & 1 & 50 \\ & 2 & 00 \\ & 2 & 50 \end{array}$ | |
| communis, var. depressa plumosa. (Purple winto | er | |
| 12 to 15 in. 15 to 18 in. | $\begin{array}{cccc} & 2 & 50 \\ & 3 & 00 \end{array}$ | |
| communis, var. depressa. (Vase Type)— 2 to 2½ ft | 5 00 | |
| communis, var. Hibernica. Irish Juniper— 2½ to 3 ft. 3½ to 4 ft. 4½ to 5 ft. 4½ to 5 ft. | 250 | 23 50 |
| communis, var. horizontalis. Trailing Juniper— | 1 50 | 13 50 |
| The state of the s | | |

| 8 EVERGREEN TREES | Eac | h | 10 |
|---|---|--|---|
| JUNIPERUS communis, var. Suecica. Swedish Juniper- | Bat | .11 | 10 |
| $egin{array}{cccccccccccccccccccccccccccccccccccc$ | 3 | 75 50 | \$18 50 25 00 32 50 42 50 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 2 (3) 5 (25) | 00 50 00 00 | 18 50 32.50 48 50 |
| Fortunei. 5 to 6 ftjaponica. Japan Juniper— | | | 55 00 |
| 12 to 15 in. 15 to 18 in. 18 to 24 in. 24 to 30 in. japonica, var. aurea. (Golden). $1\frac{1}{2}$ to 2 ft 2 to $2\frac{1}{2}$ ft. $+$ $2\frac{1}{2}$ to 3 ft. $+$ | 2 3 4 1 2 3 | 00 - 00 | 18 50 23 50 32 50 42 50 13 50 18 50 28 50 |
| *3 to $3\frac{1}{2}$ ft | | 50 00 | 32 50 48 50 |
| $1\frac{1}{2}$ ft. broad | . 2 | 50 | |
| 4 to 5 ft. 5 to 6 ft. pachyphlaea (silver foliage). 5 to 6 ft. Sabina. Savin Juniper. 18 to 24 in. 2 to $2\frac{1}{2}$ ft. | 5 1 2 2 | 00 00 00 50 00 50 50 | 37 50 48 50 48 50 13 50 18 50 23 50 32 50 |
| 3^2 to $3\frac{1}{2}$ ft. Sabina, var. cupressifolia (prostrate)— 10 to 12 in. | . 1 | 75 | 16 00 |
| 10 to 12 in. x 12 to 15 in. spread | . 1 | 25 75 | 10 01 15 00 |
| Squamata. Scaly-leaved (Japan)— 6 to 8 in, x 12 to 15 in. spread 6 to 8 in, x 15 to 18 in. spread 10 to 12 in, x 18 to 24 in. spread 10 to 12 in, x 2 to 2½ ft. spread 12 to 15 in, x 3 to 4 ft. spread 12 to 15 in, x 3 to 4 ft. spread | . 1 . 2 . 2 | 50 75 00 50 00 | 12 50 16 00 18 50 20 0 47 5 |
| virginiana. Red or Virginia Cedar— 1½ to 2 ft. 3 to 3½ ft. Nursery grown + 4 to 4½ ft. Nursery grown + 5½ to 5½ ft. Nursery grown + 6 to 7 ft. + *7 to 8 ft. + virginiana, var. Cannarti. 4 to 4½ ft. 5 to 5½ ft. + *6 to 9 ft. + *6 to 9 ft. + | · 1 · 2 · 3 · 4 · 5 · 6 · 7 · .10 · 3 | 00 50 50 50 50 50 50 50 00 50 50 | 9 04 23 55 32 55 42 56 47 5 60 0 72 5 90 0 32 5 |
| virginiana, var. glauca. Blue Virginia Cedar— 3 to $3\frac{1}{2}$ ft. 4 to $4\frac{1}{2}$ ft. 5 to $5\frac{1}{2}$ ft. 5 to 7 ft. * 7 to 8 ft. * 8 to 10 ft. \$12.50 to | . 2 | 50 00 00 50 00 00 | 23 5 37 5 47 5 72 5 90 0 |

| WINDERNO STATE OF THE STATE OF | Each | 10 |
|---|-----------------------------|---|
| JUNIPERUS virginiana, var. Kosteri. Spreading— $1\frac{1}{2}$ to 2 ft. x 2 to $2\frac{1}{2}$ ft. x 2 to $2\frac{1}{2}$ ft. x 2 2 to 2 2 2 ft. x 2 2 2 2 2 2 2 2 2 2 | 01 77 | 00 719 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | .\$1 75 | $\begin{array}{ccc} \$15 & 00 \\ 22 & 50 \end{array}$ |
| $2 t0 2\frac{1}{2} t1. \times 2 t0 2\frac{1}{2} 11. \dots $ | 3 50 | $\frac{22}{32} \frac{50}{50}$ |
| $*3\frac{1}{2}$ to 4 ft. $\times 3$ to 4 ft | 5 00 | 47 50 |
| virginiana, var. Leei elegantissima. Golden Cedar- | | 1. 00 |
| $2\frac{1}{2}$ to 3 ft | . 2 00 | 19 00 |
| 3 to 34 ft Extra heavy | $\frac{1}{2} \frac{50}{50}$ | $\frac{10}{23} \frac{50}{50}$ |
| 4 to $4\frac{\pi}{2}$ ft. Extra heavy | . 4 00 | 37 50 |
| 4 to 4½ ft. Extra heavy | . 5 00 | 47 50 |
| * to 9 it. Extra neavy \$1.50 to | 12 50 | |
| virginiana, var. pendula. Weeping Cedar— | | |
| ★6 to 7 ft | 50 | |
| *8 to 12 ft | 15 00 | |
| virginiana, var. plumosa— | 0 =0 | 90 50 |
| $4 \text{ to } 4\frac{1}{2} \text{ ft.}$ | . 3 50 | 32 50 |
| virginiana, var. plumosa argentea— | 0.00 | ^^ |
| *6 to 7 it | . 6 00 | 55 00 |
| *6 to 7 ft. *8 to 9 ft | 10 00 | 99 50 |
| Virginiana, var. Schotti. $3 to 3 to 1 to 1 to 1 to 1 to 1 to 1 to $ | 2 50 | $\begin{array}{ccc} 23 & 50 \\ 33 & 50 \end{array}$ |
| $4\frac{1}{2}$ to 5 ft | 4 50 | 40 00 |
| 5 to 5 ft. | $\frac{1}{5} \frac{1}{00}$ | 47 50 |
| 6 to 7 ft | . 7 50 | 72 50 |
| ★ 7 to 8 ft | .10 00 | 90 00 |
| *7 to 8 ft | 15 00 | |
| virginiana, var. tripartita— | | 00 50 |
| $\frac{2}{2}$ to $\frac{2\frac{1}{2}}{2}$ ft | . 3 00 | 28 50 |
| 3 to $3\frac{1}{2}$ ft | . 3 50 | 33 50 |
| PICEA alba. White Spruce (See Picea Canadensis | () | |
| Alcockiana. Alcock's Spruce— | 0.50 | 00 50 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | . 2 50 | $\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$ |
| 4 to 4½ it | . 5 00 | $\frac{32}{47} \frac{50}{50}$ |
| canadensis. (White Spruce)— | . 0 00 | 1. 00 |
| *5 to $5\frac{1}{2}$ ft. canadensis. (White Spruce)— 2 to $2\frac{1}{2}$ ft. | . 1 25 | 10 00 |
| 2등 to 3 ft | . 2 00 | 18 50 |
| canadensis, var. aurea. (Golden Spruce)— | | |
| $2\frac{1}{2}$ to 3 ft | . 2 50 | 23 50 |
| Engelmani Engelmann's Spruce— $1\frac{1}{2}$ to 2 ft | 0 | 10 50 |
| $\frac{1}{2}$ to 2 ft | . 1 50 | $\frac{12}{22}$ 50 |
| 2 to $2\frac{1}{2}$ ft | . 2 50 | 23 50 |
| excelsa. Norway Spruce— | . 1 00 | 9 00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 125 | 10 00 |
| 4 to $4\frac{1}{3}$ ft | $\frac{1}{2} \frac{1}{00}$ | 15 00 |
| 5 to 6 ft+. | . 3 00 | 28 50 |
| *7 to 20 ft. Specimens\$5 to | 50 00 | |
| excelsa, var. aurea. Golden Norway Spruce— | | |
| * 9 to 10 ft\$7.50 to | 10 00 | |
| *10 to 12 ft | \$19 00 | |
| excelsa, var. Gregoriana. (Gregory's Spruce)— 18 to 20 in. | 2 50 | 92 50 |
| 18 to 20 in | 3 50 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| $2\frac{1}{2}$ ft | $\frac{5}{5} \frac{50}{00}$ | 00 00 |
| excelsa, var. Inverta. Weening Norway Spruce— | | |
| 8 to 10 ft | 10 00 | |
| ★ 12 to 14 ft\$15.00 to | 20 00 | |
| ALL GOODS E O B HERE AT LIST DE | | |

| Each | 10 |
|--|-------------------------------|
| PICEA excelsa, var. Maxwelli. 10 to 12 in\$1 50 | \$13.50 |
| excelsa, var. pumila nigra— 12 to 15 in | 12 50 |
| excelsa, var. pyramidalis. Pyramidal Spruce— 2 to $2\frac{1}{2}$ ft 2 00 | 12 00 |
| $\frac{2}{4}$ to $\frac{21}{4}$ ft | 18 50 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 33 50 |
| 6 to 7 ft | 38 50 |
| orientalis. Eastern Spruce- | |
| $2\frac{1}{2}$ to 3 ft | 23 50 |
| • $3\frac{1}{2}$ to 4 ft. Specimens | 32 50 |
| $4\frac{1}{2}$ to 5 ft. Specimens $+$ 5 00 5 to 6 ft | 72 50 |
| ★6 to 14 ft. Specimens | 12 50 |
| Parryana glauca. 12 to 15 in | 10.00 |
| pinsapo. Spanish Fir. 4 to 6 ft | - |
| polita. Tiger's Tail Spruce. 4 to 5 ft 4 00 | 35 00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 60 00 90 00 |
| pungens. Colorado Spruce. $1\frac{1}{2}$ to 2 ft | 18 50 |
| $\frac{2}{2}$ to $\frac{21}{2}$ ft | $\frac{10}{22} \frac{50}{50}$ |
| 3 to $3\frac{7}{2}$ ft | 32 50 |
| 3 to 3½ ft | |
| pungens, var. glauca. Blue Colorado Spruce— | 10 50 |
| $egin{array}{cccccccccccccccccccccccccccccccccccc$ | 18 50 22 50 |
| | 32 50 |
| 3 to $3\frac{1}{2}$ ft. Selected color | 37 50 |
| 3½ to 4 ft. Selected color | |
| *5 to 14 ft. Selected color * \$10 to 100 00 | |
| pungens, var. Kosteriana. Koster's Blue Colorado Spruce. 2 to 2½ ft | 22 50 |
| 2½ to 3 ft. Specimens | 32 5 0 |
| 3 to $3\frac{1}{2}$ ft. Specimens | 48 50 |
| 03 to 4 11. Opecimens | |
| 4 to 4½ ft. Specimens | |
| pungens, var. pendula. Weeping Blue Colorado Spruce— | |
| 3 to 5 ft. Specimens | |
| PINUS Austriaca. See nigra Austriaca. | |
| Cembra. Swiss Stone Pine— | 07 50 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| 3^2 to $3\frac{1}{2}$ ft | |
| $3\frac{1}{2}$ to 4 ft | 47 50 |
| $\frac{4}{2}$ to $\frac{4}{2}$ ft | |
| *5 to $\frac{8}{5}$ ft | |
| 3 to $3\frac{1}{2}$ ft | |
| densiflora, var. globosa (Tanyosho). Japanese | 02 00 |
| Table Pine. 3 ft. spread 3 50 | 32 50 |
| $3\frac{1}{2}$ ft. spread | |
| 4 ft. spread | 70 00 |
| * $4\frac{1}{2}$ ft. spread | 90 00 |
| 4 to $4\frac{1}{9}$ ft | 45 00 |
| $5 \text{ to } 5\frac{1}{2} \text{ ft.} \dots + 750$ | $\tilde{72}$ 50 |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| ❖ 8 to 15 ft. Heavy specimens | |
| | |

^{*} LARGE SIZES FOR IMMEDIATE EFFECT

| PINUS koraiensis. Corean Pine. 5 to 6 ft\$3 50 6 to 8 ft\$5 to 7 50 | $\$32^{10}50$ |
|---|--|
| 9 to 10 ft | 13 50 18 50 32 50 |
| $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 9 00 12 50 17 50 22 50 32 50 13 50 22 50 32 50 37 50 47 50 70 00 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 9 00 32 50 48 50 13 50 32 50 47 50 72 50 90 00 110 00 |
| Strobus. White Pine— Each \$10 $1\frac{1}{2}$ to 2 ft. \$0.75 \$6.00 2 to $2\frac{1}{2}$ ft. 1.00 8.00 $2\frac{1}{2}$ to 3 ft. 1.25 10.00 3 to $3\frac{1}{2}$ ft. 1.50 12.50 $3\frac{1}{2}$ to 4 ft. 2.00 17.50 4 to $4\frac{1}{2}$ ft. 2.50 20.00 $4\frac{1}{2}$ to 5 ft. 3.50 27.50 5 to 6 ft. 4.00 32.50 6 to 7 ft. 4.50 42.50 *7 to 12 ft. Specimens \$5 to 25.00 | \$50 00 70 00 90 00 110 00 135 00 150 00 175 00 275 00 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 10 \$9 00 13 50 22 50 27 50 32 50 40 00 70 00 23 50 33 50 48 50 |

IMPORTANT—We want to especially emphasize the importance of the transplanted tree and the frequency with which our evergreens are transplanted in the Nursery. In no other way can the proper system of fibrous roots be obtained, and this is the all-important item to secure a satisfactory growth when transplanting the trees you purchase.

| PODOCARPUS koriana. 2 to $2\frac{1}{2}$ ft\$3 50 | 10 \$32 50 |
|---|--|
| PSEUDO TSUGA Douglasi. Douglas' Spruce. 1½ to 2 ft. 1 00 | 9 00 13 50 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 18 50 22 50 32 50 38 50 48 50 72 50 |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | 23 50 38 50 45 00 |
| Douglasi, var. pendula. Weeping Douglas Fir— 5 to 6 ft. 7 50 6 to 7 ft. 10 00 ★ 7 to 9 ft. \$12.50 to 15 00 | |
| RETINOSPORA filifera. Thread-branched Japan Cypress— 1½ to 2 ft 2 00 | 15 00 |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | 28 50 37 50 |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | 70 00 |
| filifera, var. aurea. Golden Thread-branched Japan Cypress. 12 to 15 in | 13 50 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 18 50 23 50 |
| leptoclada. Thuya-like Japan Cypress—6 to 7 ft | 47 50 |
| obtusa. Obtuse-leaved Japan Cypress— 2 to 2½ ft. 2 50 | 22 50 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\frac{37}{72} \frac{50}{50}$ |
| obtusa, var. compacta. Compact Obtuse-leaved Japan Cypress. 1½ to 2 ft | 18 50 |
| $egin{array}{cccccccccccccccccccccccccccccccccccc$ | $\frac{38}{45} \frac{50}{00}$ |
| 5 to $5\frac{1}{2}$ ft | 70 00 17 50 |
| 2 to 2½ ft | 32 50 |
| obtusa, var. nana. Dwarf Obtuse-leaved Japan | |
| Cypress. 1 ft | 14 00 18 50 |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | 23 50 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |

| Each | 10 |
|--|---|
| BETINOSPORA obtusa, var. nana aurea. Dwarf Golden Obtuse-leaved Japan Cypress. 2½ ft\$5 00 3 to 3½ ft. Specimens | \$45 00 |
| obtusa, var. nana gracilis. 1½ ft 3 00 2 ft 5 00 | 28 50 48 50 |
| pisifera. Pea-fruited Japan Cypress. 2 to 2½ ft 1 50 3 to 3½ ft | 13 50 28 50 38 50 47 50 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 9 00 23 50 28 50 32 50 37 50 |
| plumosa. Plume-like Japan Cypress— | 0.00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 9 00 13 50 18 50 23 50 32 50 37 50 |
| plumosa, var. argentea. 5 to 6 ft 3 50 | 32 50 |
| plumosa, var. aurea. Golden Plume-like Japan Cypress. 1½ to 2 ft. Bushy. 1 00 2 to 2½ ft. Bushy 1 50 2½ to 3 ft. Bushy 2 00 3 to 3½ ft. Bushy 2 50 3½ to 4 ft. Specimens 3 50 4 to 4½ ft. Specimens 4 00 5½ to 6 ft. Specimens 5 00 6½ to 7 ft. Specimens 7 50 *7½ to 8 ft. Specimens + \$10 to 15 00 *9 to 12 ft. Specimens + \$20 to 35 00 | 8 50 13 50 18 50 23 50 32 50 37 50 47 50 70 00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 47 50 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 12 50 33 50 47 50 |
| squarrosa. Squarrose-leaved Japan Cypress— 1½ ft. per 100, \$60. 1 00 2 ft. per 100, \$100. 1 50 2½ ft. per 100, \$200. 2 50 3 ft. 3 50 4 ft. Specimens 5 00 5 to 5½ ft. Specimens + 6 00 *7 to 18 ft. Heavy Specimens. + .\$10 to 125 00 This is excellent stock; exceptionally broad, bushy and low-branched. | 8 50 13 50 22 50 32 50 47 50 55 00 |

| 11 | LVEROREEN TREES | |
|--|---|---|
| 2½ ft. 3 ft. 3½ to | 4 ft | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| | | |
| 3 to 3 | English Yew. 2 to $2\frac{1}{2}$ ft. 2 5 $3\frac{1}{2}$ ft. 3 5 $4\frac{1}{2}$ ft. 7 5 ft. Specimens $+$ \$10 to 25 0 | 0 33 50 |
| baccata, va | ar. adpressa. 2 ft 2 5 | |
| $egin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\frac{0}{0}$ 45 00 |
| 3 ft. | ••••••••••••••••••••••••••••••••••••• |) |
| 4 ft. 5 to 6 | | |
| baccata, va | r. Dovastoni. Dovaston's Yew- | |
| 4 to 5 | 5 ft | |
| | ar. Dovastoni aurea. Dovaston's Golden | , |
| | ew. *6 to 8 ft. Specimens. +\$10 to 20 0 |) |
| baccata, va | r. elegantissima. Elegant English Yew- | |
| 3 to | 4 ft |) |
| haccata, ve | ar. erecta. Erect English Yew- | , |
| 2½ to | 3 ft | 22 50 |
| 3 to | 3⅓ ft | $32\ 50$ |
| 3½ to | 4 ft 5 00 | 47 50 |
| $4\frac{1}{2}$ to | o it The to it is | , |
| naccata, va | er. erecta aurea. Erect Golden English ew. $1\frac{1}{2}$ to 2 ft | 18 50 |
| haccata vo | ar. fastigiata. Irish Yew. $2\frac{1}{2}$ ft |) 10 00 |
| 3 ft. | + 3 50 | |
| $3\frac{1}{2}$ ft. | + 7 50 | |
| № 4 to | 6 ft. Specimens+\$7.50 to 15 00 |) |
| baccata, va 2 ft | r. fastigiata aurea. Golden Irish Yew— | |
| 2± ft. | | { |
| $3\frac{1}{2}$ to | 4 ft. Specimens + \$7.50 to 10 00 | 5 |
| * 5 to | 6 ft. Specimens |) |
| baccata, ya | r. fruticosa lutea. Yellow Fruited— | |
| | ew. 4 to 6 ft\$7.50 to 15 00 | |
| Daccata, va | tr. gracilis pendula. $3\frac{1}{2}$ to 4 ft\$3.50 to 5 00 ft | { |
| * 6 to 7 | ft. Specimens+. \$15.00 to 20 00 | 5 |
| *8 to 9 | of ft. Specimens $\dots + 25.00 to 35 00 |) |
| baccata, va | r. repandens. Spreading English Yew— 12 in. spread 1 50 15 in. spread 2 00 18 in. spread 3 50 | 10.50 |
| 10 to | 12 in. spread | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| 15 to | 18 in. spread | $\frac{13}{32} \frac{50}{50}$ |
| baccata, va | r. Washingtoni aurea. Washington's Golden | |
| E | Inglish Yew. 3 to $3\frac{1}{2}$ ft |) |
| 4 to 4 | $\frac{1}{2}$ ft. Specimens |) |

| | | Ea | ch | 10 |
|--------|---|--------------------------|--|--|
| TAXUS | canadensis (Canadian Yew). 12 in. spread | . 1 | 00 25 50 | \$8 50 10 00 13 50 |
| | canadensis, var. aurea. Golden Canadian Yew— 2½ to 3 ft | 5 to | 10 | |
| | cuspidata. Abrupt-leaved Japan Yew- | -1 | - | 10 50 |
| | 12 to 15 in. $+$ 1½ ft. $+$ 2 ft. $+$ 2½ ft. $+$ 2½ ft. $+$ 3 to 4 ft \$7.50 to | . 2 | 50 50 50 00 00 | 13 50 23 50 32 50 45 00 |
| | cuspidata. (Capitate form). $1\frac{1}{2}$ ft | | 50 | |
| | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | . 5 | 50 00 50 | 32 50 45 00 60 00 |
| | cuspidata, var. brevifolia. 12 to 15 in | . 3 | 00 50 50 50 | 18 50 23 50 32 50 |
| THUJOP | SIS borealis, var. latifolia glauca. Glaucous Sitk | a | | |
| | Cypress. 3 to 3½ ft. 4 to 4½ ft. 5 to 5½ ft. 6 to 6½ ft. *7 to 8 ft. *8 to 10 ft. | . 3 . 5 . 6 . 7 | 00 00 50 | 50 00 65 00 75 00 |
| THULLA | Standishi. See Thuya Standishi. | | | |
| THUJA | cocidentalis. American Arborvitæ— 2 to 2½ ft. per 100, \$50. 2½ to 3 ft. per 100, \$75. 3 to 3½ ft. per 100, \$90. 3½ to 4 ft. per 100, \$100. 4 to 4½ ft. very heavy per 100, \$150. 4½ to 5 ft. very heavy per 100, \$175. 5 to 5½ ft. very heavy per 100, \$200. 6 to 7 ft. very heavy per 100, \$275. 6 to 7 ft. very heavy very heavy per 100, \$275. * 7 to 8 ft. very heavy very heavy per 100, \$275. * 8 to 9 ft. Specimens per 100, \$7.50 to | . 1 . 1 . 2 . 3 . 4 . 6 | 25 50 00 50 00 50 00 00 | 7 00 8 50 10 00 12 50 18 50 22 50 27 50 32 50 37 50 57 50 |
| | occidentalis, var. aurea. George Peabody's Arbor vitæ. 1½ to 2 ft | | 00 | 8 50 |
| | 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. 4 to 4½ ft. 5 to 5½ ft. 6 to 6½ ft. 7 to 12 ft. Specimens + \$6 to | . 1 . 2 . 3 . 4 . 5 | 25 75 50 50 00 00 50 | 11 50 15 00 20 00 32 50 37 50 47 50 |
| | occidentalis, var. cristata. $1\frac{1}{2}$ to 2 ft | . 2 | 50 | |
| | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | . 2 . 3 . 4 | 75 50 50 50 00 | 16 50 22 50 32 50 42 50 57 50 |

| THUJA | occidentalis, var. globosa. Globe Arborvitæ— | 10 |
|-------|---|--|
| | 2 ft | \$13 50 |
| | occidentalis, var. Hoveyi (Hovey's Arborvitæ)— | 99 50 |
| | *3 to 3½ ft | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| | occidentalis, var. Little Gem. 15 in 1 50 | |
| | occidentalis, var. Lobbi. $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 2 00$ | 18 50 |
| | occidentalis, var. plicata pyramidalis- | |
| • | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 18 50 22 50 |
| | $3\frac{1}{2}$ to 4 ft | 27 50 |
| | * 5 to 6 ft | |
| | occidentalis, var. pyramidalis. Pyramidal Arborvitæ- | |
| | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 13 50 18 50 |
| | 5 to $5\frac{1}{2}$ ft | 27 50 |
| | 6 to $6\frac{1}{2}$ ft | 37 50 |
| | *7 to $7\frac{1}{2}$ ft | |
| | occidentalis, var. recurva nana— 2½ to 3 ft. Specimens | |
| | occidentalis, var. Rosenthalis. $1\frac{1}{2}$ ft | 13 50 |
| | $2 \text{ to } 2\frac{1}{2} \text{ ft.}$ | 22 50 |
| | $\frac{3}{4}$ to $\frac{3}{2}$ ft | 28 50 |
| | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\frac{32}{47} \frac{50}{50}$ |
| | occidentalis, var. Tom Thumb. 15 to 18 in 2 00 | 17 50 |
| | occidentalis, var. spiralis. 6 to 7 ft 5 00 | 48 50 |
| | occidentalis, var. Vervæneana. Vervæne's Arborvitæ- | |
| | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 9 00 18 50 |
| | $5\frac{1}{2}$ to 6 ft | 32 50 |
| | 6 to 7 ft. Heavy specimens | 48 50 70 00 |
| | *7 to 8 ft. Heavy specimens | 10 00 |
| | occidentalis, var. Wareana. Siberian Arborvitæ- | * |
| | 1½ to 2 ft per 100, \$85 1 00 2 to 2½ ft. Heavy per 100, \$115 1 50 | 9 00 |
| | 2½ to 3 ft. Very bushy per 100 \$200. 2 50 | 23 50 |
| | 3 to 3½ ft. Very bushy . →per 100, \$275 3 50 4 ft. Very bushy per 100, \$350 4 00 | 32 50 38 50 |
| | *5 ft. Very bushy .+per 100, \$400 5 00 | 47 50 |
| | *5 ft. Very bushy .+per 100, \$400 5 00 *5½ ft. Very bushy .+ 7 50 *6 to 7 ft. Very bushy + \$8.50 to 10 00 | 70 00 |
| | occidentalis, var. Wareana aurea— | 00 70 |
| | 4 to 4½ ft | $\begin{array}{c} 33 & 50 \\ 47 & 50 \end{array}$ |
| | $*5$ to $5\frac{7}{2}$ ft. 5 00 $*6$ to 8 ft. \$7.50 to 10 00 | |
| | Standishii (Thujopsis Standishi). 3 to 3½ ft 3 50 | $\begin{array}{ccc} 32 & 50 \\ 42 & 50 \end{array}$ |
| | 4 to $4\frac{1}{2}$ ft | 12 00 |

SUG


| $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 25 75 50 00 50 00 00 50 50 00 50 00 00 00 | 10 \$6 50 10 00 15 00 22 00 27 50 32 50 37 50 47 50 55 00 |
|---|--|--|
| XXX—One Block of very extra heavy plants 4 to 6 ft. at prices on application. | | |
| canadensis, var. gracilis. 6 to 7 ft | 50 00 | 70 00 |
| canadensis, var. Sargenti pendula. Weeping Hem- | | |
| lock. 2 ft 2 | | 23 50 |
| 4 to 6 ft. Specimens | | 18 50 |
| diversifolia. 1½ ftper 100, \$1151 | | 13 50 |
| Sieboldi. Japanese Hemlock. 1½ to 2 ft | 50 00 | 23 50 |

PLANTING FOR QUICK SCREENS AND WINDBREAKS

Many inquiries come to us from Park and Municipal Officers, Superntendents of Cemeteries, large Private Estates and from Country Clubs with regard to trees and shrubs for extensive planting for purposes of Screens and Windbreaks. In some cases the question of expense enforces he use of smaller sizes of stock than would really be most desirable; in hose instances we can obviate the difficulty by furnishing stock that is trong and well rooted but by reason of crooked stems or one-sided tops toes not come up to the standard which we list in this Price List.

Your inquiry giving us the details of your problem—size, character of the soil, exposure, etc., will give us an opportunity to quote you prices as much as 50% off our regular list on trees up to 20 feet in height and on strong, tall shrubs for underplanting and facing off the plantations.

Please refer in your inquiries to this heading—Planting for Quick Screens and Windbreaks.



A Block of Box Bush and Evergreens.


EVERGREEN SHRUBS

| ANDROMEDA Catesbæi. See Leucothoë. | Each | 10 |
|---|--------------------------------------|--|
| floribunda (Pieris)— 10 to 12 in. broad | . 1 75 . 2 00 . 2 75 . 3 50 | \$13 50 16 50 18 50 |
| japonica (Pieris). 10 to 12 in | . 1 50 . 2 00 . 2 50 . 3 50 | 10 00 13 50 18 50 23 50 32 50 13 50 |
| amœna. Claret color. 12 to 15 in. per 100, \$75. 15 to 18 in. Bushy per 100, \$90. 18 to 20 in. Bushy per 100, \$165. 20 to 24 in. Bushy \$3.50 t | . 1 50 . 2 00 . 2 50 | 9 00 13 50 18 50 23 50 |
| amœna, var. Hinode-giri. Carmine Pink— 10 to 12 in. + per 100, \$80. 12 to 15 in. + per 100, \$15. 15 to 18 in. + per 100, \$150. * 18 to 20 in. + per 100, \$175. * 2 to 2½ ft. \$2.50 t | . 1 50 . 1 75 . 2 00 | 9 00 13 50 16 50 18 50 |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | . 2 50 | 18 50 23 50 |

| Each | 10 |
|--|--------------|
| AZALEA Beni giri (Bright Red). 15 to 18 in\$3 50 | \$32 50 |
| Fuji-manyo (Light Purple) Double. $1\frac{1}{2}$ ft 2 00 | 18 50 |
| 2 ft 2 50 | 23 50 |
| $2\frac{1}{2}$ ft | 28 50 |
| Hino-manyo (Pure Pink). 12 to 15 in | 13 50 |
| Kaempferi. (Coral Red.) 18 in 2 00 | 18 50 |
| ledifolium. Pure White. Hardy. 12 to 15 in 1 50 | 13 50 |
| 15 to 18 in | 18 50 |
| 18 to 20 in | 23 50 |
| 20 to 24 in | 27 50 |
| *30 to 48 in. Specimens \$3.50 to 10 00 | 22 50 |
| ledifolium gdf. superba. 1½ to 2 ft | 33 50 |
| 15 to 18 in | 9 00 |
| 18 to 24 in | 13 50 |
| * 30 in 2 50 | 23 50 |
| ledifolium, var. roseum. Shell pink (Wakasagi)— | |
| 8 to 12 in | 13 50 |

ANDORRA-GROWN BOX-WOOD

| BUXUS japonica, var. aurea. Golden Japanese Box— 12 to 15 in. 1 00 15 to 18 in. 1 50 1½ ft. 2 00 2 ft. 2 50 2½ ft. \$3.50 to 5 00 * 3 to 4 ft. \$7.50 to 50 00 | 9 00 13 50 18 50 22 50 |
|---|---|
| japonica, var. Fortunei. Japanese Box— $3\frac{1}{2}$ to 4 ft | |
| 2 ft. Bush shapeper 100, \$275. 3 00 2½ ft. Bush shape5 00 3 ft. Bush shape5 50 3½ ft. Bush shape5 10 00 4 to 5 ft. Bush shape\$12.50 to 25 00 | 28 50 48 50 72 50 |
| 3 ft. Pyramids | 70 00 90 00 115 00 |
| japonica, var. rotundifolia pendula. 2½ ft | 48 50 70 00 |
| 12 to 15 in. + 1 00 $1\frac{1}{2}$ ft. + 1 50 2 ft. 2 00 $2\frac{1}{2}$ ft. 3 50 3 ft. Bushy + 7 50 $3\frac{1}{2}$ ft. Bushy + 10 00 2 ft. x 2 ft. Extra Bushy + 3 50 $2\frac{1}{2}$ ft. x $2\frac{1}{2}$ ft. Extra Bushy + 7 50 3 ft. x 3 ft. Extra Bushy + 25 00 4 to 7 ft. Specimens — broad as their height. See price, page 4. | 9 00 12 50 18 50 32 50 70 00 95 00 32 50 65 00 115 00 |



Andorra-Grown Specimen Boxwood (Buxus Sempervirens).

| BUXUS | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{cccc} 0 & \$30 & 00 \\ 0 & 47 & 50 \\ 0 & 72 & 50 \\ 0 & 90 & 00 \end{array}$ |
|-------|---|--|
| | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| | Standards— 1 ft. stems, 12 to 15 in. heads | 0 33 50 0 |
| | 3 ft. stems, 14 to 16 in. heads 5 00 3½ ft. stems, 14 to 16 in. heads 6 00 4 ft. stems, 16 to 18 in. heads 7 50 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | $egin{pmatrix} 0 & 47 & 50 \\ 0 & 72 & 50 \\ 0 & 90 & 00 \end{bmatrix}$ |

| | Each | 10 |
|---|-------------------|-------------------------------|
| BUXUS sempervirens, var. argentea marginata. Silver tipped Box. $1\frac{1}{2}$ to 2 ft | | \$18 50 |
| 3 ft | $\frac{52}{7}$ 50 | $72 \ 50$ |
| $3\frac{1}{2}$ ft | 8 50 | $8\bar{2} \ 5\bar{0}$ |
| *5 to $5\frac{1}{2}$ ft\$15 to | $25 \ 00$ | |
| sempervirens, var. Handsworthi. 2 ft | . 1 50 | 13 50 |
| $2\frac{1}{2}$ ft | . 2 50 | 23 50 |
| 3 ft | | $\frac{32}{50}$ |
| 4 ft | | 72 50 |
| 5 to 6 ft\$10 to | 15 00 | |
| sempervirens, var. myrtifolia. Myrtle Leaf- | . 3 50 | 22.50 |
| 2 ft. Extra bushy $2\frac{1}{2}$ ft. Extra bushy | | 33 50 72 50 |
| 3 ft. Extra bushy | | 72 50 $-115 00$ |
| 3½ ft. Extra bushy | .25 00 | 110 00 |
| sempervirens, var. salicifolia. $2\frac{1}{2}$ ft | | 33 50 |
| 3 ft | | 55 00 |
| $3\frac{1}{2}$ ft | | 70 00 |
| 4 ft | | 90 00 |
| $4\frac{1}{2}$ ft | .12 50 | |
| sempervirens, var. suffruticosa. Dwarf Edging— 3 to 4 in ★per 100, \$6.00; per 1.000, \$5 | 0 | 75 |
| 3 to 4 in+per 100, \$6.00; per 1,000, \$5 4 to 5 in+per 100, \$7.50; per 1,000, \$6 | 0 - 25 | 1 50 |
| 5 to 6 in | | $\frac{1}{2} \frac{90}{00}$ |
| 6 to 7 in | | 3 50 |
| 8 to 10 in | . 75 | 5 00 |
| 18 in. globe shaped | -3 50 | 35 00 |
| 20 in. globe shaped+. | | 45 00 |
| COTONEASTER Franchetti. $1\frac{1}{2}$ to 2 ft | | 3.50 |
| horizontalis. 12 to 15 in | | 6 00 |
| microphylla. 12 to 15 in | | 6 00 |
| Wheeleri. 12 to 15 in | 75 | 6 00 |
| CRATÆGUS Pyracantha coccinea. Evergreen Thorn- | 1 -0 | 10.00 |
| $\frac{1_2}{2}$ ft. Bushy | | $\frac{13}{20} \frac{00}{00}$ |
| 2 ft. Bushy | | 30 00 |
| | . 9 90 | 30 00 |
| Pyracantha, var. Lelandi. Leland's Thorn— 1½ to 2 ft | . 1 50 | 13 50 |
| 2^2 to $2\frac{1}{2}$ ft | | $\frac{10}{22} \frac{50}{50}$ |
| DAPHNE Cneorum. 2-year | | 6 00 |
| EUONYMUS radicans and variegata. See Trailing Plants | | , , , |
| ianonica. Japan Euonymus 11 ft | 50 | 3 50 |
| japonica, var. argentea. Silver-leaved. 2 tt japonica, var. aurea. Golden-leaved. 2 to 3 ft. | . 75 | 5 00 |
| japonica, var. aurea. Golden-leaved. 2 to 3 ft. | . 75 | 6.00 |
| ILEX crenata. Japanese Holly. 1 ft | | 10 00 |
| 1½ ft | .200 | 18 - 50 |
| 2 ft | 250 | -22 - 50 |
| $\frac{2_{\frac{1}{2}}}{2_{\frac{1}{2}}}$ ft. Bushy | 10 00 | |
| *3 to 5 ft. Specimens | | |
| crenata, var. buxifolia. Box-leaved (fastigiat | | 32 50 |
| form). $2\frac{1}{2}$ ft. Bushy | | 0 ii 00 |
| 3⅓ ft | | |
| 4 ft | . 7 50 | |
| 4½ ft | . 8 50 | |
| ★5 to 6 ft | 20 00 | |
| | | |


| | Each | 10 |
|--|--|---|
| 1 | o 35 0 se to 5 0 7 5 o 15 0 | 0 0 0 |
| 12 to 15 in Bushy 15 to 18 in Bushy 2 ft. Bushy 2½ ft. Bushy 43 ft. Specimens 3½ to 4 ft. Specimens 43½ to 4 ft. Specimens 520 to KALMIA latifolia. Mountain Laurel— | 1 5 3 5 to 7 5 | $egin{pmatrix} 0 & 13 & 50 \\ 0 & 33 & 50 \\ 0 & & & \end{matrix}$ |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{ccc} & 2 & 0 \\ & 2 & 5 \end{array}$ | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| LEUCOTHOE Catesbæi. Drooping Andromeda— 12 to 15 in | | |
| MAHONIA Aquifolium. Holly leaved— 15 to 18 in | $egin{smallmatrix} & 1 & 0 \ & 1 & 5 \end{smallmatrix}$ | 0 7 50 |
| japoinea. Japaniese Manoina. 1_{2} to 2 ft. 2 to 2_{2} ft. 2 to 3 ft. 4 | $\dots 25$ | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| $egin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 0 32 50 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 |
| PACHYSANDRA terminalis | 2 | 25 2 00 |
| SKIMMIA japonica (fruiting). 1 ft. Fine.per 100, \$165 oblata (fruiting). 12 in | $egin{array}{c} \dots & 2 & 0 \\ \dots & 2 & 0 \\ \dots & 2 & 5 \end{array}$ | $\begin{array}{cccc} 0 & 18 & 50 \\ 0 & 18 & 50 \\ 0 & 23 & 50 \end{array}$ |
| ZENOBIA. See Andromeda, page 18. | | |

REAL VALUE-NOT THE PRICE BUT THE PLANT

The universal practice of listing growing plants by a simple statement of name, height and price gives in reality only a meagre guide as to the real quality and worth of nursery stock. The buyer must take into consideration the difference in breadth of top, quality of root system and general vigor of stock as grown at Andorra as against that ordinarily offered.

Our Trees, Evergreens and Shrubs are grown in rows of ample width, the plants are set at wide spaces and frequently transplanted and root-pruned; thus we produce bushy, well-furnished plants with a compact, vigorous root-system which assures their success, in striking comparison to the poor results obtained by planting cheaper plants

grown closely together and infrequently transplanted.



Rhododendrons at Andorra.

RHODODENDRONS

HYBRID VARIETIES—ANDORRA-GROWN

Our offering of Rhododendrons consists of many thousand plants, in fifty varieties, and in a range of sizes from one to five feet. These are acclimated—Andorra-grown stock—in the hardiest varieties. They are grown in open, unsheltered ground, with northern exposure, and the wind-swept hills of Andorra are not kind to anything of a tender nature, so that you may depend upon Andorra-grown Rhododendrons.

RH

| HODODENDRO | BNS, Catawhiense Hybrids Assorted. Each | 10 |
|------------|---|--|
| A | Our selection of varieties— 1½ to 2 ft+per 100, \$165\$2 00 2 to 2½ ft+per 100, \$225 2 50 | \$18 50 23 50 |
| N | Abraham Lincoln. Rosy crimson— | 15 00 |
| D | $egin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| 0 | 3 to 4 ft\$7.50 to 10 00 Album. White— | |
| R | *3½ to 4 ft | |
| R | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{c} 15 & 00 \\ 20 & 00 \\ 32 & 50 \end{array}$ |
| A | $2\frac{1}{2}$ ft | 52 50 |
| 1 | 2 to $2\frac{1}{2}$ ft | $\begin{array}{ccc} 20 & 00 \\ 32 & 50 \end{array}$ |
| G | $3\frac{1}{2}$ ft | |
| R | Alex. Dancer. Light scarlet. $1\frac{1}{2}$ ft. 2 00 2 ft. 3 50 Amphion. Rose pink. $1\frac{1}{2}$ ft. 2 50 | 17 50 32 50 23 50 |
| 0 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| W | Atrosanguineum. Dark scarlet- | 40 50 |
| N . | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 13 50 23 50 28 50 32 50 |

| RHODODENDRO | NS, Blandyanum. Rosy crimson. 1½ ft\$2 25 | 10 \$20 00 |
|-------------|---|--|
| | $\frac{2\frac{1}{2}}{3}$ ft. $\frac{3}{50}$ 50 to $\frac{3}{2}$ ft. Specimens\$7.50 to $\frac{15}{50}$ 00 | 33 50 |
| | Boule de Feu. Red. $1\frac{1}{2}$ ft | 20 00 |
| | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{cccc} 26 & 00 \\ 32 & 50 \end{array}$ |
| | Boule de Neige. White. 15 to 18 in 1 75 | 16 50 |
| | 18 to 20 in 2 50 | 23 50 |
| | $20 \text{ to } 24 \text{ in.}$ 350 Candidissimum. White, $1\frac{1}{2}$ ft | 32 50 15 00 |
| | 2 ft | 22 50 |
| | 2½ ft | 32 50 |
| | Caractacus. Purple crimson. 1½ ft 1 75 | 15 00 |
| | $egin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{ccc} 20 & 00 \\ 32 & 50 \end{array}$ |
| A | 3 ft 5 00 | 48 50 |
| N | * $3\frac{1}{2}$ to 5 ft | 17 50 |
| | 2 ft | 23 50 |
| D | $2\frac{1}{2}$ ft | 33 50 |
| 0 | 3 ft | 17 50 |
| • | 2 ft 2 50 | $23 \ 50$ |
| R | 2½ ft | 33 50 |
| R | * 4 to 45 ft | |
| 14 | C. S. Sargent. Crimson. 1½ ft | $\frac{17}{23} \frac{50}{50}$ |
| A | $2\frac{1}{2}$ ft | 33 50 |
| | 3 ft | 26 50 |
| G | Delicatissimum. White. $1\frac{1}{2}$ ft | 16 50 |
| | $egin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{ccc} 23 & 50 \\ 28 & 50 \end{array}$ |
| R | *3 ft | 20 00 |
| 0 | $\frac{3\frac{1}{2}}{2}$ ft | 23 50 |
| | 2½ ft 3 50 | |
| W | Edward S. Rand. Rich scarlet. $1\frac{1}{2}$ ft 2 00 2 ft 2 50 | $\frac{18}{23} \frac{50}{50}$ |
| N | Everestianum. Rosy lilac. 15 to 18 in 1 75 | 15 00 |
| 14 | 18 to 20 in | $\begin{array}{ccc} 18 & 50 \\ 22 & 50 \end{array}$ |
| | $egin{array}{cccccccccccccccccccccccccccccccccccc$ | 44 00 |
| | *3 to 3½ ft. Heavy\$5 to 10 00 | 18 50 |
| | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 23 50 |
| | $2\frac{1}{2}$ to 3 ft\$3.50 to 5 00 | 99 50 |
| | General Grant. Rosy-scarlet. $1\frac{1}{2}$ ft 1 75 | $\begin{array}{ccc} 23 & 50 \\ 16 & 50 \end{array}$ |
| | 2 ft | 18 50 |
| | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | 23 50 |
| | Giganteum. Rosy crimson. $1\frac{1}{2}$ ft 1 75 | 16 50 |
| | 2 ft. 2 00 2½ ft. 2 50 | 18 50 23 50 |
| | 3 to $3\frac{1}{2}$ ft | |
| | Gomer Waterer. Blushed White: $1\frac{1}{2}$ ft 2 00 2 ft 2 50 | $\begin{array}{ccc} 18 & 50 \\ 23 & 50 \end{array}$ |
| | | |

| | | Each | 10 |
|-------------|---|--|--|
| RHODODENDRO | NS, Hannah Felix. Light red— ★ 3 to 4 ft | \$10.0 | 0 |
| | Harriet Sargent. Crimson, 1 ft | . 2 0 | 0 \$18 50 |
| | Henry Probasco. Deep Carmine. 11 ft. | . 20 | 0 18 50 |
| | $egin{array}{cccccccccccccccccccccccccccccccccccc$ | . 3 5 | 0 25 50 |
| | Herbert Parsons. Lilac- | | 00.50 |
| | $egin{array}{cccccccccccccccccccccccccccccccccccc$ | | $\begin{array}{cccc} 0 & 23 & 50 \\ 0 & 32 & 50 \end{array}$ |
| | 3 to 4 ft,\$5 to | 10 0 | ~ |
| | H. H. Hunnewell. Dark crimson. 18 in 2 ft | . 2 5 | $\begin{array}{cccc} 0 & 18 & 50 \\ 0 & 23 & 50 \end{array}$ |
| | $2\frac{1}{2}$ ft | . 3 5 | 0 32 50 |
| | Chas. S. Sargent. Rich crimson. $1\frac{1}{2}$ ft | | 0 18 50 |
| A | 2 ft | . 2 5 | $\begin{array}{cccc} 0 & 23 & 50 \\ 0 & 33 & 50 \end{array}$ |
| | $2\frac{1}{2}$ ft | | 0 33 50 0 18 50 |
| N | 2 ft | . 2 5 | $\begin{array}{cccc} 0 & 22 & 50 \\ 0 & 32 & 50 \end{array}$ |
| D | $2\frac{1}{2}$ ft. Ignatius Sargent. Deep pink. $1\frac{1}{2}$ ft | . 2 0 | 0 18 50 |
| | $egin{array}{cccccccccccccccccccccccccccccccccccc$ | 0 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| 0 | J. Marshall Brooks. Scarlet. 2 ft | 2 5 | 0 23 50 |
| R | $\frac{2\frac{1}{2}}{3}$ ft | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 0 32 50 |
| R | Jas. Macintosh. Rosy Scarlet; fine truss- | - | 0 18 50 |
| | 2 ft | . 2 5 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| A | John Spencer. Rose. 2½ ft | $\frac{3000}{2000}$ | 0 27 50 |
| 1 | J. R. Trumpy. Rosy crimson. 2 ft | $\frac{2}{5}$ | 0 23 50 |
| G | $2\frac{1}{2}$ ft | . 3 0 | $\begin{array}{cccc} 0 & 28 & 50 \\ 0 & 23 & 50 \end{array}$ |
| R | 2 ft | . 3 5 | 0 32 50 |
| • | 2½ ft. 3 ft. | . 75 | 0 48 50 |
| 0 . | Kissena. Lavender. $1\frac{1}{2}$ ft | . 2 5 | 50 23 50 |
| W | Lady Armstrong. Pale rose. $1\frac{1}{2}$ ft | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 5 16 50 5 20 00 |
| N | $2\frac{1}{2}$ ft | . 3 0 | 0 |
| | *3 ft\$5 t Lady Clermont. Rosy scarlet— | 0 1 0 | 60 |
| | 3 to 4 ft\$5 to | | 0 |
| | Lady Gray Egerton. Blush white. 2 ft $2\frac{1}{2}$ ft | . 2 5 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| | 3 ft | . 5 0 | 00 48 50 |
| | Lee's. Dark purple. 2 ft | | 00 18 50 0 18 50 |
| | Luciferum. Clear white. 2 ft. 2½ ft. | . 2 5 | 0 23 50 |
| | 3 to $3\frac{1}{2}$ ft | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 0 18 50 |
| | Mad. Masson. White. $1\frac{1}{2}$ ft | | 5 16 50 |
| | Mrs. Chas. S. Sargent. Pink Everestianun | a | 0 23 50 |
| | 18 to 20 in | | 0 28 50 |
| | 26 to 30 in | | 50 33 50 |

| DUADADENDO | Each | 10 |
|-------------|--|--|
| KHODODENDKO | NS, Mildred Grant. 2 ft\$2 50 Mrs. H. Ingersoll. Deep rose-lilac— | \$23 50 |
| | 1½ ft | $\begin{array}{ccc} 16 & 50 \\ 23 & 50 \end{array}$ |
| | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 13 50 18 50 |
| | Mrs. Milner. Crimson. 1½ ft. 2 00 2 ft. 2 50 ❖ 3 ft. \$5 to 7 50 | 18 50 23 50 |
| A | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 18 50 23 50 |
| N | Parson's gloriosum. Blush. $1\frac{1}{2}$ ft 1 50 | 13 50 18 50 |
| D | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 23 50 |
| 0 | Parson's grandiflorum rubrum. Deep pink— 1½ ft | 16 50 |
| R | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 18 50 23 50 |
| R | President Lincoln. Crimson. $2\frac{1}{2}$ ft 3 50 ** 3 to $3\frac{1}{2}$ ft | 32 50 |
| A | purpureum crispum. Purple crimped— 2 ft | 22 50 |
| 1 | $2\frac{1}{2}$ ft | 13 50 |
| G | $egin{array}{cccccccccccccccccccccccccccccccccccc$ | 18 50 18 50 32 50 |
| R | 3 to 4 ft | |
| 0 | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | 18 50 23 50 |
| W | roseum elegans. (True.) Clear pink- | 10 50 |
| N | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 18 50 23 50 32 50 |
| | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | 13 50 18 50 27 50 48 50 |
| | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | 33 50 48 50 |
| | roseum superbum. Clear rose. 2½ ft 3 50 *3 to 3½ ft | 32 50 |
| | Sefton. Dark maroon. $1\frac{1}{2}$ ft. 2 00 2 ft. 2 50 $2\frac{1}{2}$ ft. 3 50 | $\begin{array}{c} 18 & 50 \\ 23 & 50 \\ 32 & 50 \end{array}$ |
| | Unnamed Hybrids. 3 to 6 ft. Specimens. Prices on application. | 41 3 |

OTHER SPECIES-ANDORRA-GROWN

| RHODODENDRONS, catawbiense. 1½ to 2 ft.per 100, \$135\$1 50 2 ft | 10 \$14 00 18 50 22 50 33 50 |
|--|---|
| catawbiense, var. alba. $1\frac{1}{2}$ to 2 ft | 16 50 22 50 32 50 |
| maximum. Great Laurel— 2 to 2½ ft. Nursery grown 2 00 2½ to 3 ft. Nursery grown 2 50 3 to 3½ ft. Nursery grown 3 00 ★ 3½ to 4 ft. Nursery grown 3 50 ★ 4 to 5 ft. Nursery grown 5 00 | 17 50 22 50 28 50 33 50 48 50 |
| maximum, var. roseum. Pink— 3½ to 5 ft. | |
| DWARF VARIETIES—ANDORRA-GRO | WN |
| imbricata, 18 in | |
| myrtifolium. 1 ft. $+$ 2 00 $2\frac{1}{2}$ ft. $+$ 3 50 | 18 50 |
| odoratum. Fragrant. 2 ft 2 50 2½ ft | 20 00 |
| punctatum. Dotted. 12 in. 1 50 18 in. 2 50 24 in. 3 50 | 13 50 20 00 32 50 |
| Wilsonianum (lætevirens). 10 to 12 in. ★ 1 50 15 to 18 in 2 50 | 13 50 23 50 |
| YUCCA filamentosa. Adam's Needle. 4 year. 50 glauca. 4 year 50 | 3 50 3 50 |

RHODODENDRONS

Rhododendrons, to secure the best effects, should be planted in combination with other things. If along the woodland or in heavy boundary plantings, the Hemlock, the White Pine, the Dogwood, native Viburnums and plants of like character tend to break up the monotony of heavy masses of Rhododendrons of the same form and texture; and, where the plantings are more confined, as about the base line of buildings, and in nooks and corners of the garden, the Dogwood, the Cornus mascula, Kalmia, ferns of different varieties, stronger-growing perennials, and last, but not least, the hardy little shrub, Abelia rupestris. all can be used to secure most pleasing effects.

Deciduous Trees

Scarce in these Large Sizes

| SUGAR MAPLES. Specimens | \$50 | 00 | to | \$150 | 00 | Each |
|--|-------|----|----|-------------|----|------|
| PURPLE BEECH. Specimens | . 100 | 00 | to | 250 | 00 | Each |
| HORSE CHESTNUT. Specimens | 50 | 00 | to | 15 0 | 00 | Each |
| Neat growth, rich foliage, and superb fall color, three points of merit for this most desirable variety which we offer up to twenty-five feet in height with large well-balanced tops. See also page 36. | m | 00 | to | 100 | 00 | Each |
| RED FLOWERING DOGWOOD. Specimens This Spring we offer most interesting sizes of this scarce variety, eight to ten feet in height, and with a spread of from six to eight feet, low branched, with full, broad, dense heads; handled with a ball of earth for safe shipment. See also page 33. | | 00 | to | 25 | 00 | Each |
| The words "Spring" and "Apple-blossoms" are almost synonymous, and how much finer the bloom of these new horticultural sorts than that of the fruiting apples. We have a very few fine pieces of the Pink variety Floribunda. See also page 39. | | 00 | to | 15 | 00 | Each |
| CORK-BARKED EUONYMUS. Specimens The unusual always appeals to us and this unique shrub with its corky bark, salmon pink autumn foliage, and its carmine berries, together with a neat habit appeals to us as a most desirable specimen. See also page 50 | | 50 | to | 15 | 00 | Each |

most desirable specimen. See also page 50.



Specimen Norway Maples in Wide Rows.

DECIDUOUS TREES

Large trees have been in demand for many years as purchasers wish quick results. In a great measure the difficulty has been to secure a large ree that would grow as satisfactorily as those of smaller size.

Appreciating the demand for a perfect tree in a large size we have for years devoted great care and large sums of money transplanting trees n unusually large nursery grades. and our customers can depend absolutely upon receiving, with any of the large sizes offered in this list, a root system which makes it practical and desirable to secure the large sizes and get immediate results.

Measurements are given as follows: Height is taken before digging, from the surface of the ground to the top branches, where they round off to form the top; diameter of stem, or caliper, is taken 6 inches above the ground, above the collar. Measurements are expressed thus: 10 to 12 ft. (height), 2½ to 2½ in. (caliper)

| it. (neight), 2½ to 2½ in. (camper). | Each | 10 | 100 |
|---|----------|-----------------|---|
| ACER saccharinum. Silver Maple. 8 to 10 ft.; 1½ to 1¾ in | 1 50 | \$7 50 10 00 | \$50 00 85 00 |
| 10 to 12 ft.; 2 to $2\frac{1}{4}$ in 12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in A rapid grower for immediate | 3 50 | 20 00 30 00 | $\begin{array}{ccc} 175 & 00 \\ 225 & 00 \end{array}$ |
| saccharinum, var. pyramidalis. Pyram Silver Maple— | | | |
| 10 to 12 ft., 1½ to 2 in | | 22 50 | |
| Cut-leaved Silver Maple— | , 101 | | |
| 8 to 10 ft | 1 50 | 13 50 | |
| 10 to 12 ft.; 2 to $2\frac{1}{4}$ in | | 20 00 | 175 00 |
| 12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in | 3 50 | 30 00 | 225 00 |
| Specimens, 4 to 5 in\$7.50 | to 25 00 | | |

| | Each | 10 | 100 |
|---|---|--|---|
| ACER Negundo. Ash-leaved Maple. 7 to 8 to 10 ft : 13 to 2 in real | ft\$1 00 | \$7 50 | \$50 00 |
| 8 to 10 ft.; 1 ² / ₄ to 2 in. cal *10 to 14 ft.; 3 to 5 in\$3.50 | to 7 50 | 10 00 | 85 00 |
| pennsylvanicum. 4 to 5 ft | † 1 00 | 8 50 | |
| platanoides. Norway Maple- | | | |
| 8 to 10 ft.; 1 to 11 in | 1 00 | 7 50 | 50 00 |
| 10 to 12 ft.: $1\frac{2}{3}$ to 2 in | 150 175 | $\begin{array}{c} 10 \ 00 \\ 13 \ 50 \end{array}$ | $60 00 \\ 115 00$ |
| 8 to 10 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in 10 to 12 ft.; $1\frac{3}{4}$ to 2 in 10 to 12 ft.; 2 to $2\frac{1}{4}$ in | $\frac{1}{2}$ $\frac{1}{0}$ | 17 50 | 150 00 |
| 12 ft. ; $2\frac{1}{4} \text{ to } 2\frac{1}{2} \text{ in.}$ | \dots 2 50 | 20 00 | 165 00 |
| 10 to 12 ft.; $2^{\frac{1}{4}}$ to $2^{\frac{1}{4}}$ in | 4 00 | $\begin{array}{ccc} 27 & 50 \\ 32 & 50 \end{array}$ | $\begin{array}{ccc} 250 & 00 \\ 275 & 00 \end{array}$ |
| 14 to 10 1t., 97 to 97 III | 0 00 | 47 50 | 400 00 |
| 14 to 16 ft.: $3\frac{1}{7}$ to $3\frac{3}{7}$ in | 600 | 50 00 | |
| * 14 to 16 ft.; $3\frac{3}{4}$ to 4 in * 14 to 16 ft.; $4\frac{1}{4}$ to 5 in\$10 | to 20 00 | 60 00 | |
| * 14 to 20 ft.; $5\frac{1}{2}$ to 7 in. \$25 t | o 150 00 | | |
| platanoides, var. purpurea. Schwedler | | | v |
| Purple Maple— 8 to 10 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 1 75 | 15 00 | 135 00 |
| 10 to 12 ft.; $1\frac{3}{4}$ to $2^{\frac{1}{4}}$ in 10 to 12 ft.; $2\frac{3}{4}$ to $2^{\frac{3}{4}}$ in 12 to 14 ft.; $2\frac{3}{4}$ to $3^{\frac{3}{4}}$ in 14 to 16 ft.; $3\frac{1}{2}$ to 4 in. \$7.50 \bigstar 16 to 20 ft.; 5 to 10 in. \$25 t | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 18 50 | $\frac{135}{175} \frac{00}{00}$ |
| 10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in | 3 50 | 32 50 | |
| 12 to 14 ft.; 2\frac{3}{2} to 3 in | 5 00 | | |
| * 16 to 20 ft.: 5 to 10 in \$25 t | 150 00 | | |
| platanoides, var. Reitenbachi. Reitenba | ach's | | |
| Purple Maple— | 1 00 | 8 50 | |
| 6 to 7 ft | | 0 00 | |
| Maple. 8 to 10 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ 10 to 12 ft.; 2 to $2\frac{1}{2}$ in 12 to 14 ft.; $2\frac{3}{4}$ to 3 in | in. 1 50 | 12 50 | |
| 10 to 12 ft.; 2 to $2\frac{1}{2}$ in | $\dots \begin{array}{c} 2 & 00 \\ 2 & 50 \end{array}$ | $\begin{array}{cccc} 17 & 50 \\ 32 & 50 \end{array}$ | |
| * 14 to 30 ft. Specimens \$25 to | \$175 00 | 54 50 | |
| pseudopiatanus, var. purpurea. Pui | rple | | |
| Sycamore Maple. Specimen 25 to 30 ft.; 6 to 10 in. cal | ıs— | | |
| Broad-headed specimen tre | ees. | | |
| Prices on application. | | | |
| rubrum. Red or Scarlet Maple— | 1 50 | 19 50 | 105 00 |
| 8 to 10 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in 10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in 12 to 14 ft.; 2 to $2\frac{1}{4}$ in | 2 00 | $\begin{array}{ccc} 13 & 50 \\ 17 & 50 \end{array}$ | $125 00 \\ 165 00$ |
| 12 to 14 ft.; 2^2 to $2\frac{1}{4}$ in | $$ $\bar{3}$ 00 | - 28 50 | 275 00 |
| * 14 to 16 ft.; 3 to 4 in.\$7.50 | to 15 00 | | |
| saccharum. Sugar Maple— 10 to 12 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 1 50 | 12 50 | 85 00 |
| 10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in | $\dots \stackrel{?}{2} \stackrel{00}{00}$ | 17 50 | 135 00 |
| 12 to 14 ft.; 2 to $2\frac{1}{4}$ in | $\dots 250$ | 22 50 | 200 00 |
| 12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{1}{4}$ in | 5 00 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 300 00 |
| 10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{1}{2}$ in | to 7 50 | 10 00 | |
| * 14 to 20 1t., 02 to 6 III. \$10 t | 0 190 00 | | wa 00 |
| spicatum. Mountain Maple. 4 to 5 f | | 7 50 | 50 00 |
| tataricum, var. ginnala. Tartarian Man 2 to 3 ft. | | 5 00 | 30 00 |
| 4 to 5 ft | | 9 00 | 75 00 |
| 5 to 6 ft | | 13 50 | 100 00 |
| tataricum, var. rubrum. 2 to 3 ft 3 to 4 ft | | $\begin{array}{cccc} 5 & 00 \\ 9 & 00 \end{array}$ | $\frac{40}{75} \frac{00}{00}$ |
| 5 to 6 ft | | 13 50 | 100 00 |
| | | | |

^{*} LARGE SIZES FOR IMMEDIATE EFFECT

| Each | 10 | 100 |
|---|---------------------------|--------------------|
| ACER palmatum, var. aureum. Golden Japanese Maple. 2 ft. \$2 00 $2\frac{1}{2}$ ft. $2 50$ \$3 to $3\frac{1}{2}$ ft. $3 50$ | \$18 50 22 50 32 50 | |
| palmatum, var. filicifolium. 10 to 12 ft15 00 ❖ polymorphum, 4 to 5 ft\$2.50 to 3 50 5 to 6 ft | | |
| polymorphum, var. atropurpureum. Blood- leaved Japan Maple— | | |
| 1½ to 2 ft | 13 50 18 00 | |
| polymorphum, var. atropurpureum dissectum. Weeping Cut-leaf Bloodleaved. $1\frac{1}{2}$ ft | 13 50 | |
| Tall standards, 4 to 5 ft. stem and broad heads\$15 to 25 00 polymorphum, var. atropurpureum nig- | | |
| rum— ★5 to 8 ft. Specimens\$20 to 35 00 | | |
| polymorphum, var. dissectum. Cut-leaf Weeping Japan Maple. 1½ ft. ↑ 1 50 2 to 2½ ft | 13 50 | |
| ÆSCULUS carnea (rubicunda). Red-flowered | | |
| Horse-chestnut— 7 to 8 ft.; $1\frac{3}{4}$ to 2 in. 2 50 10 ft.: 2 to $2\frac{1}{4}$ in. 3 50 ★ 12 to 18 ft.; 3 in | 22 50 32 50 | |
| Hippocastanum. European Horse-chest- nut. 8 to 10 ft.; 1¾ in 1 50 10 to 12 ft.; 2 to 2¼ in 2 50 12 to 14 ft.; 2½ to 2¾ in 3 50 ★ 14 to 16 ft.; 3 to 5 in \$5 to 35 00 Specimens. See page 28. | 12 50 17 50 27 50 | |
| Hippocastanum, var. alba flore pleno. | | |
| Double White-flowered Horse-Chestnut. 8 to 9 ft; 1\frac{3}{4} to 2 in 2 00 9 to 10 ft; 2\frac{1}{4} to 2\frac{1}{2} in 3 50 \$\frac{1}{2}\$ to 16 ft.; 3 to 4 in\\$5 to 15 00 Specimens. See page 28. | 18 50 30 00 | \$175 00 200 00 |
| AILANTHUS glandulosa. Tree of Heaven- | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 8 50 10 00 20 00 | 60 00 75 00 |
| ALNUS glutinosa. European, or Black Alder— 10 to 12 ft.; 1 to 1½ in 1 00 10 to 12 ft.; 1½ to 2 in 1 50 | 8 50 12 50 | 65 00 85 00 |
| IABANECE MADI EC DALLED AND DUI | DIADDE | D |

| Each | 10 | 100 |
|--|--|-------------------------------|
| AMELANCHIER lævis (canadensis). June Berry— 3 to 4 ft | \$3 50 5 00 7 50 | \$25 00 40 00 60 00 |
| ANDROMEDA. See Oxydendron. | | |
| ARALIA japonica (Fatsia). Chinese Angelica Tree. 4 to 5 ft | 3 50 6 50 8 50 | |
| pentaphylla. See Acanthopanax spinosa— spinosa. 6 to 8 ft 1 00 | 8 50 | 60 00 |
| BETULA alba. European White Weeping Birch— 6 to 8 ft. 1 00 8 to 10 ft. 1 50 10 to 12 ft.; 1\(\frac{3}{4}\) to 2 in. 2 00 | 7 50 10 00 | |
| alba, var. laciniata pendula. Weeping Cut- leaved White Birch. 8 to 10 ft. 1 50 | 12 50 | |
| alba, var. purpurea. Purple foliage— 8 to 10 ft | 13 50 | |
| lenta. Sweet Birch. 8 to 10 ft. 1 50 lutea. Yellow Birch. 8 to 10 ft. 1 25 10 to 12 ft. 1 50 | 13 50 10 00 13 50 | 85 00 100 00 |
| papyrifera. Paper, or Canoe Birch— 8 to 10 ft. 1 25 10 to 12 ft. 1 50 | 10 00 13 50 | 60 00 85 00 |
| populifolia. American White Birch— 8 to 10 ft. 1 25 10 to 12 ft. 1 50 | 10 00 13 50 | 75 00 100 00 |
| nigra; syn., rubra. Red Birch. 6 to 7 ft. 1 00 7 to 8 ft. 1 50 | $\begin{array}{c} 7 & 50 \\ 10 & 00 \end{array}$ | $\frac{60}{75} \frac{00}{00}$ |
| CARAGANA. (Siberian Pea Tree.) 5 to 6 ft 1 00 Standards in varieties. 4 to 5 ft. + 3 50 | 7 50 | 50 00 |
| CARPINUS caroliniana. American Hornbeam— 3 to 4 ft | 6 50 8 50 | 60 00 75 00 |
| Betulus. European Hornbeam— 2 to 3 ft. Heavy 50 3 to 4 ft. Bushy 75 7 to 12 ft. Specimens \$3.50 to 25 00 | 4 50 6 50 | 40 00 60 00 |
| CARYA alba. See Hicoria. | | |
| CATALPT bignonioides nana. Bunge's Catalpa. Standards. 7 to 8 ft | 22 50 10 00 | 75 00 |
| CEDRELA sinensis. Chinese Cedrela— 7 to 8 ft | 13 50 | |
| CELTIS occidentalis. Nettle Tree. 6 to 8 ft 1 50 | 13 50 | |
| | | |

| | 22 1 | 4.0 | 100 |
|---|--|---|---------------------------|
| CERASUS (Prunus) s.c. avium, var. alba plena. | Each | 10 | 100 |
| Double White-flowering Cherry. | 20 =0 | | |
| * 8 to 9 ft | 83 90 | | |
| avium, var. rosea plena. Double Pink- flowering Cherry. 6 to 7 ft | 2 50 | | |
| avium, var. rosea pendula. Pink Weeping Japan Cherry. 6 to 7 ft | 3 50 | | |
| Padus. European Bird Cherry— 8 to 10 ft | | \$8 50 12 50 | |
| serotina. Wild Black Cherry— 8 to 10 ft | 1.50 | 12 50 | |
| Sieboldi, var. rubra plena. 4 to 5 ft | | 13 50 | |
| CERCIS canadensis. Red Bud, American Judas— | 1 00 | 10 00 | |
| 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 8 to 9 ft. Heavy clumps .\$5 to 1 | 50 75 1 00 10 00 | $\begin{array}{ccc} 4 & 00 \\ 6 & 00 \\ 7 & 50 \end{array}$ | \$35 00 50 00 60 00 |
| Japonica. See Shrubs. CERCIDIPHYLLUM japonicum. 4 to 5 ft | 1 50 | 12 50 | |
| 5 to 6 ft. 7 to 8 ft. 8 to 10 ft. | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 23 50 48 50 70 00 | |
| 10 to 14 ft. Specimens\$10 to 10 | 00 00 | | |
| CLADRASTIS lutea (Virgilia lutea). Yellow Wood. 8 to 10 ft | 3 50 | $\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$ | |
| 12 to 16 ft. Specimens\$5 to | 7 50 | | |
| CORNUS. See, also, Shrubs. | | | |
| florida. White Dogwood— 3½ to 4 ft. 4 to 5 ft. 5 to 6 ft. 7 to 8 ft. *8 to 10 ft. \$5.50 to \$5.50 to \$5.50 to | 1 25 1 50 2 50 | 7 50 10 00 12 50 23 50 | 50 00 60 00 85 00 |
| florida, var. flore rubra. Red-flowered | 0.50 | 20.00 | |
| Dogwood. 3 to 4 ft | $\frac{3}{3} \frac{00}{50}$ | 20 00 27 50 | |
| *6 to 7 ft. Specimens | 5 00 15 00 | | |
| mens | 25 00 | | |
| The Red-flowered Dogwood offered here are | a har | adsome lo | t. grown |

The Red-flowered Dogwood offered here are a handsome lot, grown well apart, frequently transplanted. Now perfect—symmetrical specimens. This Dogwood is one of the most beautiful trees, as in addition to its pink bloom in spring it retains all the desirable characteristics of the White Dogwood.

 florida, var. pendula. Weeping Dogwood—

 ★ 10 to 12 ft. Rare
 ★ .25 00

 Kousa. Japan Dogwood. Rare—
 4 to 5 ft.
 2 50 23 50

 ★ 5 to 6 ft.
 3 50 32 50


 ★ 6 to 7 ft.
 5 00 45 00

 ★ 7 to 8 ft.
 6 00 50 00

| | Each | 10 | 100 |
|--|---|--|-------------------------|
| CRATÆGUS Carrieri. 5 to 6 ft | 1 50 | $\begin{array}{c} \$10 & 00 \\ 12 & 50 \\ 22 & 50 \end{array}$ | \$85 00 100 00 |
| coccinea. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 8 to 9 ft. | $\begin{array}{c} 75 \\ 1 00 \\ 1 50 \end{array}$ | 6 00 7 50 10 00 22 50 | 50 00 65 00 85 00 |
| cordata. Washington Thorn— 4 to 5 ft. Heavy 5 to 6 ft. Heavy 5 to 7 ft. Heavy ★ 7 to 8 ft. Heavy ★ 8 to 10 ft. Specimens ★ + | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | 8 50 12 50 18 50 22 50 32 50 | , |
| Crus-galli. Cockspur Thorn- | | 0.00 | F0 00 |
| 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. *7 to 8 ft. *8 to 10 ft. | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | 6 00 6 50 10 00 32 50 45 00 | 50 00 60 00 85 00 |
| flava. Yellow Haw. 7 to 8 ft | 2 50 | | |
| Oxyacantha. English Hawthorn— 5 to 6 ft. 6 to 7 ft. | 1 50 | 8 50 10 00 | |
| Oxyacantha, var. alba flore pleno. Double White Hawthorn. 3 to 4 ft | 75 | 6 50 | |
| 4 to 5 ft | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 8 50 32 50 | |
| Oxyacantha, var. coccinea flore pleno Paul's Double Scarlet— | • | | |
| 4 to 5 ft | 2 00 3 50 7 50 12 50 | 9 00 17 50 32 50 | 85 00 135 00 |
| Oxyacantha, var. rosea flore pleno. Double | 75 | 6 50 | |
| Pink Hawthorne. 3 to 4 ft 4 to 5 ft punicea. (Deep red flowers.) 8 to 10 ft. | 1 00 | 8 50 32 50 | |
| punicea fl. pl. (Double). 5 to 6 ft | | 13 50 | |
| CYTISUS Laburnum. Golden Chain. See Laburnum vulgare (cytisus). Golden Chain. | | | |
| DIOSPYROS virginica. Persimmon. 5 to 6 ft | | | |
| 6 to 8 ft | | 40.70 | |
| FAGUS americana. American Beech. 2½ to 3 ft. 4 to 5 ft. 5 to 6 ft. | $\frac{2}{3} \frac{50}{50}$ | 13 50 23 50 33 50 | |
| 6 to 7 ftsylvatica. European Beech. 2 to $2\frac{1}{2}$ ft | | $\begin{array}{ccc} 42 & 50 \\ 7 & 50 \end{array}$ | 50 00 |
| 3 to 4 ft | $\begin{array}{ccc} 1 & 50 \\ 2 & 00 \\ 2 & 50 \end{array}$ | 10 00 15 00 22 50 32 50 | 75 00 90 00 |
| sylvatica, var. asplenifolia. Fern-like Beech. 3 to 4 ft | 0.50 | 00.50 | |
| Beech. 3 to 4 ft | 2 50 | 23 50 | |

^{*} LARGE SIZES FOR IMMEDIATE EFFECT

| Each | 10 | 100 |
|---|--|---|
| FAGUS sylvatica, var. grandidentata. 5 to 6 ft\$5 00 8 to 9 ft. Specimens10 00 | 10 | 100 |
| sylvatica, var. pendula. Weeping Beech— 5 to 6 ft | | |
| 10 to 12 ft | | N |
| sylvatica, var. purpurea. Purple Beech- | #00 ~ 0 - | |
| 4 to 5 ft 2 50 5 to 6 ft | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| 6 to 7 ft 5 00 7 to 8 ft 7 50 | 47 50 | |
| ❖ 9 to 10 ft. Specimens\$10 to 12 50 | | |
| *11 to 12 ft. Specimens\$15 to 25 00 *12 to 25 ft. Specimens\$25 to 250 00 | | |
| sylvatica, var. purpurea major. Large | | |
| Leaf. 5 to 6 ft | | |
| *7 to 8 ft | | |
| leaved Beech. 5 to 6 ft 3 50 | 32 50 | |
| * 7 to 8 ft | | |
| 10 to 12 ft | | |
| FATSIA japonica. See Aralia. | | |
| FRAXINUS americana. White Ash. 7 to 8 ft 1 00 8 to 10 ft | 7 50 8 50 | \$50 00 65 00 |
| 10 to 12 ft.: $1\frac{1}{2}$ to 2 in | 13 50 | 100 00 |
| 12 to 14 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in 2 50 Ornus. Flowering Ash. 5 to 6 ft 1 00 | 23 50 8 50 | |
| 7 to 8 ft | 13 50 | G= 00 |
| lanceolata. Green Ash. 7 to 8 ft 1 00 8 to 10 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in 1 50 10 to 12 ft.; $1\frac{3}{4}$ to 2 in 2 00 | $\begin{array}{cc} 9 & 00 \\ 13 & 50 \end{array}$ | $65 00 \\ 100 00$ |
| | 15 00 | F0.00 |
| S to 10 ft | 6 00 8 00 | 50 00 75 00 |
| triacanthos. Honey Locust. 4 to 5 ft 50 | 4 00 5 00 | 25 00 |
| 5 to 6 ft | 6 50 | $\begin{array}{ccc} 35 & 00 \\ 50 & 00 \end{array}$ |
| GYMNOCLADUS dioica. Kentucky Coffee Tree— 8 to 10 ft.: 1\frac{1}{2} to 1\frac{2}{3} in. \docs 150 | 10 00 | |
| 10 to 12 ft.; $1\frac{3}{4}$ to 2^{*} in 1 75 | 15 00 | |
| 12 to 14 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in 2 00 HALESIA tetraptera. Snowdrop Tree— | 18 50 | |
| 4 to 5 ft 1 00 | 7 50 | |
| HICORIA alba (carya). Hickory. 4 to 5 ft 1 00 8 ft | 8 50 | |
| JUGLANS nigra. Black Walnut. 3 to 4 ft | $\begin{array}{ccc} 3 & 50 \\ 7 & 50 \end{array}$ | 25_00 60_00 |
| 8 to 10 ft 1 50 | 12 50 | 100 00 |
| regia. English Walnut. 3 to 3½ ft 1 00 8 to 9 ft | 7 50 | |
| Sieholdiana. Japan Walnut. 6 to 7 ft. 1 50 7 to 8 ft. 2 00 | $\begin{array}{ccc} 12 & 50 \\ 18 & 50 \end{array}$ | |
| * 10 to 12 ft | 23 50 32 50 | |



| An Avenue of Sweet Gums (Liquidambar), at | | × |
|---|-------------------------------|---------|
| Each VIII PEUTERIA noviculato Vicunialo II | 10 | 100 |
| KŒLREUTERIA paniculata. Varnish Tree— | \$18 50 | |
| 7 to 8 ft\$2 00 | $\frac{32}{32} \frac{50}{50}$ | |
| 8 to 10 ft | 52 50 | |
| LABURNUM vulgare. Golden Chain— | | |
| 5 to 6 ft | 7 50 | |
| 6 to 7 ft | 10 00 | |
| 7 to 8 ft | 20 00 | |
| vulgare pendula. $10 \text{ to } 12 \text{ ft.} \dots 10 00$ | _0 00 | |
| LARIX European Larch. 4 to 5 ft 75 | 6 00 | |
| 5 to 6 ft 1 00 | 7 50 | |
| leptolepsis. Japanese Larch. 4 to 5 ft. 1 00 | 8 50 | \$75 00 |
| 5 to 6 ft 1 50 | 13 50 | 100 00 |
| 7 to 8 ft | 20 00 | |
| leptolepsis pyramidalis. 4 to 5 ft 1 50 | 12 50 | |
| LIQUIDAMBAR. Sweet Gum. 6 to 7 ft 1 50 | 12 50 | 85 00 |
| 7 to 8 ft.; 2 to $2\frac{1}{4}$ in 2 50 | 22 50 | 175 00 |
| 8 to 10 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in 3 00 10 to 12 ft.; $2\frac{3}{4}$ to 3 in 4 00 | 27 50 | |
| 10 to 12 ft.; $2\frac{3}{4}$ to 3 in 4 00 | 37 50 | |
| * 12 to 14 ft.; 3 to $3\frac{1}{2}$ in 5 00 | 47 50 | |
| * 16 to 20 ft. Specimens. See page 28. | 0 50 | OM 00 |
| LIRIODENDRON Tulipifera. Tulip Tree. 7 to 8 ft. 1 00 | 8 50 | 65 00 |
| 8 to 9 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in 1 50 | 10 00 | 85 00 |
| 10 to 12 ft.; $1\frac{3}{4}$ to 2 in 1 75 | 15 00 | 135 00 |
| * 10 to 12 ft.; $2\frac{1}{2}$ to 4 in\$2 to 5 00 | | |
| MAGNOLIA. Native Sorts— | | |
| acuminata. Cucumber Tree | 7 50 | |
| 5 to 6 ft 1 00 | 13 50 | |
| 7 to 8 ft | 19 90 | |
| glauca. Sweet or Swamp Magnolia— | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | |
| *5 to 6 ft. Bushy 3 50 | | |

| Eac | h 10 | 100 | |
|--|---|------------|-----|
| MAGNOLIA grandiflora. Evergreen Magnolia— | | | |
| *4 to 5 ft | 50 - \$32 | 50 | |
| hypoleuca. Japan. 4 to 5 ft | 50 - 23 | | |
| 7 to 8 ft 5 | 00 - 45 | 00 | |
| macrophylla. Great-leaved Magnolia- | | | |
| 5 to 6 ft | 00 | | |
| tripetala. Umbrella Tree. 6 to 7 ft 1 | | 50 | |
| 7 to 8 ft 1 | | 50 | |
| 8 to 12 ft\$2 to 3 | 50 | | |
| Chinese Sorts— | | | |
| alba superba. White— | | | |
| 3 to 4 ft 2 | 50 | | |
| Alexandriana. Pink (Early)— | | | |
| 4 to 5 ft 3 | | | |
| 5 to 6 ft 5 | | | |
| | 50 65 | 00 | |
| conspicua. White | | | |
| | 00 45 | | |
| | 50 	 22 | 50 \$200 0 |)() |
| | 50 | | |
| Lennei Hybrid. Lenne's Magnolia- | F0 00 | F 0 | |
| | 50 - 32 | | |
| 5 to 6 ft 5 | | | |
| \bullet 6 to 7 ft | | | |
| *8 to 10 ft 7 | 50 - 72 | .50 | |
| purpurea; syn., obovata. Purple Mag- | - 0 | | |
| | 50 | | |
| Soulangeana Hybrid. Soulange's Mag- | F0 00 | | |
| | 50 22 | | |
| | $\frac{50}{2}$ 32 | | |
| | 00 45 | | |
| | 00 55 | | |
| *7 to 8 ft | | | |
| Soulangeana, var. nigra. 4 to 5 ft 3 | | | |
| 5 to 6 ft 5 | | | |
| speciosa. 6 to 7 ft | $\begin{array}{ccc} 00 & 45 \\ 50 & 22 \end{array}$ | 50 | |
| stellata. Hall's Magnolia. 2 ft+ 2 2½ ft 3 | | | |
| 3 to $3\frac{1}{2}$ ft | 00 	 47 | | |
| 2 22 25 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | 00 41 | 90 | |
| | | F0 | |
| MORUS alba. White Mulberry. 7 to 8 ft 1 | 00 7 | 50 | |
| alba, var. globosa. Globe Standard— | 00 | | |
| 6 ft 2 | 00 | | |
| | 00 7 | 50 | |
| alba pendula. Teas' Weeping Mulberry— | 00 | | |
| 6 ft. Specimens \$2.50 to 5 | 00 | | |
| NEGUNDO. See Acer. | | | |
| NYSSA sylvatica. Sour Gum. 4 to 5 ft 1 | 50 13 | 50 | |
| | 75 15 | | |
| 6 to 7 ft 2 | 00 18 | 50 | |
| | | | |

SPRING AND FALL PRICE LISTS

This Price List is revised semi-annually so as to conform to our actual stock records and is published for the convenience of large users of nursery stock. We are not jobbers, but the largest nursery growing high-class stock for discriminating buyers.



An Avenue of "Andorra-grown" Oriental Planes.

| 02//5=115=1111 | Each | 10 | 100 |
|--|---|---|---|
| OXYDENDRUM arboreum; syn., arboreum; syn., arborea. Andromed: 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. *6 to 7 ft. *7 to 8 ft. | \$1 00 1 50 2 00 2 50 | \$7 50 12 50 15 00 17 50 | \$60 00 90 00 100 00 125 00 |
| PARROTIA persica. Persian Iron Tree— 5 to 6 ft | . 3 50 | | |
| Jacquemontiana. $1\frac{1}{2}$ to 2 ft | . 1 00 | 7 50 | |
| PERSICA amygdalus vulgaris, var. aiba plena Double White-flowering Peach— 5 to 6 ft. vulgaris, var. sanguinea plena. Red-flowering Peach. 5 to 6 ft | . 1 00 e | 7 50 7 50 | |
| PLATANUS occidentalis. American Buttonwood—6 to 7 ft | . 1 25 . 2 50 | $\begin{array}{ccc} 10 & 00 \\ 22 & 50 \end{array}$ | 75 00 |
| orientalis. Oriental Plane, or European Buttonwood. 6 to 8 ft 8 to 10 ft.; 1¼ to 1½ in 10 to 12 ft.; 1½ to 1½ in 10 to 12 ft.; 1½ to 2½ in 10 to 12 ft.; 2 to 2½ in *12 to 14 ft.; 2½ to 2¾ in *14 ft.; 3 to 4 in. Specimens.\$5 to Splendid Trees repeatedl transplanted and pruned; especially good in tops and roots. | . 1 00 . 1 25 . 1 50 . 1 75 . 2 50 . 3 50 10 00 | 7 50 10 00 12 50 15 00 22 50 32 50 | 50 00 60 00 80 00 100 00 150 00 200 00 |

| FOPULUS Bolleana. Bolle's Poplar. 10 to 12 ft. \$1 75 | \$15 00 | 100 |
|---|--|--|
| * 12 to 14 ft | 20 00 | |
| carolinensis. Carolina Poplar. 8 to 10 ft. 75 | 5 00 | |
| 10 to 12 ft 1 00 | 8 50 | |
| nigra Italica. Lombardy Poplar— | 40.00 | |
| 10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in 1 25 | 10 00 13 50 | |
| 14 to 16 ft.; 2½ in | 18 50 | |
| The transfer of the second results of the s | | |
| PRUNUS. See, also, Cerasus. | | |
| cerasifera pissardii. Purple Plum- | | |
| 5 to 6 ft. Specimens | $\begin{array}{ccc} 12 & 50 \\ 5 & 00 \end{array}$ | |
| PYRUS (Malus) s.c. See also, Shrubs. | | |
| baccata. Siberian Flowering Crab | 40 50 | |
| Apple. 5 to 6 ft | 18 50 | • |
| coronaria. Sweet-scented Crab— 5 to 6 ft 2 00 | 17 50 | |
| floribunda. Flowering Crab. 4 to 5 ft 1 50 | 13 50 | |
| 5 to 6 ft 2 00 | 18 50 | |
| floribunda, var. atrosanguinea. 5 to 6 ft. 1 50 | 13 50 | |
| 6 to 7 ft. Specimens | | |
| lænsis, var. Bechtel. Bechtel's Double flowering Crab. 4 to 5 ft 2 50 | 99.50 | |
| flowering Crab. 4 to 5 ft 2 50 5 to 6 ft | 23 50 33 50 | |
| 6 to 7 ft. Specimens 5 00 | 00 00 | |
| Parkmani; syn., Halliana. Parkman's | 40.50 | |
| Crab. 4 to 5 ft | 13 50 | |
| Scheideckeri (Double-flowered)— 4 to 5 ft | 13 50 | |
| 5 to 6 ft 3 50 | 33 50 | |
| spectabilis (Chinese Double-flowering | | |
| Crab.) 4 to 5 ft | 13 50 | |
| Toringo (Dwarf Crab.) 3 to 4 ft 2 50 | | |
| QUERCUS (Oaks). See page 40. | | |
| RHUS glabra. Smooth Sumac. 3 to 4 ft 50 | 4 00 | |
| 4 to 5 ft | 5 00 6 00 | \$40 00 |
| 7 to 8 ft 1 00 | 7 00 | 50 00 |
| glabra, var. laciniata. Cut-leaved Sumac- | | |
| $\frac{2}{2}$ to $\frac{2}{2}$ ft | 4 00 | 25 00 |
| 5 to 6 ft | 6 50 | 40 00 |
| javanica (Osbecki). Osbeck's Sumac— 5 to 6 ft | 6 00 | 50 00 |
| 7 to 8 ft 1 00 | 8 50 | 60 00 |
| javanica (Osbecki), var. laciniata. | | |
| 5 to 6 ft 1 00 | 7 50 | 05.00 |
| typhina. Staghorn Sumac. 2 to 3 ft 50 5 to 6 ft 1 00 | 4 00 8 50 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| 6 to 8 ft | 10 00 | 65 00 |
| typhina, var laciniata. (Cut-leaved)— | | |
| 5 to 6 ft | 6 00 | 35 00 |
| 6 to 8 ft 1 50 | 10 00 | 75 00 |
| | | |

| Each | 10 | 100 |
|--|--|---|
| ROBINIA Pseudacacia. Black Locust— 10 to 12 ft | \$10 00 | |
| 12 to 14 ft 2 50 | | |
| QUERCUS alba. White Oak— 6 to 7 ft.; 1 to $1\frac{1}{2}$ in 2 50 | 22 50 | |
| $7 \text{ to } 8 \text{ ft.}; 1\frac{1}{2} \text{ in.} $ | $\frac{32}{32} = \frac{50}{50}$ | |
| bicolor. Swamp White Oak— | 33 50 | |
| * 14 to 16 ft.; $3\frac{3}{4}$ to 7 in\$10 to 50 00 Large sizes, $4\frac{1}{2}$ to 7 in., with ball. |) - | |
| Cerris. Turkey Oak- | | |
| 4 to 5 ft | 18 50 | |
| coccinea. Scarlet Oak. 6 to 7 ft 2 50 | 22 50 | |
| 7 to 8 ft 3 00 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| 8 to 9 ft.; 13 in 3 50 9 to 10 ft.; 2 in 4 00 14 to 16 ft.; 4 to 6 in., with | 38 50 | |
| ball\$25 to 75 00 |) | |
| laurifolia. Laurel-leaved. 8 to 10 ft 3 50 | 32 50 | |
| macrocarpa. Mossy Cup Oak— 6 to 7 ft.; 1 in. cal 1 73 | 5 16 50 | |
| $7 \text{ to } 8 \text{ ft.}; 1\frac{1}{2} \text{ in. cal.} \qquad 25 \text{ ft.} \\ 8 \text{ to } 10 \text{ ft.}; 2 \text{ in. cal.} \qquad 35 \text{ ft.}$ | $\frac{23}{22}$ $\frac{50}{50}$ | |
| palustris. Pin Oak— | | |
| 6 to 7 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in. Low-branched 1 50 7 to 8 ft.; $1\frac{1}{4}$ to $1\frac{3}{4}$ in. Low-branched 2 0 | 13 50 | \$135 00 |
| 8 to 9 ft.: 1% to 2 in. Low-branched 2 5 | 0 22 50 | $\begin{array}{ccc} 175 & 00 \\ 225 & 00 \end{array}$ |
| 10 to 12 ft.: 2 to 24 in Low-branched 3 0 | 28 50 | 275 00 |
| 10 to 12 ft.; 2½ to 2¾ in. Low-branched 3 5: 3 to 3¾ in | 0 02 00 | |
| * 4 to 8 in. Extra heavy specimens, well-rooted and good tops.\$15 to 150 00 |) | |
| Prince Pools Chartnut Ook | | |
| 8 to 10 ft.; 1½ to 1¾ in 2 00 10 to 12 ft.; 2 in 2 50 12 to 14 ft.; 3 to 4½ in \$3.50 to 15 0 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| * 12 to 14 ft.; 3 to $4\frac{1}{2}$ in\$3.50 to 15 0 | 0 | |
| Robur. English Oak— 10 to 12 ft.; 2 to $2\frac{1}{4}$ in 2 50 | 22 50 | |
| 12 to 14 ft.; 2½ to 2¼ in 3 5 3 to 6 in. cal. Specimens.\$5 to 25 0 | 32.50 | |
| Robur, var. Concordia. Golden Oak- | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |) | |
| Robur, var. fastigiata (Pyramidal Oak)— | | |
| 3 to 4 ft | 10 50 | 150.00 |
| rubra. Red Oak. 7 to 8 ft | 18 50 | $\begin{array}{ccc} 150 & 00 \\ 175 & 00 \end{array}$ |
| 10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in 2 50 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\frac{185}{285} \frac{00}{00}$ |
| 12 to 14 ft.; $2\frac{3}{4}$ to $3^{\frac{1}{4}}$ in\$5 to 7 50 | | 200 00 |
| velutina Black Oak— | | |
| 8 to 10 ft.; $1\frac{3}{4}$ to 2 in 1 7 | 5 15 00 | |
| 8 to 10 ft.; $1\frac{3}{4}$ to 2 in 1 7 10 to 12 ft.; $2\frac{1}{4}$ to $2\frac{1}{4}$ in 2 0 12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in 2 5 4 3 to 5 in. Specimens. \$3.50 to 50 0 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| * 3 to 5 in. Specimens\$3.50 to 50 0 | 0 | |

| CALLODUDIA - Provide P | Each | 10 | 100 |
|--|-----------------------------|---------|---------------|
| SALISBURIA adiantifolia. Ginkgo, or Maidenhai | | 010 50 | 0100 00 |
| Tree. 7 to 8 ft.; 1 to $1\frac{1}{4}$ in | .\$1 50 | \$13 50 | \$100 00 |
| 8 to 9 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in | . 2 00 | 17 50 | 125 00 |
| 10 to 12 it.; 1½ to 1¼ in | . 2 50 | 20 00 | 175 00 |
| 12 to 14 ft.; 24 to 22 ln | . 5 50 | 32 50 | 285 00 |
| 12 to 14 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in | . 5 00 | | |
| \$7.50 to | s 25 00 | | |
| SALIX alba. (White Willow). 10 to 12 ft | . 2 50 | 15 00 | |
| babylonica. Weeping Willow- | | | |
| 7 to 8 ft | . 1 00 | 8 50 | |
| 8 to 10 ft | . 1 50 | 13 50 | |
| 10 to 12 ft | . 2 00 | 18 50 | |
| elegantissima. 12 to 14 ft | | 32 50 | |
| lutea. Golden Willow. 7 to 8 ft | . 1 00 | 8 50 | 75 00 |
| 10 to 12 ft | $\frac{1}{1} \frac{50}{50}$ | 13 50 | .00 |
| lutea, var. pendula. Golden Weeping- | 00 | 20 00 | |
| 10 to 12 ft | . 2 50 | 23 50 | |
| pentandra. Laurel Leaf Willow- | | | |
| 12 to 14 ft. 2 to $2\frac{1}{4}$ in | . 2 50 | 22 50 | |
| regalis (Royal Willow). 7 to 8 ft | . 1 00 | 8 50 | 60 00 |
| 16 to 18 ft. Heavy | . 5 00 | | |
| vitellina, var. Britzensis. Salmon-barke | d | | |
| Willow. 10 to 12 ft | . 2 50 | 23 50 | |
| SASSAFRAS variifolium (Sassafrass). 6 to 8 ft | . 1 50 | 12 50 | |
| 8 to 10 ft | | 18 50 | |
| SOPHORA japonica. (Sophora.) 6 to 7 ft | | | |
| SORBUS americana. American Mountain Ash- | | | |
| 7 to 8 ft | 1.50 | | |
| | . 1 50 | | |
| Aucuparia. European Mountain Ash- | 1 00 | 0.00 | |
| 7 to S ft | | 9 00 | |
| Aucuparia, var. pendula. (Weeping M | | | |
| Ash.) 6 to 7 ft | . 2 30 | | |
| TAXODIUM distichum. Deciduous Cypress— | | | |
| 4 to 5 ft | . 1 50 | 10 00 | |
| | | | |
| distichum pendula. (Weeping Cypress) | | | |
| 8 to 9 ft | . 5 00 | | |

BECHTEL'S DOUBLE FLOWERING CRAB APPLE

One of the most ornamental of recent introductions and a flowering Apple deserving of a place in every garden. Planted as a specimen or in the border with other strong-growing shrubs, it makes an ideal tree. It is of good growth, with dark, rather glossy, foliage and beautiful double flowers of delicate blush, or shell-pink color and highly fragrant. See page 39.



European Linden.

Few trees are as deserving of their popularity as the small-leaved European Linden. While not the most rapid it is a good grower—very symmetrical—clean stems, and most attractive dark foliage.

| | by marcuited cream stems, and most attractive at | I'm Tollage | • |
|-----------|--|---|---------------------------------|
| TILIA | americana. American Linden or Bass-Each wood. 8 to 10 ft.; 2 in \$2 00 10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{1}{2}$ in 2 50 | $\begin{array}{c} 10 \\ \$17 50 \\ 22 50 \end{array}$ | 100 |
| | 10 to 12 ft.; $2\frac{1}{2}$ to 3 in 3 50 * 12 to 14 ft.; $3\frac{1}{4}$ to 4 in \$5 to 10 00 | 32 50 32 50 | |
| | euchlora dasystella Crimean Linden- | 10 50 | A 4 0 × 00 |
| | 12 to 14 ft.; $1\frac{1}{2}$ to 2 in 2 00 | 18 50 | \$165 00 |
| | 12 to 14 ft.; 2 to $2\frac{1}{4}$ in 2 50 | $\frac{22}{20}$ 50 | 200 00 |
| | 12 to 14 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in 3 50 | $33 \ 50$ | |
| | platyphyllos. Large-leaved Linden— | 17 50 | |
| | 10 to 12 ft.; 2 to 2\frac{1}{4} in | 17 50 | |
| | tomentosa, "argentea." Silver-leaved Lin- | | |
| | den. 7 to 8 ft.; $1\frac{3}{4}$ to 2 in 2 50 | 22 50 | 200 00 |
| | 8 to 10 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in 3 50 | $\frac{22}{32} \frac{50}{50}$ | $\frac{285}{285} \frac{00}{00}$ |
| | 10 to 12 ft.; $2\frac{1}{4}$ to 3^2 in. Spec 5 00 | $\frac{32}{45} \frac{30}{00}$ | 400 00 |
| | * 12 to 14 ft.; 3\frac{1}{4} to 4 in.\$7.50 to 15 00 | 19 00 | 100 00 |
| | tomentosa pendula. Weeping Silver | | |
| | Linden. 16 ft. Specimens25 00 | | |
| | vulgaris. European Linden— | | |
| | $8 \text{ to } 10 \text{ ft} \cdot 13 \text{ to } 2 \text{ in}$ 1.75 | 16 50 | 150 00 |
| | 10 to 12 ft.; 2^{-} to $2\frac{1}{4}$ in | 18 50 | 175 00 |
| | 10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in 3 50 | $32\ 50$ | 275 00 |
| | 10 to 12 ft.; 2½ to 2½ in 2 00 10 to 12 ft.; 2½ to 2¾ in 3 50 *12 to 14 ft.; 2¾ to 3 in 3 50 | 33 50 | 325 00 |
| | * 16 to 18 ft.; Specimens\$15 to 25 00 | | |
| | vulgaris, var. rubra. Red-twigged- | 00 =0 | 000 00 |
| III MILIO | Linden. 10 to 12 ft.; 2 to $2\frac{1}{2}$ in 2 50 | 23 50 | 200 00 |
| OLIVIUS | americana. American Elm— | 11 00 | 100 00 |
| | 8 to 10 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in 1 25 10 to 12 ft.: $1\frac{1}{5}$ to 2 in 1 50 | $\begin{array}{ccc} 11 & 00 \\ 13 & 50 \end{array}$ | $\frac{100}{125} \frac{00}{00}$ |
| | 10 to 12 ft.; $1\frac{1}{2}$ to 2^{-} in 1 50 | $\frac{15}{17} \frac{50}{50}$ | $\frac{125}{165} \frac{00}{00}$ |
| | 12 to 14 ft., 2 to 24 in 2 to 19 to 14 ft. 21 to 21 in 2 50 | $\frac{11}{22} \frac{50}{50}$ | 200 00 |
| | 12 to 14 ft.; $2^{\frac{1}{2}}$ to $2^{\frac{1}{4}}$ in 2 00 12 to 14 ft.; $2^{\frac{1}{4}}$ to $2^{\frac{1}{4}}$ in 2 50 12 to 14 ft.; $2^{\frac{1}{4}}$ to $2^{\frac{1}{4}}$ in $+$. 3 50 | 30 00 | 200 00 |
| | 12 to 14 ft.; $2\frac{3}{4}$ to 3 in $+$. 5 00 | 50 00 | |
| | , _4, | | |



A Block of American White Elm at Andorra.

| | | Each | 10 | 100 |
|-----------|--|-------------|-------------------------------|-----------------|
| ULMUS can | pestris. English Elm— | | | |
| | 8 to 10 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 1 50 | \$13 50 | \$125 00 |
| | 10 to 12 ft.; $1\frac{3}{4}$ to 2^{*} in | $2 \ 00$ | 17 50 | 165 00 |
| | 10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in | 2.75 | -25 00 | 225 00 |
| | 12 to 14 ft.; $2\frac{3}{4}$ to 3 in | 3 50 | | |
| . * | 5 to 8 in. Specimens\$15 to 10 | 0 00 | | |
| can | pestris, var. latifolia. Broad-leaved | | | |
| | English Elm. Heavy Specimens | | | |
| * | 18 to 25 ft.; 5 to 8 in. With ball. | | | |
| | \$25.00 to 10 | 0 00 | | |
| can | pestris, var. purpurea. Purple Wych | | | |
| | Elm.10 to 12 ft.; 2 to $2\frac{1}{4}$ in. | 2 00 | | |
| * | *14 to 16 ft.; 3 to $3\frac{1}{2}$ in | 3 50 | | |
| | pestris, var. Wheatley's (Cornish) | 0 00 | | |
| ou. | Elm. 8 to 10 ft.; $1\frac{3}{4}$ to 2 in | 1 75 | 16 50 | 150 00 |
| | 10 to 12 ft.; 2 to $2\frac{1}{4}$ in | 2 50 | $\frac{10}{23} \frac{50}{50}$ | 185 00 |
| * | + 12 to 14 ft : 24 to 24 in | 3 50 | 33 50 | 275 00 |
| * | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 5 00 | 47 50 | 210 00 |
| | bra. Scotch Elm— | 0 00 | 1. 00 | |
| gru | 12 to 14 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 1 50 | 12 50 | |
| | 14 to 16 ft.; 2 to 24 in | 2 50 | $\frac{12}{22} \frac{50}{50}$ | |
| alai | | 2 50 | 22 00 | |
| yıa | bra, var. Dampieri; fastigiate form— | | | |
| | 12 to 14 ft.; $1\frac{3}{4}$ to 2 in | 2.50 | 23 50 | |
| * | * 14 to 16 ft.; $2\frac{1}{2}$ to 3 in | 3 50 | 32 50 | |
| \ * | *14 to 16 ft.; 3 to 4 in\$5 to | 7 50 | | |
| veg | eta, var. Huntingdoni. Huntingdon Elm | n | | |
| | 10 to 12 ft.: $1\frac{1}{2}$ to 2 in | $^{2-00}$ | 17 50 | |
| | 14 to 16 ft.; 2 to $2\frac{1}{2}$ in | $2\ 50$ | 23 50 | |
| ** | $*14$ to 16 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in | $3\ 50$ | 32 50 | |

Planting for Immediate Effect

See pages 4 and 28.

In these days when the planting problem is usually one of quick results, the question is not only one of large size of stock, but the vital question is high quality in stock, without which large size is worse than useless.

To this end we have developed our large stock through years of Nursery Training—by frequent transplantings to produce fibrous-feeding roots—by constant, intelligent cultivation and pruning to instill the utmost vigor.

Thus we have produced **Andorra Quality**—large sizes that thrive after transplanting. You have our interest in your problems at all times. Consult us freely



DECIDUOUS SHRUBS

As the public are requiring larger specimen Shrubs from year to year, our stocks are grown in wide rows, the individual shrubs set well apart in the row, as by this method we secure a substantial bush in proportion to its height and one which carries its branches and foliage close to the ground.

AZALEAS, ANDORRA-GROWN

For Evergreen varieties see page 18.

| NATIVE SPECIES. | | |
|--|--|---|
| Each Each | 10 | 100 |
| AZALEA arborescens. Fragrant White Azalea— 12 to 15 in. Clumps | \$9 00 13 50 18 50 22 50 | \$80 00 125 00 150 00 200 00 |
| lutea (calendulaçeum). Flame Azalea— 12 to 15 in. 1 00 15 to 18 in. Clumps 1 50 18 to 24 in. Clumps 1 75 2 to 2½ ft. Clumps \$2.50 to 3 50 | $\begin{array}{c} 9 & 00 \\ 13 & 50 \\ 16 & 50 \end{array}$ | $\begin{array}{c} 80 \ 00 \\ 125 \ 00 \\ 150 \ 00 \end{array}$ |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 12 50 18 50 23 50 18 50 | 150 00 185 00 |
| nudiflora. Woods Honeysuckle— 12 to 15 in. Clumps. 1 50 Vaseyi. Southern Azalea. 12 to 15 in. 1 50 15 to 18 in. Clumps. 2 00 | 13.50 13.50 17.50 | $\begin{array}{c} 125 \ 00 \\ 125 \ 00 \\ 150 \ 00 \end{array}$ |
| viscosa. White Azalea— 12 to 15 in. Clumps 1 50 mollis. 1½ ft. Named sorts 1 25 2 ft. Bushy. Named sorts 2 00 2½ ft. Bushy. Named sorts 2 50 | 13 50 10 00 15 00 22 50 | 125 00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{c} 10 \ 00 \\ 15 \ 00 \\ 32 \ 50 \end{array}$ | 300 00 |
| ledifolium, var. Narcissiflora (Yodogawa). | 9 00 13 50 18 50 | 150 00 |
| ABELIA grandiflora. 12 in. 50 15 to 18 in. 75 | $\begin{array}{ccc} 4 & 50 \\ 6 & 00 \end{array}$ | $\begin{array}{ccc} 35 & 00 \\ 50 & 00 \end{array}$ |
| ACANTHOPANAX (pentaphylla aralia)— 2 to 3 ft | 2 50 3 50 | 15 00 20 00 |
| ### A SCULUS parviflora; syn., Pavia macrostachya— $12 \text{ to } 18 \text{ in.}$ | 6 00 8 50 13 50 13 50 | $\begin{array}{c} 50 \ 00 \\ 75 \ 00 \\ 100 \ 00 \\ 100 \ 00 \end{array}$ |

| | ach | 10 | 100 |
|---|-----------------|--|---|
| AMELANCHIER Botryapium. (Dwarf Shad Bush.) 2 to 3 ft \$0 | 50 | \$3 50 | 620 00 |
| 3 to 4 ft | 75 | 5 00 | \$30 00 40 00 |
| 4 to 5 ft 1 | | 8 50 | 10 00 |
| rotundifolia (Service Berry). 2 to $2\frac{1}{2}$ ft. | 35 | 3 00 | 25 00 |
| AMYGDALUS (Almond). See Prunus. | | | |
| ARONIA arbutifolia. Choke-berry— | | | |
| $1\frac{1}{2}$ to 2 ft | 50 | 4 00 | |
| melanocarpa. 1 ft | 35 | 2 00 | 10 00 |
| BACCHARIS halimifolia. Groundsel Shrub- | | | |
| 5 to 6 ft | 75 | 5 00 | 40 00 |
| BENZOIN æstivale. Spice Bush. 2 to $2\frac{1}{2}$ ft | 35 | 3 00 | 20 00 |
| 3 to $3\frac{1}{2}$ ft | 50 | 4 00 | 25 00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 75 | $\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$ | $\frac{30}{40} \frac{00}{00}$ |
| *5 to 6 ft. Heavy | | 10 00 | 60 00 |
| BERBERIS (Barberry). | | | |
| buxifolia (Dulcis). 10 to 12 in | 50 | 4 00 | 35 00 |
| ilicifolia. Holly-leaved. 2 ft | 50 | 4 00 | 35 00 |
| | . 00 | 6 50 | |
| | 50 | 13 50 | |
| 4 to 5 ft | 00 | 18 50 | |
| *5 to 6 ft. Specimens 2 | | 23 50 | 40 80 |
| Thunbergii. 12 to 15 in | $\frac{25}{35}$ | $\begin{array}{c} 1 & 75 \\ 2 & 50 \end{array}$ | $\begin{array}{ccc} 12 & 50 \\ 15 & 00 \end{array}$ |
| $1\frac{1}{2}$ ft.; broad and very heavy | 50 | $\frac{2}{3} \frac{50}{50}$ | 20.00 |
| 2 ft.; broad and very heavy 2½ ft.; broad and very heavy | 60 | 4 50 | 25 00 |
| $2\frac{1}{2}$ ft.; broad and very heavy \$3 to 4 ft. Specimens\$1 to 1 | 75 50 | 6 00 | 30 00 |
| vulgaris. Common Barberry— | . 50 | | |
| 2 to 3 ft | 35 | 3 00 | 20 00 |
| 3 to 4 ft | 50 | 4 00 | 25 00 |
| *4 to 5 ft. Heavy | 75 | 5 00 3 50 | 30 00 20 00 |
| vulgaris, var. purpurea. $2 \text{ to } 3 \text{ ft.} \dots$ | 50 60 | 4 00 | 20 00 |
| * 4 * to 5 ft | 75 | $\vec{6}$ $\vec{0}\vec{0}$ | |
| BUDDLEIA Veitchiana (Butterfly Bush)— | | | |
| 2 year | 50 | - 4 00 | 15 00 |
| CALYCANTHUS floridus. Allspice, or Sweet Shrub | | 0.00 | 00.00 |
| 2 to 3 ft | 35 50 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$ |
| 3 to 4 ft | 75 | 6 00 | 20 00 |
| præcox. Japanese Sweet Shrub- | | | |
| 2 to 3 ft | 50 | 4 50 | |
| CARAGANA arborescens. Siberian Pea- | | 4.00 | |
| 4 to 6 ft | 50 | 4 00 | |
| CARYOPTERIS incana. (Blue Spiraea). 1 year. | 35 | 2 00 | |
| CEANOTHUS americanus. Jersey Tea- | 25 | 2 00 | 20.00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 35 50 | $\begin{array}{ccc} 3 & 00 \\ 4 & 50 \end{array}$ | $\frac{20\ 00}{30\ 00}$ |
| Gloire de Plantieres. $1\frac{1}{2}$ ft | 50 | 3 00 | 25 00 |
| 27 20 1111111111111111111111111111111111 | | | |

| DECIDOO03 SHKOBS | | | 41 |
|--|---|--|--|
| CEPHALANTHUS occidentalis. 4 to 5 ft\$ | ach 0 35 | 10 \$3 00 | 100 \$25 00 |
| CERCIS. See, also, Deciduous Trees. chinensis (Japonica). Japan Judas— | | | |
| 2 | 75 1 00 | $\begin{array}{ccc} 6 & 00 \\ 8 & 50 \end{array}$ | $\frac{50}{75} \frac{00}{00}$ |
| siliquastrum rubrum. $1\frac{1}{2}$ to 2 ft | 1 00 | 8 50 | |
| CHIONANTHUS virginica. White Fringe— 2 to 3 ft. Bushy | 75 | 6 00 | 50 00 |
| CITRUS trifoliata (Hardy Orange)— 2 to 3 ft | 1 00 | 7 50 | |
| CLETHRA alnifolia. Sweet Pepperbush— $1\frac{1}{2}$ to 2 ft | 35 | 3 00 | |
| COMPTONIA asplenifolia. Sweet Fern— 18 to 24 in. Heavy | 50 | 3 50 | 30 00 50 00 |
| 2 to $2\frac{1}{2}$ ft | 75 | 6 50 | 90 00 |
| CORNUS. See, also, Trees. | | | |
| alba. Siberian Red-twigged Dogwood- | | | |
| 2 to 3 ft.; very heavy | 50 75 | $\begin{array}{ccc} 4 & 00 \\ 5 & 00 \end{array}$ | $\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$ |
| amomum (sericea). Silky Dogwood— | 50 | 4 00 | 20 00 |
| mas. Cornelian Cherry. 2 to 3 ft | 35 | 3 00 | 20 00 |
| 4 to 5 ft | 50 | 3 50 | 25 00 |
| 5 to 6 ft | 75 50 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 50 00 30 00 |
| 4 to 5 ft | 75 | 6 00 | 35 00 |
| *5 to 6 ft | 1 00 | 7 50 | 40 00 |
| sanguinea. European Osier Dogwood— | 25 | 9.00 | 90.00 |
| 2 to 3 ft | 35 50 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 20 00 |
| | 1 00 | 750 | |
| stolonifera. Native Red Osier- | 0 | 0.00 | |
| 2 to 3 ft. 4 to 5 ft. | $\frac{35}{75}$ | $\frac{3}{6} \frac{00}{00}$ | 40 00 |
| stolonifera, var. aurea. Golden-barked- | • • | | |
| 2 to 3 ft | 35 | 3 00 | 20 00 |
| 3 to 4 ft | 50 75 | $\frac{4}{6} \frac{00}{00}$ | $ \begin{array}{ccccccccccccccccccccccccccccccccccc$ |
| 6 to 7 ft. *7 to 8 ft. | $\begin{array}{ccc} 1 & 00 \\ 1 & 50 \end{array}$ | $\begin{array}{ccc} 7 & 50 \\ 10 & 00 \end{array}$ | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| CORYLUS americana. American Hazel- | | 0 =0 | 00.00 |
| 2 to 3 ft | -35 50 | $\begin{array}{ccc} 2 & 50 \\ 4 & 00 \end{array}$ | $\begin{array}{cccc} 20 & 00 \\ 25 & 00 \end{array}$ |
| 1 to E ft | 75 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\frac{25}{35} \frac{00}{00}$ |
| Avellana, var. laciniata. Cut-leaved Hazel 5 to 6 ft | 1 00 | 6 00 | |
| maxima, var. purpurea. Purple Hazel- | FA | 1 50 | 20.00 |
| 3 to 4 ft | 50 75 | $\begin{array}{cc} 4 & 50 \\ 6 & 00 \end{array}$ | $\frac{30\ 00}{40\ 00}$ |

| | lach | 10 | 100 |
|---|-----------------|---|--|
| COTONEASTER Simonsii. 4 to 5 ft\$ CYDONIA japonica. Japan Quince. 1½ to 2 ft japonica, distinct colors, var. alba (White); atrosanguinea (Scar- let); candida (Cream); grandi- flora rosea (Rose); sulphurea | 50 | \$4 50 3 50 | |
| (Yellow) | 75 | 6 50 | |
| CYTISUS scoparius (Scotch Broom). 3 to 4 ft. praecox. 2 to $2\frac{1}{2}$ ft tinctoria (Dyers Green weed). 2 to 3 ft. | 50 50 35 | $\begin{array}{c} 4 & 50 \\ 3 & 50 \\ 3 & 00 \end{array}$ | |
| DESMODIUM penduliflorum. 3 years | 50 | 4 50 | |
| DEUTZIA gracilis. Dwarf Deutzia. 12 to 15 in. $\frac{1\frac{1}{2}}{2}$ ft. Heavy | 35 50 75 | 3 00 3 50 6 00 | \$15 00 20 00 25 00 |
| gracilis, var. carminea. $1\frac{1}{2}$ ft | 50 75 | $\frac{4}{5} \frac{00}{00}$ | $\begin{array}{cccc} 20 & 00 \\ 25 & 00 \end{array}$ |
| gracilis, var. rosea. 3 to 4 ft | 50 | 4 00 | 25 00 |
| Lemoinei 2 to 3 ft | 35 50 | $\frac{3}{4} \frac{00}{00}$ | $\frac{20}{25} \frac{00}{00}$ |
| 3 to 4 ft. Heavy | 75 | 5 00 | 35 00 |
| Lemoinei, var. Avalanche (White)— | 35 | 3 00 | |
| $1\frac{1}{2}$ to 2 ft Lemoinei, var. compacta. 2 to $2\frac{1}{2}$ ft | 35 | 3 00 | 20 00 |
| parviflora. 3 to 4 ft | 50 | 4 00 | 25 00 |
| rosea, campanulata (White). 2 to 3 ft. | 50 | 4 50 | |
| scabra. 2 to 3 ft. | 25 | 2 00 | 15 00 |
| 3 to 4 ft | 50 | 3 00 | $\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$ |
| 4 to 5 ft scabra, var. candidissima (Double | 75 | 4 00 | 20 00 |
| White). 3 to 4 ft | 50 | 4 00 | 20 00 |
| 4 to 5 ft | 75 | 5 00 | 25 00 |
| | 1 00 | 6 00 | 30 00 |
| scabra, var. Pride of Rochester— 3 to 4 ft | 35 | 3 00 | 20 00 |
| 4 to 5 ft | 50 | 3 50 | 25 00 |
| ❖ 5 to 6 ft | 75 | 5 00 | 30 00 |
| scabra, var. rosea plena (Double pink)— | | 0.00 | 00.00 |
| 4 to 5 ft | 35 | $\frac{3}{5} \frac{00}{00}$ | $\frac{20}{25} \frac{00}{00}$ |
| *5 to 6 ft | 75 35 | 3 00 | 20 00 |
| 3 to 4 ft, | 50 | 4 00 | $\frac{20}{25} \frac{00}{00}$ |
| 4 to 5 ft | 75 | 5 00 | 30 00 |
| | 1 00 | 7 50 | 40 00 |
| scabra , var. Wellsi . 4 to 5 ft | $\frac{50}{75}$ | $\begin{array}{ccc} 4 & 00 \\ 6 & 00 \end{array}$ | $\begin{array}{ccc} 25 & 00 \\ 40 & 00 \end{array}$ |
| DIERVILLA (Weigela) amabilis. White. 2 to 3 ft | 50 | 4 00 | 25 00 |
| 6 to 8 ft | 1 50 | 12 50 | 50 00 |
| candida. White. 2 to 3 ft | 35 | 3 00 | 20 00 |
| 6 to 7 ft | 75 | 5 00 | 40 00 |
| $\frac{1}{2}$ to $\frac{2}{2}$ ft | 75 | 6 00 | |
| florida, syn. rosea. 2 to 3 ft | 50- | 4 00 | 25 00 |
| 4 to 6 ft | 75 | 5 00 | 40, 00 |

^{*} LARGE SIZES FOR IMMEDIATE EFFECT

| | Each | 10 | 100 |
|---|--|---|--|
| DIERVILLA Grænewegeni. Red and White— 3 to 4 ft. | 0 50 75 1 00 | $\begin{array}{ccc} \$4 & 00 \\ 5 & 00 \\ 6 & 50 \end{array}$ | \$30 00 35 00 40 00 |
| japonica, var. Eva Rathke. Dark Carmine. 2 to 3 ft | 25 50 75 | $\begin{array}{ccc} 2 & 00 \\ 3 & 50 \\ 5 & 00 \end{array}$ | 17 50 20 00 30 00 |
| japonica, var. Nivea. White 3 to 4 ft. | 50 75 | $\frac{4}{5} \frac{00}{00}$ | |
| japonica, var. rubra. 2 to 3 ft 4 to 5 ft | $\frac{50}{75}$ | $\begin{smallmatrix}4&00\\5&00\end{smallmatrix}$ | 25 00 |
| Lavallei. Crimson. 3 to 4 ft | 35 50 75 | $\begin{array}{ccc} 3 & 00 \\ 4 & 00 \\ 5 & 00 \end{array}$ | $\begin{array}{ccc} 20 & 00 \\ 25 & 00 \\ 35 & 00 \end{array}$ |
| Mad. Coutourier. White to Pink— 3 to 4 ft. | 35 50 75 | 3 00 4 00 5 00 | 20 00 30 00 35 00 |
| Steltzneri. Dark Red. 3 to 4 ft. 4 to 5 ft. * 5 to 6 ft. | 35 50 75 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{ccc} 20 & 00 \\ 30 & 00 \\ 35 & 00 \end{array}$ |
| Van Houttei. Carmine. 3 to 4 ft. 4 to 5 ft. | 35 50 75 35 50 75 | 2 50 4 50- 6 00 3 00 4 00 5 00 | 30 00 35 00 20 00 30 00 35 00 |
| sessilifolia. 2 to 3 ft | 25 50 | 2 00 3 50 | 15 00 20 00 |
| trifida. 2 to 3 ft | 35 50 | $\frac{2}{3} \frac{00}{00}$ | $\frac{15}{20} \frac{00}{00}$ |
| ELÆAGNUS angustifolia. Oleaster. 4 to 5 ft | $\frac{50}{75}$ | 4 00 6 00 | |
| longipes; syn., edulis. Japanese Oleaster. 2 to 2½ ft | $\begin{smallmatrix} 35\\50\\1&00\end{smallmatrix}$ | 3 00 4 50 6 00 | 20 00 30 00 50 00 |
| parviflora. 4 to 5 ft | 50 75 | $\begin{array}{c} 4 & 50 \\ 6 & 00 \end{array}$ | $\frac{30}{50} \frac{00}{00}$ |
| ELSCHOLTZIA Stauntoni (Mint Shrub), 2 to 3 ft. EUONYMUS alatus. Cork-barked— | 35 | 3 00 | 20 00 |
| 3 to 3½ ft | $\begin{array}{c} 75 \\ 1\ 00 \\ 1\ 50 \\ 2\ 00 \end{array}$ | 6 00 8 50 12 50 18 50 | 50 00 65 00 85 00 |
| page 28)\$7.50 to europæus. Spindle Tree. 3 to 4 ft | 15 00 35 | 3 00 | 20 00 |

| | | | p |
|---|---|---|--|
| EXOCHORDA grandiflora. Pearl Bush. 2 to 3 ft.\$0 | 50 | 10 \$3 50 | 100 |
| 3 to 4 ft | 75 | 6 00 | |
| FORSYTHIA (Golden Bell) Fortunei. 3 to 4 ft 4 to 5 ft.; very heavy 5 to 6 ft.; very heavy | $\frac{50}{75}$ | $\begin{array}{c} 3 & 00 \\ 4 & 00 \\ 6 & 00 \end{array}$ | \$17 50 20 00 30 00 |
| Fortunei, var. aurea variegata. 3 to 4 ft | 50 75 | $\begin{array}{cc} 4 & 00 \\ 6 & 00 \end{array}$ | $\begin{array}{ccc} 25 & 00 \\ 35 & 00 \end{array}$ |
| intermedia. 2 to 3 ft. 3 to 4 ft.; very heavy 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 1 | $\begin{array}{c} 25 \\ 35 \\ 50 \\ 75 \\ 00 \end{array}$ | 2 00 3 00 4 50 6 00 8 50 | 15 00 17 50 20 00 35 00 60 00 |
| | 25 50 75 50 75 00 | 2 00 4 00 5 00 4 00 6 00 8 50 | 15 00 17 50 25 00 20 00 35 00 50 00 |
| | 50 | 10 00 | 60_00 |
| HAMAMELIS japonica. Japanese Witch Hazel— 3 to 4 ft. 1 4 to 5 ft. 1 ★5 to 6 ft. 2 | $\begin{array}{c} 00 \\ 50 \\ 50 \end{array}$ | $\begin{array}{c} 8 & 50 \\ 13 & 50 \\ 23 & 50 \end{array}$ | |
| virginiana. Witch Hazel. 2 to 3 ft 3 to 4 ft.; heavy | $\begin{array}{c} 35 \\ 75 \end{array}$ | $\begin{array}{cc} 3 & 00 \\ 6 & 00 \end{array}$ | $\begin{array}{ccc} 25 & 00 \\ 50 & 00 \end{array}$ |
| HIBISCUS Syriacus. Althæa; Rose of Sharon- | | | |
| alba plena. 5 to 6 ft | 00 | 8 50 | 75 00 |
| 5 to 6 ft. Standard | $\frac{00}{75}$ | $\begin{array}{c} 8 \ 50 \\ 6 \ 50 \end{array}$ | |
| atropurpurea plena. 5 to 7 ft | 75 | 6 50 | |
| Jeanne d'Arc. Double White. 2 to 3 ft. 3 to 4 ft. | $\begin{array}{c} 50 \\ 75 \\ 00 \\ 00 \end{array}$ | 4 00 5 00 6 00 8 50 | 20 00 25 00 |
| Lady Stanley. Blush White (Double) — ★ 5 to 7 ft. 1 ★ 5 to 6 ft. (Standards) 1 | | 8 50 13 50 | |
| ❖ 5 to 6 ft. (Standards) 1 | $\begin{array}{c} 50 \\ 00 \\ 50 \end{array}$ | 4 00 8 50 13 50 | - |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 00 | $\begin{array}{c} 3 & 00 \\ 13 & 50 \\ 8 & 50 \end{array}$ | 20 00 |
| violet clair (Double). 6 to 8 ft. 1 5 to 6 ft. (Standards) 1 | $\frac{00}{50}$ | $\begin{array}{cc} 8 & 50 \\ 13 & 50 \end{array}$ | |
| HYDRANGEA arborescens. 2 to 3 ft | $\begin{array}{c} 25 \\ 35 \end{array}$ | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| *4 to 5 ft | 50 | 3 50 | 25 00 |
| arborescens, var. grandiflora. 3 to 4 ft. | 35 | 3 00 | 20 00 |

| 170 | a a b | 10 | 100 |
|--|--------------|--|--|
| HYDRANGEA paniculata. 3 to 4 ft\$0 | ach 35 | \$3 00 | \$20 00 |
| 4 to 5 ft | 50 | 4 00 | 35 00 |
| 5 to 7 ft | . 00 . 35 | 8 50 3 00 | 20 00 |
| 3 to 4 ft. | 50 50 | 4 00 | $\frac{20}{25} \frac{00}{00}$ |
| quercifolia (Oak Leaf). 1½ ft. to 2 ft 1 | . 00 | 9 00 | |
| HYPERICUM aureum. 2 to 3 ft | 50 | 4 00 | |
| calycinum. Clumps. 8 to 10 in | 25 | $\frac{1}{2} \frac{1}{00}$ | 10 00 |
| Moserianum hybridum. Gold-Flower— | 25 | 2 50 | 15 00 |
| 10 to 15 in | 35 | 2 50 | 10 00 |
| *3 to 4 ft | 50 | 3 00 | 15 00 |
| ILEX Sieboldi; syn., serrata. Red-fruited- | | | |
| ILEX Sieboldi; syn., serrata. Red-fruited— | 50 00 | $\begin{array}{c} 33 \ 50 \\ 48 \ 50 \end{array}$ | |
| ★ 4 to 5 ft. Heavy | 50 | 70 00 | |
| *5 to 6 ft10 | 00 | | |
| Sieboldi. White-fruited. 2 to 3 ft | 5 50 7 50 | | |
| Among our plants with brillia Fruits, the Ilex Sieboldi, Red and W | int | Fall and | Winter |
| Fruits, the Hex Sieboldi, Red and W prominently. The Red-fruited type h | hite | Fruited, s | tand out |
| as Ilex verticillata and carried in mu | ich g | reater ma | ss. The |
| White-fruited sort, while not quite so white berry quite distinct from other | pro | lific has a | n ivory- |
| verticillata. Winter Berry— | Iruit. | ing surubs | • |
| 2 to 3 ft. Bushy\$0 | 50 | \$3 50 | |
| 3 to 4 ft. Bushy | 75 | 5 00 | |
| ITEA virginica. 1 to 2 ft | 35 | 3 00 | \$25 00 |
| 3 to 4 ft | 75 | 6 00 | 50 00 |
| JASMINUM nudiflorum. Yellow Jasmine. 1 year | 35 | 2 50 | |
| KERRIA Japonica (Corchorus). 2 to 3 ft | 35 | 2 00 | |
| japonica fl. pl. 2 to 3 ft | 35 | 2 00 | |
| Japonica variegata. $1\frac{1}{2}$ to 2 ft | 35 | 2 00 | |
| LESPEDEZA bicolor. 3 to 4 ft | 35 | 2 50 | |
| LIGUSTRUM amurense. Amoor Privet- | | | |
| $\frac{1}{2}$ to 2 ft | 25 | 2 00 | 10 00 |
| 5 to 6 ft. | 75 | 5 00 | 40 00 |
| Ibota. The true upright form— 2 to 3 ft | 25 | 2 00 | 12 50 |
| $3\frac{1}{2}$ to 4 ft | 35 | 3 00 | 20 00 |
| 4 to 5 ft | 50 60 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| *6 to 8 ft | 75 | 6 00 | 50 00 |
| *8 to 10 ft | 1 00 | 8 50 | 75 00 |
| Ibota, var. Regelianum. Regel's— 1½ to 2 ft. Broad | 35 | 3 00 | 20 00 |
| 2 to 2½ ft. Broad | 50 | 3 50 | 25 00 |
| *3 to 4 ft. Broad | 75 | 5 00 7 50 | 30 00 40 00 |
| TT WO II. DIVAU | 1 00 | 1 30 | ±0 00 |

| LIGHSTRIM avalifolium California Privot- Each | 10 | 100 |
|--|--|--|
| LIGUSTRUM ovalifolium. California Privet— Each 2 to 2½ ft. Bushyper 1000, \$40\$0 25 | \$1 00 | \$5 00 |
| $2 \text{ to } 2\frac{1}{2} \text{ to } 3 \text{ ft.}$ Bushy. per 1000, \$45 35 | 1 50 | 6 00 |
| 2½ to 3 ft. Bushy. per 1000, \$45 35 3 to 3½ ft. Bushy. per 1000, \$50 50 | $\frac{1}{2} \frac{50}{50}$ | 7 50 |
| 3\frac{1}{2} to 4 1t. Busnyper 1000, \$60 60 | 3 00 | 8 00 |
| *4 to 5 ft. Bushyper 1000, \$75 75 | 5 00 | 15 00 |
| *5 to 6 ft. Bushy | 6 50 | 20 00 |
| 7 to 10 ft. Extra heavy plants for screen work. Prices on ap- | | |
| plication. | | |
| ovalifolium, var. aureum. Golden | | |
| Privet. 5 to 6 ft 1 00 | 7 50 | |
| sinense. Chinese Privet. 2 to 3 ft 25 | 2 00 | 12 50 |
| 5 to 6 ft 50 | 4 50 | |
| vulgaris. Common Privet. 2 to 3 ft 35 | 3 00 | 20 00 |
| 3 to 4 ft 50 | 4 00 | 30 00 |
| 4 to 5 ft.; heavy 75 | 6 00 | 40 00 |
| LONICERA fragrantissima. Chinese Fragrant Bush Honeysuckle. 2 to 3 ft. 35 | 3 25 | 0= 00 |
| Bush Honeysuckle. 2 to 3 ft. 35 3 to 4 ft.; heavy 50 | 3 25 4 50 | $\frac{25}{35} \frac{00}{00}$ |
| 4 to 5 ft 75 | 6 00 | 50 00 |
| Heckrottii. 4 to 5 ft | 7 50 | |
| Morrowii. Japanese Bush Honeysuckle— | . 00 | |
| 2 to 3 ft.; heavy | 3 00 | 15 00 |
| 3 to 4 ft 50 | 4 00 | 25 00 |
| 4 to 5 ft | $\frac{6}{9}$ | 35 00 |
| 5 to 6 ft 1 00 | 7 50 | 40 00 |
| Ruprechtiana. 2 to 3 ft | 3 00 | 15 00 |
| 3 to 4 ft | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$ |
| *5 to 6 ft 1 00 | 8 50 | 30 00 |
| Standishii. Standish's Honeysuckle— | | |
| 2 to 3 ft 50 | 4 00 | 35 00 |
| 4 to 5 ft 75 | 6 00 | 50 00 |
| tatarica (rubra). 2 to 3 ft | 3 00 | 15 00 |
| 3 to 4 ft 50 | 3 50 | $\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$ |
| *4 to 5 ft | 5 00 | |
| tatarica, var. alba. 2 to 3 ft | $\begin{array}{ccc} 3 & 00 \\ -3 & 50 \end{array}$ | $\begin{array}{ccc} 15 & 00 \\ 20 & 00 \end{array}$ |
| 3 to 4 ft | 6 00 | 30 00 |
| tatarica, var. bella albida. 3 to 4 ft 35 | 3 00 | 20 00 |
| 4 to 5 ft | 4 00 | 25 00 |
| 5 to 6 ft | 5 00 | 30 00 |
| *6 to 8 ft 1 00 | 7 50 | 35 00 |
| tatarica, var. chrysantha. 4 to 5 ft 50 | 4 00 | 20 00 |
| 5 to 6 ft | 5 00 | $\frac{25}{25} \frac{00}{00}$ |
| *6 to 8 ft | 7 50 | 35 00 |
| tatarica, var. graeilis. 3 to 4 ft. 35 4 to 5 ft. 50 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$ |
| 5 to 6 ft | 5 00 | 30 00 |
| * 6 to 8 ft 1 00 | 7 50 | 35 00 |
| tatarica, var. splendens. 2 to 3 ft 35 | 3 00 | 15 00 |
| 3 to 4 ft 50 | 3 50 | 20 00 |
| 4 to 5 ft | $\begin{array}{ccc} 5 & 00 \\ 6 & 00 \end{array}$ | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| | | 30 00 |
| Xylosteum (Fly Honeysuckle). 4 to 5 ft. 50 | 4 00 | |

^{*} LARGE SIZES FOR IMMEDIATE EFFECT

| Each | 10 | 100 |
|--|--|--|
| LYCIUM chinense. Matrimony Vine. 2 to 3 ft., \$0 35 | \$2 50 | \$10 00 |
| MYRICA carolinensis. Bay-berry— 12 to 15 in. 50 15 to 18 in. Bushy 75 18 to 24 in. 1 00 Gale. 3 to 4 x 3 ft. Spec. with ball. 5 00 | 4 00 5 00 6 50 | 30 00 35 00 40 00 |
| PAVIA parviflora. See Æsculus, under Shrubs. | | |
| PHILADELPHUS coronarius. Mock Orange- | | |
| 3 to 4 ft. 50 4 to 5 ft. 75 5 to 6 ft. 1 00 | $\begin{array}{c} 4 & 00 \\ 6 & 00 \\ 7 & 50 \end{array}$ | $\begin{array}{ccc} 25 & 00 \\ 30 & 00 \\ 40 & 00 \end{array}$ |
| coronarius, var. aureus. Golden— 2 to 3 ft | 4 00 | |
| coronarius speciesissimus. 2 to 3 ft 35 3 to 4 ft. 50 4 to 5 ft. 75 | 3 00 4 00 6 00 | $\begin{array}{c} 15 & 00 \\ 25 & 00 \\ 30 & 00 \end{array}$ |
| *5 to 7 ft | 10 00 | 50 00 |
| grandiflorus. 3 to 4 ft | 4 00 5 00 7 50 | 20 00 25 00 30 00 |
| *6 to 8 ft | 10 00 | 60 00 |
| Lemoinei. (Hybrid.) 3 to 4 ft 75 Lemoinei, var. erectus. 2 to 3 ft 35 | 5 00 | 35 00 20 00 |
| 3 to 4 ft | 4 00 | 25 00 |
| *5 to 6 ft | 5 00 2 50 | 30 00 15 00 |
| 3 to 4 ft 50 | $\frac{2}{4} \frac{30}{00}$ | 20 00 |
| ❖ Zeyheri. 6 to 8 ft 1 00 | 6 00 | 50 00 |
| PHYSOCARPUS opulifolia. 3 to 4 ft. 35 4 to 5 ft. 50 5 to 6 ft. 75 *6 to 7 ft. 1 00 | 2 50 3 50 5 00 6 50 | 20 00 25 00 35 00 40 00 |
| opulifolia aurea. 4 to 5 ft | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{ccc} 25 & 00 \\ 40 & 00 \end{array}$ |
| POTENTILLA fruticosa. Shrubbery Cinquefoil- | | |
| 2 to 3 ft 35 | 2 00 | 15 00 |
| PRUNUS amygdalus communis. Flowering Almond. 2 to 3 ft | 5 00 | |
| $1\frac{1}{2}$ to 2 ft | 5 00 | |
| 8HAMNUS eathartica. Buckthorn. 4 to 5 ft. 50 5 to 6 ft. 75 6 to 8 ft. Heavy 1 50 Frangula. 4 to 5 ft. 35 | $\begin{array}{c} 4 & 50 \\ 6 & 00 \\ 10 & 00 \\ 3 & 00 \end{array}$ | 35 00 40 00 20 00 |
| RHODOTYPUS kerrioides. White Kerria- | | |
| 2 to 3 ft | 4 00 | 20 00 25 00 35 00 |

| ° Ea | ch | 10 | 100 |
|---|---|---|---|
| ### RHUS canadensis syn. (aromatica). Fragment Sumac. 2 to 3 ft\$0 3 to 4 ft | 35 50 35 50 75 00 50 | \$3 00 4 00 3 00 4 00 6 00 8 50 13 50 | \$30 00 40 00 10 00 15 00 20 00 |
| ROBINIA hispida. Rose Acacia. 3 to 4 ft | 50 | 3 50 | |
| RUBUS odoratus. 2 to 3 ft | 25 35 | $\begin{array}{ccc} 2 & 00 \\ 2 & 50 \end{array}$ | $\begin{array}{ccc} 10 & 00 \\ 12 & 50 \end{array}$ |
| SAMBUCUS Canadensis. 2 to 3 ft | 35 50 75 | 3 00 4 00 | $\begin{array}{ccc} 15 & 00 \\ 20 & 00 \end{array}$ |
| Melanocarpa. 3 to 4 ft | 75 | 6 00 | |
| nigra, var. aurea. Golden Elder— 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 4 to 5 ft. \$5 to 6 ft. 1 | 35 50 75 00 | 2 50 3 50 4 00 8 50 | 15 00 20 00 30 00 |
| nigra, var. laciniata. Cut-leaved Elder— 3 to 4 ft | 50 | 3 50 | |
| SORBARIA Lindleyana. 4 to 5 ft | 50 | 4 50 | |
| sorbifolia. 2 to 3 ft | 35 | 3 00 | 25 00 |
| SPIRÆA arguta. 4 to 5 ft | $\begin{array}{c} 35 \\ 50 \end{array}$ | $\begin{array}{cc} 2 & 50 \\ 4 & 00 \end{array}$ | |
| Billardii. 4 to 5 ft | 50 | 3 50 | 25 00 |
| Bumalda. 2 to 3 ft | 50 | 3 50 | |
| Bumalda, var. Anthony Waterer— 15 to 18 in. 18 to 24 in. Heavy 2 to 2½ ft. Heavy ★3 ft | 35 50 75 00 | 2 50 4 00 5 00 7 50 | 25 00 30 00 |
| callosa. Fortune's Spirea. 3 to 4 ft | 50 | 3 00 | 20 00 |
| callosa, var. alba. 2 to 3 ft | 50 | 3 00 | 20 00 |
| Lindleyana. (See Sorbaria.) | 00 | 7 50 | |
| Marguarite Hybrid. $2\frac{1}{2}$ to 3 ft 1 opulifolia. (See <i>Physocarpus</i> .) | 00 | 7 50 | |
| prunifolia flore pleno. Bridal Wreath— | | | |
| 3 to 4 ft | 50 | 3 50 | |
| Reevesiana. 3 to 4 ft | 35 50 | $\frac{3}{4} \frac{00}{00}$ | 20 00 25 00 |
| 4 to 5 ft | 35 | 3 00 | 25 00 |
| 4 to 5 ft. | 50 | 4 00 | 25 00 |
| salisifolia. 4 to 5 ft | 35 | 2 50 | 20 00 |
| Sorbifolia. (See Sorbaria.) | | | |

^{*} LARGE SIZES FOR IMMEDIATE EFFECT

DECIDUOUS SHRUBS


| 7.3 | Eacl | n 1 | 10 | 100 |
|--|--------------|---|----------------------|---|
| SPIRÆA Thunbergii. 1½ to 2 ft. 2 to 2½ ft. Very heavy *3 to 3½ ft. Very heavy 4 to 4½ ft. to | . 5 . 7 | $\begin{array}{ccc} 0 & 3 \\ 5 & 4 \end{array}$ | 00 50 00 50 | \$20 00 30 00 35 00 50 00 |
| Van Houttei. 3 to 3½ ft | | | 00 | 20 00 |
| STAPHYLEA colchica. 2 to 3 ft 4 to 5 ft | | - | $\frac{50}{50}$ | |
| STEPHANANDRA flexuosa. 2 to $2\frac{1}{2}$ ft 3 to 4 ft | | | 50 00 | $\begin{array}{ccc} 20 & 00 \\ 35 & 00 \end{array}$ |
| STEWARTIA pentagyma. 4 to 5 ft | . 2 5 | 0 | | |
| STYRAX japonica. 3 to 4 ft | . 10 | 0 7 | 00 50 50 | 50 00 |
| SYMPHORICARPUS racemosus. Snowberry— 2 to 3 ft | 3 | 5 2 | 50 | 20 00 |
| vulgaris. Coral Berry. 2 to 3 ft 3 to 4 ft | . 2 | 5 2 5 3 | 00 | 10 00 15 00 |
| SYRINGA chinensis Rothomagensis. 3 to 4 ft. japonica. 2 to 3 ft | . 7 | 5 5 | 00 | |
| 5 to 6 ft | | | 50 | |
| Josikæa. 3 to 3½ ft | . 7 | | 00 | |
| * villosa. 2 to 3 ft | | - | 00 | |
| villosa, var. Emodi. 5 to 6 ft. Heavy. | | 0 20 | 00 | |
| vulgaris. Common Lilac. 2 to 3 ft. 3 to 3½ ft. | . 5 0 5 0 | 50 4 00 | 00 00 00 | 25 00 35 00 50 00 |
| vulgaris alba. 2 to 2½ ft | . 7 | 5 6 | 00 00 | 25 00 40 00 |
| vulgaris, named varieties | . 1 (| 00 | | |
| Alphonse Lavalle. Double, Clear lilac—3 to 4 ft. | | 00 7 | 50 | |
| Charles X. Single, reddish purple— 2 to 2½ ft. 3 to 4 ft. 4 ft. Clump | | | 3 50 3 00 | 30 00 50 00 |
| Colmariensis. Blue. 3 to 4 ft. Heav | y 1 (| 00 7 | 50 | |
| Congo. Single, Wine-red. 2 ft | . 7 | 75 6 | 6 00 | |
| Dame Blanche. Double, White— 3 to 4 ft. | . 1 (| 00 | 7 50 | |
| Dr Master's. Double, lilac— 2 to 3 ft | | 75 (| 3 00 | |

| Each | 10 | 100 - |
|---|--|---------|
| SYRINGA Frau Bertha Dammann. Single. White— 2 to 3 ft | \$4 00 | |
| 3 to 4 ft. Heavy 1 50 | 13 50 | |
| Jeanne d'Arc. Double White. 3 to 4 ft. 1 00 | 8 50 | |
| Langius. Single, Rosy-lilac. 2 to $2\frac{1}{2}$ ft. 1 00 | 7 50 | |
| La Tour d'Auvergne. Double, violet- purple. 3 to 4 ft 1 00 | 8 50 | |
| Leon Simon. Double, Bluish crimson— 3 to 4 ft | 8 50 | |
| Mad. Abel Chatenay. Double, White- | | |
| 2 to 3 ft | $\begin{array}{ccc} 4 & 50 \\ 8 & 50 \end{array}$ | |
| Mad. Casimir Perier. Double, Cream- | - 4 - | |
| 2 to 3 ft | 8 50 8 50 | |
| Mad. Lemoine. Double, White- | 4 50 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 4 50 8 50 | |
| Marie Le Graye. Single, White— | | |
| 2 to $2\frac{1}{2}$ ft | 4 50 | \$35 00 |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\frac{6}{8} \frac{00}{50}$ | |
| Mathieu de Dombasle. Dbl. Mauve— 5 to 6 ft 3 50 | | |
| Michael Buchner. Double, pale lilac- | | |
| 2 to 3 ft | $\begin{array}{ccc} 7 & 50 \\ 12 & 50 \end{array}$ | |
| President Grevy. Double, Blue- | | |
| 3 to 4 ft 1 50 | 13 50 | |
| President Loubet. Double, reddish carmine. 4 ft 1 50 | 13 50 | |
| Rubra de Marley. Single, reddish pur- | | |
| ple. 2 to 3 ft 50 | 4 00 | |
| 3 to 4 ft | 7 50 | |
| Senator Volland. Double, Rosy-red- | 4 00 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\frac{4}{6} \frac{00}{00}$ | |
| 4 to 5 ft | 13 50 | |
| Souvenir de Ludwig Spæth. Single red- | | |
| 2 to $2\frac{1}{2}$ ft | 4 00 | |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | 6 00 7 50 | |
| TAMARIX gallica. 4 to 5 ft | 2 50 | 20 00 |
| hispida æstivalis. 3 to 4 ft | 2 50 | 20 00 |
| juniperina, syn. plumosa. 4 to 5 ft 35 | $\frac{2}{2} \frac{50}{50}$ | 20 00 |
| parviflora. 5 to 6 ft | 4 00 | 20 00 |
| | | |

^{*} LARGE SIZES FOR IMMEDIATE EFFECT

| | Each | 10 | 10u ' |
|--|-----------------------------|--|---------------------------------|
| berry. 1 to 1½ ft. Clumps | 80.75 | \$7 00 | \$60 00 |
| $1\frac{1}{2}$ to 2 ft. Clumps | 1 00 | 9 00 | 85 00 |
| $2\frac{5}{2}$ to 3 ft. Clumps | 1 50 | $\begin{array}{ccc} 12 & 50 \\ 4 & 00 \end{array}$ | 35 00 |
| | | | |
| VIBURNUM acerifolium. 2 to 3 ft | $\frac{50}{75}$ | $\frac{4}{6} \frac{00}{00}$ | $= \frac{35}{40} \frac{00}{00}$ |
| 4 to 5 ft | 1 00 | 7 50 | |
| Carlesii — NEW. 3 to 3½ ft. Half Standards | 2 50 | | |
| cassanoides. With e-rod. 3 to $3\frac{1}{2}$ ft. | 2 30 | | • |
| Very heavy | 75 | 6 00 | 50 00 |
| $*3\frac{1}{2}$ to 4 ft. Very heavy $*4$ to 5 ft. Very heavy | $\frac{1}{1} \frac{00}{50}$ | $-rac{7}{9} rac{50}{00}$ | $\frac{60}{75} \frac{00}{00}$ |
| dentatum, Arrow-wood— | 1 00 | 0 00 | •0 00 |
| 2 to 3 ft. Clumps | 35 | 3 00 | 25 00 |
| 3 to 4 ft. Clumps | 50 75 | $\begin{array}{ccc} 4 & 50 \\ 6 & 00 \end{array}$ | $\frac{30}{40} \frac{00}{00}$ |
| *6 to 8 ft. Clumps\$2.50 to | 5 00 | 0 00 | 10 00 |
| dilatatum. Japan Bush Cranberry- | | | |
| 2 to 3 ft | | 8 50 | |
| Lantana. Wayfaring Tree— | 5 00 | | |
| $2\frac{1}{2}$ to 3 ft | 35 | 3 00 | 30 00 |
| $3\frac{1}{2}$ to 4 ft | $\frac{50}{75}$ | $\frac{4}{6} \frac{00}{00}$ | 35 00 |
| 4 to 5 ft | | 8 50 | |
| Lentago. Sheep-berry. 2 to $2\frac{1}{2}$ ft | | 4 00 | 30 00 |
| 3 to 4 ft | | $\begin{array}{ccc} 6 & 00 \\ 8 & 50 \end{array}$ | 50 00 60 00 |
| *4 to 5 ft | 1 50 | 13 50 | 85 00 |
| Molle. 3 to $3\frac{1}{2}$ ft | 50 | 4 00 | 35 00 |
| $3\frac{1}{2}$ to 4 ft | 60 | 5 00 | 40 00 |
| *4 to 5 ft | | $\begin{array}{ccc} 6 & 00 \\ 13 & 50 \end{array}$ | 50 00 85 00 |
| ❖7 to 8 ft | 2.50 | $\frac{1}{20} \frac{1}{00}$ | - |
| nitidum. 6 to 8 ft | 5 00 | | |
| Opulus. High Cranberry Bush— 3 to 4 ft. Fine. Heavy | 50 | 3 50 | 25 00 |
| 4 to 5 ft. Fine. Heavy | | 4 00 | 35 00 |
| 5 to 6 ft. Specimens | 75 | 6 00 | 50 00 |
| *6 to 7 ft. Specimens\$2.50 to | $\frac{1}{5} \frac{00}{00}$ | 8 50 | 75 00 |
| Opulus, var. Sterile. Guelder Rose- | | | |
| 5 to 6 ft | 1 00 | 8 50 | |
| *6 to 7 ft | | 13 50 | |
| tomentosum. Single. Japan Snowball- | | | |
| 2 to 3 ft | 35 | 3 00 | 25 00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 50 75 | $\frac{4}{6} \frac{00}{00}$ | |
| tomentosum, var. plicatum. Japaneso | • | | |
| Snowball. $2\frac{1}{2}$ to 3 ft | 50 | 4.00 | 35 00 |
| 3 to 4 ft. 4 to 5 ft. | | $\frac{5}{7} \frac{00}{50}$ | 45 00 |
| | | . 50 | |

ALL GOODS F. O. B. HERE AT LIST PRICES



| Viburnum | plicatum | |
|----------|----------|--|
| | | |

| Viburnum pileatum | | |
|---|---|--|
| Each | 10 | 100 |
| VIBURNUM prunifolium. Black Haw. 2 to 2½ ft\$0 75 | \$6 00 | |
| 3 to 4 ft 1 00 | 8 50 | |
| 4 to 5 ft 1 50 | 13 50 | |
| rhytidophyllum. 3 to 4 ft 1 50 | 10 00 | |
| Sieboldii. 2 to 3 ft | $\begin{array}{ccc} 4 & 50 \\ 6 & 50 \end{array}$ | |
| 3 to 4 ft. Heavy | 8 50 | \$75 00 |
| 5 to 6 ft. Heavy 1 00 *6 to 12 ft. Specimens \$5.00 to 15 00 | | |
| Wrightii. 3 to 4 ft 1 50 | 10 00 | 00.00 |
| VITEX Agnus-castus. Chaste Tree. 3 to 4 ft 50 | $\begin{array}{ccc} 3 & 50 \\ 2 & 50 \end{array}$ | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| coerulea. 1 to 2 ft | 2 00 | 10 00 |
| WEIGELIA (See Diervilla). XANTHOCERAS sorbifolia. 2 to $2\frac{1}{2}$ ft | 5 00 | |
| 4 to 5 ft | 13 50 | |
| ZANTHORRHIZA apiifolia. Shrub Yellow Root— | 2 00 | 5 00 |
| * 10 to 12 inper 1000, \$40 35 | $\frac{1}{2}$ 00 | 8 00 |
| * 12 to 18 inper 1000, \$50 50 | 2 50 | 10 00 |
| | | • |

DISTINCTIVE TREES AND PLANTS

An attractive booklet beautifully illustrated and descriptive of a number of charming Evergreens, Trees and Shrubs that are worthy of your better acquaintance.

REEDS and GRASSES

| ARUNDO DONAX. Clumps | Each \$0 50 | 10 \$3 50 |
|--|-----------------|--|
| BAMBUSA Metake | 50 | 3 50 |
| ELYMUS glaucus | 25 | 1 50 |
| ERIANTHUS Ravennæ | 50 | 3 50 |
| EULALIA Japonica, and vars. variegata, gracillima univit- | | 0 0 |
| tata, zebrina. Clumps | 50 | 3 50 |
| PHALARIS arundinacea, var. variegata. Ribbon Grass | 25 | 1 50 |
| | | |
| VINES, CLIMBING and TRAILING | PLA | NTS |
| A Company of the Comp | Each | 10 |
| ACTINIDIA polygama. 5-in. pots | | \$3 50 |
| AKEBIA quinata. From 5-in. pots | 50 | 3 50 |
| AMPELOPSIS quinquefolia. Virginia Creeper. 5-in pots | $\frac{50}{25}$ | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| 3-year, field-grown; heavy | 35 | 3 00 |
| 3-year, field-grown; heavy tricuspidata; syn., Veitchi. Japan or Boston Ivy; | 25 | 2 00 |
| 5-in. pots; heavyper 100, \$20 2-year, field-grown; heavyper 100, \$15 | $\frac{35}{25}$ | 3 00 2 00 |
| ARISTOLOCHIA sipho. Dutchman's Pipe Vine. 5-in, pots | 75 | 6 00 |
| BIGNONIA capreolata. 2 to 3 ft.; field-grown | 35 | 2 50 |
| grandiflora. 2 to 3 ft.; field-grown | 35 | 2 50 |
| radicans. Scarlet Trumpet Vine. 2 to 3 ft | 35 | 2 50 |
| CELASTRUS scandens. False Bitter-sweet— 2 to 3 ftper 100, \$15 | 50 | 3 50 |
| 3 to 5 ft.; heavy; field-grown.per 100, \$25 | 75 | 5 00 |
| CLEMATIS coccinea. 4-in. pots | 35 | 3 00 |
| Flammula. Sweet Clematis. 6-in. pots | 1 00 | 7 00 |
| Large-flowering varieties—Fairy Queen, Gem, Henryi, Jackmani, Jackmani var. alba, | | |
| Jeanne d'Arc, Duchess of Edinburgh, Kermesina, Lady Neville, Lilacina floribunda, | | |
| Madame Van Houtte, Miss Bateman, Presi- | | |
| dentpaniculata. 2-year; heavyper 100, \$15 | 75 30 | $\begin{array}{ccc} 6 & 00 \\ 2 & 50 \end{array}$ |
| 5-in. pots: fineper 100, \$30 | 50 | 3 50 |
| virginiana. Wild Clematis. 4-in. pots | 50 | 3 50 |
| EUONYMUS radicans. 2 yrs.; field-grownper 100, \$10 3-year; field-grownper 100, \$15 | $\frac{25}{35}$ | $\begin{array}{ccc} 1 & 50 \\ 2 & 00 \end{array}$ |
| radicans, var. variegata. 1 ft.; field-grown | $\frac{35}{25}$ | $\frac{2}{2} \frac{00}{00}$ |
| radicans, var. carrierei (large leaf)— | 05 | 9.00 |
| 2-year; field-grownper 100, \$25 Extra heavy stock | 35 75 | 3 00 6 00 |
| radicans, var. vegata (Scarlet Fruit)- | 0= | 0.00 |
| 1-year; field-grownper 100, \$15 2-year; field-grownper 100, \$25 | $\frac{25}{35}$ | $\frac{2}{3} \frac{00}{00}$ |
| 2-year; field-grown per 100, \$25 3 and 4-year; extra heavy | 75 | 5 00 |

| The state of the s | ala. | 10 |
|--|---|---|
| HEDERA helix. English Ivy. 4-in. potsper 100, \$15\$0 | ch 25 | \$2 00 |
| Extra heavy; 4-in. potsper 100, 20 | 35 | 3 00 |
| LONICERA japonica. Honeysuckle— | 25 | 9 50 |
| 4-in. pots | 35 35 | $\begin{array}{ccc} 2 & 50 \\ 2 & 50 \end{array}$ |
| japonica, var. aurea reticulata. 4-in. pots | 35 | 3 00 |
| ianonica, var chinensis. Purplish green foliage | | |
| 4-in pots | 35 | 3 00 |
| 2-year; field-grownper 100, \$10 | 35 35 | 2 50 |
| japonica, var. Halleana. 4-in. potsper 100, \$20 2-year old; field-grownper 100, \$10 | $\frac{55}{25}$ | $\begin{array}{ccc} 3 & 00 \\ 2 & 00 \end{array}$ |
| Brownii, var. fuchsioides. Scarlet Trumpet- | | _ 00 |
| 3 to 4 ft.; field-grown | 75 | 6 00 |
| PERIPLOCA graeca. Silk Vine. 5-in. potsper 100, \$25 | 50 | 3 50 |
| PUERARIA hirsuta. Kudzu Vine. 5-in. pots+ | 50 | 4 00 |
| SCHIZOPHRAGMA hydrangeoides. Climbing Hydrangea | | |
| 4 years old | | 13 50 |
| VITIS æstivalis. Summer Grape. In potsheterophylla, var. variegata. In pots | $\begin{array}{c} 50 \\ 75 \end{array}$ | $\begin{array}{ccc} 3 & 50 \\ 6 & 00 \end{array}$ |
| Labrusca. Fox Grape. In pots | 50 | 3 50 |
| volpina. Frost Grape. In pots | 50 | 3 50 |
| WISTARIA chinensis. Chinese Wistaria— 2 to 3 ft.; in large pots | | |
| 2 to 3 ft.; in large pots | 50 | $\begin{array}{ccc} 12 & 50 \\ 22 & 50 \end{array}$ |
| Heavy; field-grown | 50 | 22 30 |
| chinensis, var. alba. Field grown | | 8 50 |
| frutescens. 4 to 5 ft. Field-grown 1 | 00 | 7 50 |
| magnifica. 5 to 6 ft.; field-grown\$1.50 to 2 | 50 | |
| multijuga. Field-grown 1 | 00 | 7 50 |
| multijuga, var. alba 1 | 50 | |
| | | |
| FRUIT DEPARTMENT | | |
| Ea | ch | 10 |
| APPLES, Summer—Early Harvest, Golden Sweet, Red Astrachan, Summer Rambo, Sweet Bough, | | |
| Benoin, Yellow Transparent. | | |
| Autumn—Fall Pippin, Gravenstein, Maiden's Blush, Smokehouse, Wealthy. | | |
| Winter—Baldwin Belle-fleur Fallawater King of | | |
| Winter—Baldwin, Belle-fleur, Fallawater, King of Tompkins County, Northern Spy. Rhode Island Greening, Styman's Winesap, York Imperial. 5 to 7 ft.; 4 to 1 in. cal | | |
| Island Greening, Styman's Winesap, York Im- | F0 . | 010 FA |
| Crab Hyslop, Large Red Siberian, Large Yellow | 90 | \$12 50 |
| Siberian. 5 to 7 ft | 50 | 12 50 |
| CHERRIES, Sour (Dukes and Morellos)—Early Richmond, | | |
| Empress Eugenie, May Duke, Late Duke, | 50 | 10 50 |
| Montmorency. 5 to 6 ft | 90 | 12 50 |
| Large Sweet (Hearts and Bigarreaus)—Black Tartarian, Governor Wood, Napoleon Bi- | | |
| garreau. Schmidt's Bigarreau, Windsor. | - | 40.50 |
| 5 to 6 ft 1 | 50 | 12 50 |

* LARGE SIZES FOR IMMEDIATE EFFECT

| E | ach | 10 |
|--|----------------|--|
| NUTS. American Sweet Chestnut. 4 to 5 ft | 00 50 | \$8 50 |
| Hybrid Chestnut. Paragon, Numbo. 4 to 5 ft 1 | 50 | 12 50 |
| Japan Chestnut. 7 to 8 ft | 50 | 13 50 5 00 |
| PFACHES—Belle of Georgia, Fitzgerald, Fox's Seedling. | | 0 00 |
| Crawford's Late, Elberta, Mountain Rose, Morris White, Oldmixon Free, Stump the | | |
| World, Susquehanna, Troth's Early. Wheat- | | |
| land. 5 to 6 ft | 50 | 4 50 |
| d'Ete. | | |
| Autumn and Winter—Beurre d'Anjou, Buffum, Duchesse d'Angouleme Howell Kieffer's Hy- | | |
| Duchesse d'Angouleme, Howell, Kieffer's Hy- brid, Lawrence, Rutter, Seckel, Sheldon, Wor- | | 13 5 |
| den-Seckel. 5 to 6 ft | 50 | $\frac{12}{22}$ 50 |
| PLUMS, Japanese-Abundance, Burbank, Chabot, Satsuma. | | |
| European—Giant Prune, Imperial Gage, Lombard. | 00 | 7 50 |
| QUINCES—Champion, Orange. 3 to 4 ft | 75 | 6 00 |
| | | |
| CLEAT EDITIES | | |
| SMALL FRUITS | | |
| E | ach | 10 |
| | ach | 10 \$0 50 |
| BLACKBERRIES—Eldorado, Erie. Kittatinny. Rathbun, Snyder, Wilson Juniorper 100, \$5 CURRANTS, Red—Cherry, Fay's Prolific: White—White | | \$0 50 |
| BLACKBERRIES—Eldorado, Erie. Kittatinny. Rathbun, Snyder, Wilson Juniorper 100, \$5 CURRANTS, Red—Cherry, Fay's Prolific: White—White Grape; Black—Lee's Prolific\$0 | | |
| BLACKBERRIES—Eldorado, Erie. Kittatinny, Rathbun, Snyder, Wilson Juniorper 100, \$5 CURRANTS, Red—Cherry, Fay's Prolific: White—White Grape; Black—Lee's Prolific\$0 GOOSEBERRIES, Red—Houghton, Industry: Green—Downing, Smith's Improved | | \$0 50 |
| BLACKBERRIES—Eldorado, Erie. Kittatinny. Rathbun, Snyder, Wilson Junior | 25 | \$0 50 2 00 |
| BLACKBERRIES—Eldorado, Erie. Kittatinny, Rathbun, Snyder, Wilson Junior | 25 25 25 | \$0 50 2 00 2 00 |
| BLACKBERRIES—Eldorado, Erie. Kittatinny, Rathbun, Snyder, Wilson Junior | 25 25 | \$0 50 2 00 |
| BLACKBERRIES—Eldorado, Erie. Kittatinny, Rathbun, Snyder, Wilson Junior | 25 25 25 | \$0 50 2 00 2 00 |
| BLACKBERRIES—Eldorado, Erie. Kittatinny. Rathbun, Snyder, Wilson Junior | 25 25 25 | \$0 50 2 00 2 00 2 00 3 00 |
| BLACKBERRIES—Eldorado, Erie. Kittatinny. Rathbun, Snyder, Wilson Junior | 25 25 25 | \$0 50 2 00 2 00 2 00 3 00 |

ESCULENT ROOTS

A CALENDAR OF HARDY PERENNIALS

In planning a garden or hardy border, it is most essential to know exactly the period of bloom of each plant, the color and height. Our "Calendar" will give you this information together with special lists of Iris, Phlox, Peonies and Chrysanthemums.

ROSES

| | RODED | | |
|-------------|--|---------|---------|
| | | Each | 10 |
| | RIERS—Harrison's Yellow and Persian Yellow. | | \$3 50 |
| SWEET BRIE | R—Rosa rubignosa | 40 | 3 50 |
| HYBRIDS Pe | nzance Briers | 50 | 4 50 |
| 1 | Amy Robsart, deep rose. | ., . | |
| | Brenda, blush. | | |
| | Annie of Gierstein, dark crimson. | | |
| | Minna, white. | | |
|] | Flora McIvor, blush white. | | |
|] | Lady Penzance, coppery vellow. | | |
| | Lady Penzance, coppery yellow. Lord Penzance, ecru. | | |
| Ī | Meg Merrilees, crimson. | | |
| BUSH ROSES | -Field-grown | 35 | 3 00 |
| . I | Blanda, Early Wild Rose. Pink. May to June. | | |
| (| Canina Dog Rose Light Pink, Summer, | | |
| (| Carolina Swamp Rose. Pink. June to Sent. | | |
| ì | Canina, Dog Rose. Light Pink. Summer. Carolina, Swamp Rose. Pink. June to Sept. Lucida, Dwarf. Bright Pink. June and July. | | |
| Î | Lucida, var. alba. White. June and July. | | |
| Ī | Multiflora, Many-flowered Rose. White. June | | |
| Ŷ | Vitida Shining Rose Red June and July | | |
| Î | Nitida. Shining Rose. Red. June and July. Rubrifolia, Red-leaved Rose. Pink. June. | | |
| ŝ | Spinosissima, Scotch Rose. White. May and June | 75 | 5 00 |
| Š | Satisfara Prairio Rosa 2 to 21 ft | 35 | 3 00 |
| EVERRI OOMÎ | Setigera. Prairie Rose. 2 to $2\frac{1}{2}$ ft | 50 | 4 50 |
| LVLIIDLOOMI | Antoine Revoire, rosy flesh on yellow ground. | 00 | 1 00 |
| Ī | Baby Rambler, crimson. Betty, ruddy gold. | | |
| | Bessie Brown, creamy white. | | |
| 1 | Serving Togtout rose | | |
| } | Caroline Testout, rose. Chateau de Clos Vougeot, scarlet. | | |
| 1 | Dean Hole gilvery cormine | | |
| 1 | Dean Hole, silvery carmine. Duchess of Albany, deep pink. | | |
| T T | Duchess of Wellington, geffron wellow | | |
| T | Ouchess of Wellington, saffron yellow. Carle of Warwick, salmon pink. | | |
| i i | Property of Warwick, Saimon pink. | | |
| 1 | Francisca Kruger (Tea), yellow peach. General McArthur, bright crimson. | | |
| | Seneral McArthur, bright crimson. | | |
| } | George C. Waud, orange vermillion. | | |
| | Gladys Harkness, salmon pink. | | |
| | Grace Molyneux, apricot. | | |
| Ţ | Gruss an Teplitz, crimson. | | |
| 1 | Harry Kirk, deep sulphur yellow. | | |
| e e | J. L. Mock, imperial pink. | | |
| | Kaiserin Augusta Victoria, primrose. | | |
| | Killarney, pink and Killarney white. | | |
| | Lady Alice Stanley, coral rose to pale flesh. | | |
| | Lady Ursula, flesh pink. | | |
| | La France, rose. | | |
| 1 | Laurent Carle, brilliant carmine. | | |
| 1 | Madame Abel Chatenay, carmine rose. | | |
| 1 | Madame Jules Bouche, white. | 111 | - 3: |
| I I | Madame Leon Paine, silvery salmon, orange ye | now sn | adings. |
| I n | Madame Ravary, yellow. | | |
| 1 | Madame Ravary, yellow. Madame Segond Weber, rosy salmon. | | |
| 1 | daman Cochet, pink and M. Cochet white. | | |
| Ţ | Mrs. Aaron Ward, Indian yellow. Mrs. A. R. Waddell, rosy scarlet, opening redd | | |
| I | Mrs. A. R. Waddell, rosy scarlet, opening redo | ish sal | mon. |
| | Mrs. Harold Brocklebank, creamy white. | | |
| Ŋ | Mary, Countess of Ilchester, crimson. | | |
| | Souvenir du President Carnot, flesh shading wh | ite. | |
| | Viscountess Folkstone. creamy pink. | | |
| | | | |

| | Each | 10 | 100 |
|---|---------|--------------|----------------|
| HYBRID Perpetual Roses | \$0.50 | \$4 00 | \$35 00 |
| Alfred K. Williams, carmine red. Baroness Rothschild, rose. | | | |
| Captain Hayward, carmine crimson | | | |
| Eugene Verdier, rose flesh. | | | |
| Frau Karl Druschki, white. General Jacqueminot, scarlet. | | | |
| Madame Gabriel Luizet, silvery pin | ık. | | |
| Magna Charta, rose. Margaret Dickson, white. | | | |
| Mrs. John Laing, pink. | | | |
| Mrs. R. D. Sharman Crawford, ros | e pink. | | |
| Paul Neyron, deep rose. Prince Camille de Rohan, deep cri | mson. | | |
| Ulrich Brunner, cherry crimson. | | | |
| MOSS ROSES. Blanche Moreau, white | . 50 | 4 00 | |
| Crimson Globe, deep crimson. Zenobia, rose. | | | |
| CLIMBING ROSES. Crimson Rambler, crimson | . 50 | 4 00 | 35 00 |
| Dawson, bright pink. | | | |
| Dorothy Perkins, shell pink. Hiawatha, ruby carmine. | | | |
| Lady Gay, cerise pink. | | | |
| Tausendschon, soft pink. White Dorothy Perkins, white. | | | |
| SINGLE ROSES—Dickson's hybrids | . 75 | 6 00 | |
| Irish Beauty, pure white. | | | |
| Irish Brightness, vivid crimson. Irish Elegance, bronzy orange sca | rlot | | |
| Irish Harmony, saffron yellow. | 1166. | | |
| Irish Modesty, coral pink. | | | |
| TRAILING ROSES—Wichuraiana. White. | s 35 | 3 00 | 25 00 |
| 2 to 3 ft. 2-year old. In 4-in. pot Wichuraiana hybrids | . 50 | 4 00 | 35 00 |
| Adelaide Moulle, soft pink. | | | |
| Alberic Barbier, creamy yellow. Auguste Barbier, rosy crimson. | | | |
| Debutante, rosy pink. Eliza Robichon, rose skaded yellow | | | |
| Eliza Robichon, rose skaded yellow | 5 | | |
| Evergreen Gem, buff. Gardenia, bright vellow. | | | |
| Gardenia, bright yellow. Manda's Triumph, double white. | | | |
| Paul Transon, rosy pink. | | | |
| Pink Roamer, rich pink. South Orange Perfection, blush pink | | | |
| Universal Favorite, soft rose. RUGOSA ROSES—Rosa rugosa. 2 to 2½ ft | . 35 | 3 00 | 20 00 |
| 28 to 3 ft | . 50 | 4 00 | 35 00 |
| 3 to 3½ ft. rugosa, yar, alba. 2 to 2½ ft | . 75 | 6 00 | 50 00 |
| 2½ to 3 ft. | . 50 | 4 00 6 00 | 25 00 50 00 |
| rugosa hybrids | 50 | 4 00 | 30 00 |
| Belleæ Poitevine, deep rose pink. | | | |
| Blanc Double de Coubert, double Conrad Ferdinand Meyer, silvery | rose. | | |
| Madame Charles Worth, rosy carm | ine. | | |
| Madame Georges Bruant, double v Mrs. Antony Waterer, deep crimso | vnite. | | |
| Sir Thomas Lipton, double white. | | | |
| | | | |

HARDY HERBACEOUS PLANTS

Size of Plants. We aim to send out only extra-strong plants of the different sorts—plants that will give a fair the small plants so widely offered, and our customers find it more satisfactory to use Andorra-grown stock, which gives results. It has been well said, "The lowest prices are not always the cheapest, as cheapness does not consist in what you pay, but in what you get for what you pay."

| ACHILLEA eupatorium (Fern-leaved Yarrow). All summer. 4 to 5 ft\$0 15 \$1 25 filipendulina (Noble Yarrow), July Golden Yellow. 2 ft 15 1 25 \$1 | 10 00 |
|--|----------------|
| filipendulina (Noble Yarrow), July Golden Yellow. 2 ft 15 1 25 \$: | 10 00 |
| 110 4 10 | |
| millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft. 15 1 25 | |
| millefolium roseum var. Cerise Queen. June to September. Amaranth- red. 1½ ft | |
| ptarmica (The Pearl). All summer. White. 2 ft | 10 00 |
| Snow). July to September. White. 2 ft | |
| tomentesum (Wooly Yarrow). June. Yellow. 1 ft 25 2 00 | |
| ACONITUM Bicolor. July to September. Blue and white. 2 ft 35 2 50 | |
| 0000001. 2100. 0 1000001. | 15 00 |
| Lycoctonum (Wolf's Bane). June to September. Yellow. 3 ft 35 2 50 | |
| Napellus albus. August to September. White. 2 ft | |
| ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft 35 2 50 | |
| ADONIS Amurensis fl. pl. April and May. Yellow. 1 ft | |
| resourt donovonoid: Maj. Bright black o mit. | 12 50 |
| reptans rubra (Bugle). May. Purplish blue. 6 in 25 1 50 | 12 50 |
| COIOIS. I to o Itt | 12 50 12 50 |
| ALYSSUM rostratum, June and July. Golden Yellow. 1 ft | |
| saxatile compactum (Golden Tuft). May and June. Yellow. 1 ft. 25 1 50 | 12 50 |
| ANCHUSA Italica, var. Dropmore. (Alkanet.) New May and June. Blue. 3 to 4 ft | |

| ANEMONE (Windflower) Janonica Sentember | Each | 10 | 100 |
|---|------|--------|---------|
| ANEMONE (Windflower) Japonica. September Red. 2 to 3 ft | 25 | \$1 50 | \$12 50 |
| Japonica, var. alba. Fall. White. 2 to 3 ft | 25 | 1 50 | 12 50 |
| Japonica, var. Lady Ardilaun, Fall. | | | |
| White. 2 to 3 ft | 25 | 2 00 | 15 00 |
| deep pink. 2 to 3 ft | 25 | 2 00 | |
| Japonica, var. Queen Charlotte. Fall. | 25 | 2 00 | 15 00 |
| Japonica, var. rosea superba. Fall. | 20 | 2 00 | 10 00 |
| Silvery rose. 2 to 3 ft | 25 | 2 00 | |
| Japonica, var. Whirlwind. Fall. Pure white. 2 to 3 ft | 25 | 2 00 | 15 00 |
| Pennsylvanicum. June and July. White. | 05 | 1 50 | 10 50 |
| 1 to 2 ft | 25 | 1 50 | 12 50 |
| let-purple. 9 in | 25 | 1 50 | 12 50 |
| sylvestris. May. Pure white, 1 to $1\frac{1}{2}$ ft. | 25 | 1 50 | 12 50 |
| ANTHEMIS tinctoria (Chamomile. June to Sep- | 0= | 1 50 | 10.00 |
| tember. Golden Yellow. 2 ft. | 25 | 1 50 | 10 00 |
| AQUILEGIA baicalense. May to July. Blue and white. 18 in | 25 | 1 50 | 12 50 |
| Canadensis. (Common Columbine). May | 20 | 1 00 | 12 00 |
| to July. Scarlet and Yellow. 1 to 2 ft | 25 | 1 50 | 10 00 |
| Chrysantha. May to August. Golden Yellow. 3 ft | 20 | 1 00 | 10 00 |
| | .25 | 2 00 | 12 50 |
| cærulea (Rocky Mountain Columbine). May to July. Blue. 18 in | 25 | 2 00 | 12 50 |
| flabellata, var. nana alba. April to June. | 0~ | 0.00 | |
| White. 1 ft | 25 | 2 00 | |
| 2 to 3 ft | 25 | 2 00 | 12 50 |
| vulgaris fl. pl. May to July. White to blue. 1½ to 2 ft | 25 | 2 00 | 12 50 |
| truncata. May and June. Scarlet, vel- | 20 | 2 00 | 12 00 |
| low-tipped. 2 ft | 25 | 2 00 | 12 50 |
| ARABIS alpina (Rock Cress). April and May. White. 4 in | 25 | 1 50 | 10 00 |
| alpina fl. pl. Double | 35 | 2 50 | |
| ARENARIA montana, var. grandiflora (Sand- | | | |
| wort). May and June. White. 6 in | 25 | 1 50 | 12 50 |
| ARMERIA maritima, var. alba (Thrift). Sum- | 05 | 4 50 | 10.00 |
| mer. White. 9 in | 25 | 1 50 | 10 00 |
| 9 in | 25 | 1 50 | 12 50 |
| ARTEMISIA abrotanúm (Old Man). Silvery white foliage. 2 ft | 25 | 1 50 | 10 00 |
| Stelleriana (Old Woman). Silvery | | | |
| foliage. 2 ft | 25 | 1 50 | 10 00 |
| ALL GOODS E S D HEDE AT LU | OT D | DIOFO | |


| ACOLEDIAC Aubanasa (D. 11 G. W. a) Ea | ch | 10 | 100 |
|---|-----|--------|---------|
| ASCLEPIAS tuberosa (Butterfly Weed). July and August. Orange. 2 ft\$0 | 25 | \$1 50 | \$10 00 |
| ASTER (Michaelmas Daisy) alpinus. June and July. Purple. 9 in | 25 | 1 50 | 10 00 |
| Amellus elegans. September and October. | | 1000 | |
| Blue. 1½ ftamethystinus. September and October. | 25 | 1 50 | 10 00 |
| Amethyst. 3 to 4 ftgrandiflorus. October and November. | 25 | 1 50 | 10 00 |
| Violet-blue. 2 ft | 35 | 2 50 | 20 00 |
| Lady Trevelyan. September and October. White. 3 ft | 25 | 1 50 | 10 00 |
| laevis. September. Blue. 4 ft Madonna. September and October. | 25 | 1 50 | 10 00 |
| White. 4 ft | 25 | 1 50 | 10 00 |
| Purple. 4 ft Novæ Angliæ, var. rubra. September and | 25 | 1 50 | 10 00 |
| October. Bright rose. 4 ft | 25 | 1 50 | 10 00 |
| Perry's Pink. August and September. | 25 | 1 50 | |
| White 11 ft. | 25 | 1 50 | 10 00 |
| Lavender. 4 ft | 25 | 1 50 | 10 00 |
| Snowflake. September and October. Pure white; very free. 1½ ft | 25 | 1 50 | 10 00 |
| latalicus. October and November. | 25 | 1 50 | 10 00 |
| Trinervius, October and November | 25 | 1 50 | 10 00 |
| Violet-purple. 2½ ft | | | |
| White. 4 ft | 25 | 1 50 | 10 00 |
| ASTRANTIA major (Masterwort). June and | 25 | 1 50 | 10 00 |
| July. Pale pink, 1 ft | 25 | 2 50 | 20 00 |
| AUBRETIA Hendersoni (False Wall Cress). April. Purplish violet. 4 in | 25 | 1 50 | 12 50 |
| BAPTISIA australis (False Indigo). June and | | | |
| BAPTISIA australis (False Indigo). June and July. Dark blue. 2 ft tinctoria. June and July. Bright yel- | 25 | 1 50 | 10 00 |
| 10W. 4 to 5 1t | 25 | 1 50 | 10 00 |
| BELEMCANDA Chinensis; syn., Pardanthus. June. Orange-red. 4 ft | 25 | 1 50 | 10 00 |
| BELLIS perennis (English Daisy). May. White and pink. 6 to 8 in | 25 | 1 50 | 10 00 |
| BETONICA. See Stachys. | 20 | 1 50 | 10 00 |
| BOCCONIA cordata (Plume Poppy). July and | 25 | 1 50 | 12 50 |
| August. White. 5 ft BOLTONIA asterioides (False Chamomile). Aug- | 40 | T 90 | 12 00 |
| ust and September. White. 4 ft | 25 | 1 50 | 10 00 |
| latisquama. August and September. | 25 | 1 50 | 10 00 |
| Light lilac. 4 ft | 2:) | 1 .)(1 | 10 (0) |

| Each | 1 10 | 0 | 100 | |
|--|------|----|-----|----|
| CALIMERIS incisa (Starwort). July to September. Light blue. 18 in\$0 2 | | | 100 | |
| CALLIRHOE involucrata (Poppy Mallow). All | | | 10 | |
| · CAMPANULA Carpatica (Carpathian Harebell). | | | 10 | |
| Carpatica, var. alba. June to September. | | | 10 | |
| Mærheimi. May to July. White. 2 | | 50 | 10 | - |
| persicifolia (Peach Bells). June and | | | 10 | 00 |
| persicifolia alba. June and July. White. | | | 10 | |
| pyramidalis (Chimney Bellflower). Aug- | 25 1 | 50 | 10 | 00 |
| trachelium (Coventry Bells). Purple. | 25 1 | 50 | 10 | 00 |
| CENTAUREA montana (Perennial Cornflower). June and July. Dark purple. | | | | |
| 1½ ft | 25 1 | 50 | | |
| above 2 CERASTIUM tomentosum. June and July. White. | 25 1 | 50 | 10 | 00 |
| 6 in | 25 1 | 50 | 12 | 50 |
| October and November. Blue. | 25 2 | 00 | 15 | 00 |
| CHELONE Lyoni (Turtlehead). August and | | 50 | | |
| CHRYSANTHEMUM leucanthemum hybridum (Shasta Daisies). Alaska, Cali- | _ | | | |
| fornia, Westralia. All summer. | 5 2 | 50 | 15 | 00 |
| maximum, var. Triumph (Moonpenny | | | | |
| | 25 1 | 50 | 12 | 50 |
| | s5 2 | 50 | | |
| 1½ to 2 ft 2 | 5 1 | 50 | 10 | 00 |
| | | | 15 | |
| ulignosum. September. White. $2\frac{1}{2}$ ft 2 | 5 1 | 50 | 10 | 00 |
| CHRYSOGONUM Virginianum (Golden Joint). June. Yellow. 1 ft 2 | 25 1 | 50 | | |
| CHRYSOPSIS villosa (Golden Aster), September, Yellow, 2 ft | 25 2 | 00 | 15 | 00 |
| CIMICIFUGA acerinum. August and September. | 5 2 | 50 | | |
| Dahurica (Bugbane). August and Sep- | | | 15 | 00 |
| racemosa (Snakeroot). July. White. 3 | | | 12 | |
| | . 1 | | | 50 |

| CLEMATIS crispa (Leather-flower). June to | Each | 10 | 100 |
|--|-------|--------|---------|
| September. Lavender. 3 to 4 ft. | §0 25 | \$1 50 | \$12 50 |
| Davidiana. August and September. Blue. Fragrant. 3 ft | 25 | 1 50 | 12 50 |
| recta. June to August. White. Fragrant. 2 to 3 ft | 25 | 1 50 | |
| CONOCLINIUM collectinum (Mist-flower). Sen- | | 1 00 | |
| tember and October. Deep blue. 18 in | 25 | 1 50 | 12 50 |
| CONVALLARIA majalis (Lily-of-the-Valley). May and June. White. 6 to 9 in | 25 | 2 00 | 15 00 |
| COREOPSIS lanceolata (Tickseed). June to October. Golden yellow. 2 ft. | 15 | 1 25 | 10 00 |
| Rosea. June to September. Pink. 8 to 10 in | 15 | 1 25 | 10 00 |
| CORONILLA varia (Crown Vetch). June to October. Pink. 1 to 2 ft | 25 | 1 50 | 12 50 |
| DELPHINIUM Chinense (Larkspur). July to September. Blue. 1½ ft | 25 | 1 50 | 10 00 |
| Chinense, var. album. July to September. | 25 | 1 50 | 10 00 |
| White. $1\frac{1}{2}$ ftelatum (Bee Larkspur). June to August. | | _ 00 | _0 00 |
| Blue. 4 ft | 25 | 1 50 | 10 00 |
| ber. Deep blue. 4 ft Belladonna (Hybrid). June to September. | 25 | 1 50 | 10 00 |
| Turquoise blue; very free. 3 ft. DIANTHUS barbatus (Sweet William). May to | 25 | 2 00 | 15 00 |
| July. Mixed colors. 1½ ft deltoides (Maiden Pink). June. Pink. | 25 | 1 50 | 10 00 |
| 4 in | 25 | 1 50 | 10 00 |
| 1 ft | 25 | 1 50 | 10 00 |
| June. 1 ft | 25 | 2 00 | 15 00 |
| Laura Wilmer. White, with maroon center. | | | |
| Her Majesty. White. | | | |
| Stanislaus. Violet-rose, with crimson center. | | | |
| DICENTRA eximia (Seal-flower). June to August. Pink. 1 ft | 25 | 1 50 | 10 00 |
| spectabilis (Bleeding-heart). May and June. Pink. 2 to 3 ft | 25 | 2 00 | 12 50 |
| DIGITALIS ambigua (Foxglove). July and August. Pale yellow. 3 ft | 25 | 2 00 | 15 00 |
| purpurea (Common Foxglove). June and July. Mixed colors. 4 to 5 ft. | 25 | 1 50 | 10 00 |
| purpurea, var. gloxiniæflora. June and | 25 | 1 50 | 10 00 |
| July. Mixed colors 4 to 5 ft. | 20 | 1 90 | 10 00 |

| | ach | 10 | 100 |
|--|-----------------|--|----------------|
| DORONICUM Austriacum. April and May. Yellow. 2 ft\$0 | 35 | \$2 50 | \$15 00 |
| plantagineum, var. excelsum. April to June. Yellow. 2 ft | 35 | 2 50 | 15 00 |
| ECHINACEA purpurea (Purple Cone-flower). July to September. Rosy purple. 3 ft | 25 | 2 00 | 15 00 |
| EPIMEDIUM coccineum (Barren-wart). May and June. Red. 9 in | 25 | 2 00 | |
| lilacea. May and June. Lilac. 9 in macranthum. May and June. Red. 9 in. | 25 25 | 2 00 2 00 2 00 | |
| sulphureum. May and June. Yellow. 9 in. | 25 | 2 00 | |
| ERIGERON speciosus (Fleabane). June to August. Violet-blue. 1½ to 2 ft | 25 | 2 00 | 15 00 |
| ERYNGIUM amethystinum (Sea Holly). July to September. Amethyst-blue. 2 ft. | 35 | 2 50 | |
| EUPATORIUM ageratoides (White Snakeroot). September and October. White. 3 ft | 25 25 | 1.50 1.50 | 12 50 |
| EUPHORBIA corollata (Spurge). July to September. White. 1½ ft | 25 | 1 50 | 12 50 |
| FEVERFEW, Little Gem. June to October. White. 15 in | 25 | 1 50 | 10 00 |
| FUNKIA Fortunel (Day Lily). July to August. Blue. $1\frac{1}{2}$ to 2 ft | 25 | 1 50 | 12 50 |
| ovata. July to August. Deep blue. $1\frac{1}{2}$ to 2 ft | 25 | 1 50 | 12 50 |
| subcordata, var. grandiflora. September. White. Fragrant. 2 ft | 25 | 2 00 | 15 00 |
| undulata, var. media picta variegata. July and August. Lilac . 1 ft | 25 | 1 50 | 12 50 |
| GAILLARDIA grandiflora (Blanket-flower). June to November. Yellow. 1½ ft | 25 | .1 50 | 10 00 |
| GALEGA officinalis (Goat's Rue). July and August. Blue. 2 ft | 25 | 1 50 | 10 00 |
| officinalis, var. alba. July and August. White. 2 ft | 25 | 1 50 | 10 00 |
| GENTIANA Andrewsi (Closed Gentian). September, Blue. 2 ft | 35 | 2 50 | |
| GERANIUM sanguineum (Cranesbill). June to September. Red. 1½ ft | 25 | 1 50 | |
| GEUM coccineum (Avens). June and July. Scarlet. 1½ ft Heldrechi. June. Orange. 18 in montanum. June and July. Yellow. | $\frac{25}{25}$ | $\begin{smallmatrix}2&00\\2&00\end{smallmatrix}$ | 15 00 15 00 |
| montanum. June and July. Yellow. 18 in | 25 | 2 00 | 15 00 |

| I | Cach | 10 | 100 |
|---|----------|--------------|---------|
| GILLENIA trifoliata (Bowman's Root). Rose and white, July. 3 ft\$ | 35 | \$2 50 | |
| GYPSOPHILA paniculata (Baby's Breath). July. White. 2 to 3 ft. | 25 | 1 50 | \$12 50 |
| HELENIUM, pumilum magnificum. (Sneezewort). July to October. Yellow. 1½ ft. | 25 | 1 50 | 10 00 |
| autumnale, var. superbum. July to October. Yellow. 4 ft | 25 | 1 50 | 10 00 |
| autumnale, var. rubrum (New). July to October. Red. 4 ft | 25 | 2 00 | |
| grandicephalum, var. striatum. August to October. Orange. 3 ft | 25 | 2 00 | 15 00 |
| Hoopesi. All summer. Orange-yellow. 2 ft | 25 | 2 00 | 15 00 |
| HELIANTHUS (Perennial Sunflowers) giganteus. August to October. Pale yellow. | OF. | 4 50 | 40.00 |
| 6 to 10 ft | 25 | 1 50 | 10 00 |
| 6 to 8 ft | 25 25 | 1 50 1 50 | 10 00 |
| multiflorus fl. pl. July and August. Golden yellow. 4 ft | 25 | 1 50 | 10 00 |
| multiflorus, var. Soliel d'Or. August to September. Deep yellow; quilled | | | 10 00 |
| petals. 4 ftorgyalis. September and October. Golden | 25 | 2 00 | |
| yellow. 6 ftrigidus. July to October. Golden yellow. | 25 | 1 50 | 10 00 |
| 3 ft | 25 25 | 1 50 1 50 | 10 00 |
| rigidus, var. Wolly Dodd. September. Deep yellow. 3 ft | 25 | 1 50 | 10 00 |
| HELIOPSIS Pitcheriana. June to October. Orange-yellow. 3 ft | 25 | 1 50 | 10 00 |
| HELLEBORUS niger (Christmas Rose). March. White. 6 in | 35 | 3 00 | |
| niger, var. atrorubens. March. Purple. 9 in | 35 | 3 00 | |
| HEMEROCALLIS Aurantiaca. June and July. Bright Indian yellow. 3 to 4 ft | 35 | 3 00 | |
| Dumortieri (Yellow Day Lily). June and July. Orange-yellow. 2 ft. | 25 | 1 50 | 12 50 |
| flava. June. Yellow. 2 ft | 25 | 1 50 | 12 50 |
| fulva (Tawny Day Lily). July and August. A tawny yellow. 2½ ft fulva, var. Kwanso fl. pl (Double Orange | 25 | 1 50 | 12 50 |
| Lily). July and August. Coppery yellow. $2\frac{1}{2}$ ft | 25 | 1 50 | 12 50 |
| fulva, var. Thunbergii. August and Sep- tember. Lemon-yellow. 2½ ft. | 25 | 1 50 | 12 50 |



| | ach | 10 | 100 |
|--|---|---|----------------|
| HEPATICA triloha (Liverleaf). April. White and blue. 6 in | 25 | \$1 25 | \$10 00 |
| HEUCHERA sanguinea (Alumroot). June to September. Coral-red. 18 in | 25 | 2 00 | 15 00 |
| sanguinea, var. alba. June to September. White. 18 in | 25 | 2 00 | |
| HIBISCUS militaris. June to September. Buff-yellow. 18 in | 25 | 2 00 | |
| Moscheutos (Mallow). July to September. Rose. 5 ft | 25 | 1 50 | 10 00 |
| Moscheutos, var. Crimson Eye. July to September. White. 5 ft | 25 | 1 50 | 10 00 |
| Moscheutos (Mallow Marvels). July to September. 5 to 6 ft.— White and pink | 35 50 | 3 00 5 00 | 20 00 |
| HOLLYHOCKS. See Althæa rosea. | | | |
| IBERIS sempervirens (Candytuft). April and May. White. 6 in corifolia. April and May. White. 9 in. | 25 25 | 1 50 1 50 | 10 00 10 00 |
| INULA ensifolia (Fleabane). June to August. 18 in | 35 | 3 00 | |
| oculis-Christi. Yellow. June to August. 2 ft. Light yellow. 2 ft. | $\begin{array}{c} 35 \\ 25 \end{array}$ | $\begin{array}{ccc} {\bf 3} & 00 \\ {\bf 1} & 50 \end{array}$ | 12 50 |
| INCARVILLEA Delavaji (Hardy Gloxinia). June and July. Rosepink. 18 in | 35 | 3 00 | |

| I | Each | 10 | 100 |
|--|------|-----------------------------|---------|
| IRIS. For Special Descriptive Lists, consult | | | |
| our Calendar of Hardy Perennials. | | | |
| atroviolacea. May. Dark violet. 2 to $2\frac{1}{2}$ ft.\$ | | \$3 00 | |
| cristata. April and May. Light blue. 6 in | 25 | 1 50 | \$12 50 |
| Florentina. May. Tinted white. Fragrant. | ~ | | |
| $1\frac{1}{2}$ ft | 25 | 2 00 | |
| Germanica. May. Named varieties. $1\frac{1}{2}$ to $2\frac{1}{2}$ ft. | 25 | 1 50 | 10 00 |
| lævigata; syn., Kæmpferi (Japanese Iris). June | 0= | 2 22 | 45 00 |
| and July. Our selection, all colors. $2\frac{1}{2}$ to 4 ft. | 25 | $\frac{2}{3} \frac{00}{00}$ | 15 00 |
| Customer's selection | 35 | | 25 00 |
| Pallida, var. Dalmatica. June. Light blue. 3 ft. | 35 | 3 00 | 25 00 |
| Pallida, var. speciosa. June. Indigo-blue. 2 to 3 ft | 35 | 3 00 | 25 00 |
| | 25 | 2 00 | 15 00 |
| Pseudacorus. June. Yellow. 2 to 3 ft | | | |
| pumila, var. aurea. Yellow. May. 8 to 10 in. | 25 | 1 50 | 12 50 |
| pumila, var. cyanea. Royal purple. May. | 25 | 1 50 | 12 50 |
| 8 to 10 in | 25 | 1 50 | 12 50 |
| pumila, var. eburna. Cream. May. 8 to 10 in. | | | 12 50 |
| pumila, var. florida. White. May. 8 to 10 in | 25 | 1 50 | |
| Sibirica, May and June. Bright blue. 1½ ft. | 25 | 1 50 | 10 00 |
| Sibirica, var. alba. June. White. 2 it. Rare. | 35 | 3 00 | 25 00 |
| Sibirica, var. orientalis. May. Deep blue. 1½ ft. | 25 | 1 50 | 10 00 |
| tectorum. May. Bright lilac. 1 ft | 25 | 2 00 | 15 00 |
| KNIPHOFIA aloides (Red-hot Poker). August | 25 | 1 50 | 12 50 |
| and September. Crimson. 3 ft obelisque. July and August. Saffron-yel- | 20 | 1 90 | 12 00 |
| obelisque. July and August. Saffron-yellow. 3 to 4 ft | 35 | 2 50 | 15 00 |
| Pfitzerii (Flame Flower). July to October. | 00 | _ 00 | 20 00 |
| Orange-scarlet. 3 to 4 ft | 35 | 2 50 | 15 00 |
| | | | |
| LATHYRUS latifolius, var. albus (Hardy White Pea). Summer. Climbing | 25 | 2 00 | |
| latifolius, var. roseus. Summer. Rose. | | _ 00 | |
| Climbing | 25 | 2 00 | |
| latifolius, var. splendens. Summer. Climbing | 25 | 2 00 | 15 00 |
| latifolius, var. Pink Beauty. Summer. Bright | 3 | | 3-1- |
| pink. Climbing | 25 | 2 00 | 15 00 |
| LAVENDULA spica (Lavender). 15 to 18 in | 25 | 1 50 | 12 50 |
| vera (Lavender). 15 to 18 in | 25 | 1 50 | 12 50 |
| LIATRIS graminifolia (Blazing Star). August and September. Rosy purple. 2 ft | | | |
| and September. Rosy purple. 2 ft | 25 | 1 50 | 12 50 |
| pycnostachya (Kansas Gay Feather). Sep- | 25 | 1 50 | 12 50 |
| tember. Rosy purple. 4 to 5 ft | 20 | 1 90 | 12 00 |
| spicata (Gay Feather). August and September. Deep purple. 3 to 4 ft | 25 | 1 50 | 12 50 |
| LILIUM Canadense (Meadow Lily). July. Shades | | | |
| of yellow. 2 to 4 ft | 25 | 1 50 | 12 50 |
| Philadelphicum (Wood Lily), July and Aug- | | | |
| ust. Orange-scarlet. 2 to 4 ft | 25 | 2 00 | 15 00 |
| speciosum, var. roseum (Japan Lily). July | 0= | 0.00 | 45 00 |
| and August. Rosy white. 2 to 4 ft | 25 | 2 00 | 15 00 |
| tigrinum (Tiger Lily). August. Salmon- red. 3 to 4 ft | 25 | 1 50 | 12 50 |
| ττα. Ο (U જ I(| 20 | 1 90 | 12 00 |

| Ea | ch | 10 | 100 |
|---|-----------------|--|----------------|
| August, Bluish purple. 18 in\$0 | 25 | \$1 75 | |
| perenne (Perennial Flax). June to September. Clear blue. 18 in | 25 | 1 75 | |
| LOBELIA cardinalis (Cardinal Flower). August and September. Scarlet. 2 to 3 ft syphilitica (Blue Lobelia). August and September. Deep blue. 2 ft | 25 | 1 50 | \$12 50 |
| | 25 | 1 50 | |
| LYCHNIS Chalcedonica (London Pride). July to September. Vermilion. 2 to 3 ft coronaria (Rose Campion). June and | 25 | 1 50 | 12 50 |
| July. Crimson, 1½ to 2 ft | 25 | 1 25 | 10 00 |
| $1\frac{1}{2}$ to 2 ff | 25 | 1 25 | 10 00 |
| Haageana. June and July. Orange-scarlet. | 25 | 1 50 | |
| vespertina, var. alba plena (White Campion). May to September. White. 1 ft. viscaria (Catchfly). June and July. Red. | 25 | 1 50 | 12 50 |
| $1\frac{1}{2}$ ft | 25 | 1 50 | 12 50 |
| viscaria, var. splendens. (German Catchfly). June and July. Pink. 15 in | 25 | 1 50 | 12 50 |
| LYSIMACHIA elethroides (Loosestrife). July to September. White. 1½ ft | 25 | 1 25 | 10 00 |
| nummularia (Moneywort). June to August. Yellow. Creeping | 25 | 1 50 | 10 00 |
| LYTHRUM roseum superbum (Rose Loosestrife). July to September. Rose. 3 ft | 25 | 1 50 | 12 50 |
| MERTENSIA pulmonarioides (Virginia Cowslip). May and June. Blue. 2 ft | 25 | 1 50 | 10 00 |
| MONARDA didyma (Oswego Tea). July and August. Scarlet. 2½ ft. | 25 | 1 50 | 10 00 |
| didyma, var. Cambridge Scarlet. July and August. Scarlet. 2 ft | 25 | 1 50 | 10 00 |
| didyma, var. splendens. July and August. Crimson-scarlet. 2 ft | 25 | 1 50 | 10 00 |
| MYOSOTIS alpestris, var. Victoria. May and June. Light blue. 6 to 9 in palustris (Forget-me-not). May and June. | 25 | 1 50 | 10 00 |
| Light blue. Spreading | 25 | 1 50 | 10 00 |
| NEPETA glecoma, var. variegata (Ground Ivy). May. Purple. 6 in | 25 | 1 50 | 10 00 |
| ENOTHERA fruticosa, var. major (Sundrops). July. Yellow. 1½ ft fruticosa, var. Youngi (Young's Primrose). June. Lemon. 1½ to 2 ft Frazeri. June. Rich yellow. 1½ ft | 25 | 2 00 | 15 00 |
| | $\frac{25}{25}$ | $\begin{array}{cc} 1 & 50 \\ 2 & 00 \end{array}$ | 12 50 15 00 |
| Missouriensis (Large Evening Primrose). June and July. Yellow. 1 ft | 25 | 2 00 | 15 00 |
| speciosa (White Primrose). June and July. White. 1½ ft | 25 | 1 50 | 10 00 |

| Each | 10 | 100 | | | |
|---|--------|------------------|--|--|--|
| OPHIOPOGON Jaburan, var. aureus variegatus (Snakes's Beard) September. Blue. 6 in.\$0 50 | \$3 50 | | | | |
| Japanese Spurge (Evergreen). May and June. White, 8 in 50 | 3 50 | \$25 00 | | | |
| PACHYSANDRA terminalis (Japanese Spurge). Evergreen. May and June. White. 8 in. Clumps | | $10\ 00\ 25\ 00$ | | | |
| PÆONIA. See our Calendar of Hardy Perenni- | | | | | |

PÆONIA. See our Calendar of Hardy Perennials for Special List.

PEONY PRICES given in this list are for strong, one-year-old plants; and if any of the prices may seem high by comparison with other lists, remember our plants are one year old, true to name, and are offered as low as satisfactory, truly-named stock can be grown.

| Chinensis, Double Varieties. Our selection. May and June | \$3 00 | \$25 00 |
|---|--------|---------|
| Chinensis, Heavy Clumps. Our selection 1 50 | 12 50 | φ20 00 |
| Chinensis, Single Varieties. Our selection 35 | 3 00 | 25 00 |
| Chinensis, Single Varieties, Heavy Clumps. Our selection | 12 50 | |
| corallina. May, Single. Reddish purple 35 Moutan (Tree Peony). May and June. Dif- | 3 00 | 25 00 |
| ferent colors 1 00 | 9 00 | |
| officinalis, var. rubra plena. Early April. Double; deep crimson | 4 00 | 35 00 |
| officinalis, var. rosea plena. Early April. Double; pink | 9 00 | |
| tenuifolia. Early April. Single; deep maroon. 50 | 4 00 | |
| tenuifolia, var. plena. Early April. Double; maroon | 4 00 | |
| triternata. April. Single. Bright red 35 | 3 00 | 25 00 |
| PAPAVER bracteatum. June. Blood-red. 4 ft 25 | 2 00 | 12 50 |
| nudicaule (Iceland Poppy). All summer. Many colors. 1 ft | 1 50 | 10 00 |
| orientale (Oriental Poppy). June. Orange- scarlet. 2 ft | 2 00 | 12 50 |
| PARDANTHUS. See Belemcanda. | | |
| PENTSTEMON barbatus, var. Torreyi (Torrey's Beard Tongue), June to August. Scarlet. | | |
| 3 to 4 ft | 1 50 | 10 00 |
| diffusus. May to July. Blue. 1 ft 25 | 2 00 | 15 00 |
| grandiflorus. June to August. Purplish blue. 2 to 2½ ft | 2 00 | 15 00 |
| lævigatus, var. Digitalis.July and August.White.3 ft | 2 00 | |
| ovatus. July and August. Purplish blue. 2 to 3 ft | 2 00 | |

| | Each | 10 | 100 |
|---|-----------------|-------|-----------------|
| PHLOX amena. May. Bright pink. 3 to 4 in. \$0 | | | \$10 00 |
| Carolina. May and June. Rosy red. 1 ft. | 25 | 1 50 | |
| divaricata (Wild Sweet William). May and | 0- | 1 50 | 10.50 |
| June. Lavender. 1 ft | 25 | 1 50 | 12 50 |
| Phlox). See our Calendar of Hardy Per- | | | |
| ennials for Special List. All colors | 25 | 2 00 | 15 00 |
| subulata (Mountain Pink). May and June. | 25 | 1 50 | 10 00 |
| Rose. Creepingsubulata, var. alba. May and June. White | | 1 00 | 10 00 |
| Creeping | 25 | 1 50 | 10 00 |
| Purple Creening Alay and June. | 25 | 1 50 | |
| Purple. Creepingsubulata, var. lilacina. May. Lilac Creeping subulata, var. Nelsoni. May and June. Pure | $\frac{25}{25}$ | 1 50 | 12 50 |
| subulata, var. Nelsoni. May and June. Pure | 25 | 1 50 | 10 00 |
| white, Creeping subulata, var. Model. May and June. Rosy | 25 | 1 30 | 10 00 |
| white. Creeping | 25 | 1 50 | 10 00 |
| DUMONOTERIA MANTALANA (FILA DA LA LA) | | | |
| PHYSOSTEGIA Virginiana (False Dragonhead). August. Leep rose. 3 ft | 25 | -1 50 | |
| Virginiana, var. alba. August. White. 3 ft. | 25 | 1 50 | 10 00 |
| Virginiana, var. speciosa. August. Pink. 3 ft. | 25 | 1 50 | 10 00 |
| | | | |
| PLATYCODON grandiflorum (Balloon-flower). | 25 | 1 50 | |
| July. Blue. $1\frac{1}{2}$ ft grandiflorum, var. album. July. White. $1\frac{1}{2}$ ft. | $\frac{25}{25}$ | 1 50 | |
| | 20 | 1 00 | |
| POLEMONIUM coeruleum (Jacob's Ladder). May | 25 | 2 00 | 15 00 |
| to July. Deep blue. 1½ ft | 20 | 2 00 | 15 00 |
| $1\frac{1}{2}$ to 2 ft | 25 | 2 00 | |
| | | | |
| PRIMULA acaulis (Primrose). May. Yellow. | 25 | 1 50 | 12 50 |
| 6 to 9 incapitata (Primrose) Deep lilac, 9 in | $\overline{25}$ | 1 50 | $1\bar{2} \ 50$ |
| suaveolens (Cowslip). May. Yellow and orange. 1 ft | - | | 40 - |
| orange. 1 ft | 25 | 1 50 | 12 50 |
| veris (Polyanthus). May, Yellow and orange-crimson, 6 to 9 in | 25 | 1 50 | 12 50 |
| vulgaris (English Primrose). May. Yel- | | _ 00 | 00 |
| low. 6 to 9 in | 25 | 1 50 | 12 50 |
| PYRETHRUM roseum (Feverfew) June and | | | |
| PYRETHRUM roseum (Feverfew) June and July. White pink and red. 1½ to 2 ft | 25 | 1 50 | 10 00 |
| roseum fl. pl. Named varieties. $1\frac{1}{2}$ to 2 ft. | 35 | 3 00 | |
| RANUNCULUS aconitifolius fl. pl. (Crow's-foot). | | | |
| June. White. $1\frac{1}{2}$ to 2 ft | 25 | 1 50 | |
| acris fl. pl. (Yellow Bachelor's Buttons). | 0= | 1 50 | |
| June. Yellow. 2 ft | 25 | 1 50 | |
| repens (Double Buttercup). May to July. Yellow. 1 ft | 25 | 1 50 | 10 00 |
| | | | |
| ROSMARINUS officinalis (Rosemary). Scented | 25 | 1 50 | |
| foliage | 20 | 1 00 | |

| Each | 10 | 100 |
|---|--|----------------|
| RUDBECKIA laciniata, var. Golden Glow. July to September. Yellow. 8 ft\$0 25 | \$1 25 | \$10 00 |
| Newmani. August and September. Yellow. 1½ ft. 25 | 1 50 | 10 00 |
| nitida (Cone-flower). August and September. Pale yellow. 5 ft | 1 50 | 10 00 |
| triloba (Yellow, black cone). August and September. 3 ft | 1 50 | 10 00 |
| SALVIA argentea. June. White, white foliage. 2 ft | 1 50 | 10 00 |
| Caucasicum. July and August. Reddish purple. 3 ft | 1 50 | 10 00 |
| pratensis (Meadow-sage). June to September. Deep blue. 2 to 3 ft | 1 50 | 10 00 |
| SANGUINARIA Canadensis (Bloodroot). White. April. 6 in | 1 50 | 10 00 |
| SANTOLINA incana (Lavender Cotton). July. Deep yellow. 1 ft | 1 50 | 10 00 |
| SAXIFRAGA cordifolia (Rockfoil). April to June. Rosy purple. 15 in | 2 00 | 15 00 |
| SCABIOSA Caucasica (Mourning Bride). Lavender-blue. June, 15 to 18 in 35 | 2 50 | 15 00 |
| SEDUM acre (Golden Moss). May and June. Yellow. Spreading | 1 25 | 10 00 |
| album. July. White. 4 to 6 in | 1 25 | 10 00 |
| Rhodiola. August. Light pink. 1 ft 25 | 1 25 | 10 00 |
| sexangulare (Stonecrop). June and July. Yellow. 6 in | 1 25 | 10 00 |
| Sieboldi. August and September. Pink. 6 to 8 in | 1 25 | 10 00 |
| spectabile (Brilliant Stonecrop). September and October. Rose. 12 to 15 in 25 | 2 00 | 15 00 |
| spectabile, var. atropurpurea. September and October. Purplish crimson. 15 in 25 | 2 00 | 15 00 |
| October. Purplish crimson. 15 in 25 telephoides. July and August. Pink. 1 ft. 25 | $\frac{2}{2} \frac{00}{00}$ | 15 00 |
| | | |
| SENECIO clivorum. Summer. Yellow. 3 ft 35 pulcher (Groundsel). July to October. | 2 50 | 15 00 |
| Rosy purple. 1½ to 2 ft | 1 50 | |
| and May. Rose or white. 9 in 25 | 1 25 | 10 00 |
| SMILACINA racemosa (False Solomon's Seal). April, White. 1½ ft | 1 50 | |
| SPIRÆA (Goat's Beard, or Meadowsweet) arun- | 9 50 | 15 00 |
| cus. June and July. White. 4 to 5 ft 35 filipendula fl. pl. June and July. White. 2 ft 25 | $\begin{array}{cccc} 2 & 50 \\ 1 & 50 \end{array}$ | 15 00 12 50 |
| filipendula fi. pl. June and July. White, 2 ft 25 lobata. July, Pink, 3 to 4 ft | 2 00 | 15 00 |
| palmata. June and July. Deep crimson. 2 ft 25 | 2 00 | 15 00 |
| palmata, var. elegans, June and July. | | 19 00 |
| White; crimson anthers. 3 ft 25 | 2 00 | |
| Ulmaria fl. pl. June and July. White. 3 ft. 25 venusta. June and July. Deep pink. Fra- | 2 00 | |
| grant. 3 ft | 2 00 | |

| Ea STACHVS Retonica: syn Retonica rosea July | ch | 10 | 100 |
|--|---|----------------|------------------|
| STACHYS Betonica; syn., Betonica rosea. July and August. Rose, 1 ft | $\begin{array}{c} 25 \\ 25 \end{array}$ | \$1 50 1 50 | \$12 50 12 50 |
| STATICE tatarica (Sea Lavender). June to August. Red. 15 to 18 in | 25 | 1 50 | 10 00 |
| August. Deep blue. 2 ft | 25 | 1 50 | 10 00 |
| STOKESIA cyanea (Stokes' Astor). July to October. Lavender. 1½ ft | 25 50 | 2 00 | 15 00 |
| 1½ ft | 50 | 5 50 | |
| TANACETUM globiferum (Tansy), August. Golden yellow. 3 ft | 25 | 1 50 | 10 00 |
| THALICTRUM adiantifolium (Meadow Rue). June. Yellow. 18 in | 25 | 1 50 | 10 00 |
| aquilegifolium (Feathered Columbine). June. White. 2 to 4 ft | 25 | 1 50 | |
| polyganum (Tall Rue). June. White. 3 to 4 ft. | 25 | 1 50 | |
| purpurascens. June to August. Purple. 3 to 4 ft | 25 | 1 50 | |
| THERMOPSIS Caroliniana. June. Yellow. 3 to | | | |
| 4 ft | 25 | 1 50 | |
| mollis. May to July. Yellow. 2 to 3 ft | 25 | 1 50 | |
| THYMUS montanus, var. coccineus (Scarlet Thyme). May. Bright red. 4 in | 25 | 1 50 | |
| vulgaris (Common Thyme). May. Lilac. | 25 | 1 25 | |
| | | | |
| TRADESCANTIA Virginiana (Spiderwort). June to October. Purple. 2 ft | 25 | 1 50 | 12 50 |
| 2 ft | 25 | 1 50 | 12 50 |
| TRILLIUM erectum (Wake Robin). March and April. Purple. 9 to 12 in | 25 | 1 50 | |
| grandiflorum (Wood Lily) March and April. White, 9 to 12 in | 25 | 1 50 | |
| TROLLIUS Europæus (Globe-flower). May to August. Yellow. 2 ft | 25 | 1 50 | 12 50 |
| Japonicus "Excelsior." May to August. Deep orange. 1½ to 2 ft | 35 | 2 50 | |
| VALERIANA coccinea (Valerian). June to Octo- | | | |
| ber. Reddish. 2 ft | 25 | 1 50 | 10 00 |
| July. Rose-pink. 2 ft | 25 | 1 50 | 10 00 |
| rubra. June to October. Red. 2 ft | 25 | 1 50 | 10 00 |
| VERBASCUM Olympicum (Mullein). July to September. Yellow. 6 ft | 25 | 1 50 | 12 50 |
| VERNONIA Arkansana (Ironweed). August to | 25 | 2 00 | |
| October. Red. 5 ft | 25 25 | 2 00 | |
| Tagast to October. Tarpie, 41t. | | | |

| Ea | ch | 10 |) | 100 |) |
|--|----|-----|----|------|----|
| VERONICA longifolia, var. rosea (Speedwell). July to October. Rose. 1½ ft\$0 | 25 | \$1 | 50 | | |
| longifolia, var. subsessilis. August to November. Deep blue. 1½ to 2 ft | 25 | 2 | 00 | \$15 | 00 |
| rupestris (Rock Speedwell). June and July. Blue Spreading. | 25 | 1 | 50 | 10 | 00 |
| spicata. June to September. Bright blue. $1\frac{1}{2}$ ft | 25 | | 50 | 10 | |
| Virginica. August to September. White. 4 ft. | 25 | 1 | 50 | 10 | 00 |
| VINCA minor (Periwinkle). May. Bright blue. Spreading | 25 | 1 | 50 | 10 | 00 |
| VIOLA pedata, var. bicolor (Bird's-foot Violet). May. Purple and White. 4 in cornuta, var. Admiration. May to October. | 25 | 1 | 50 | 12 | 50 |
| Purple. 10 in | 25 | 1 | 25 | | |
| Cornuta, var. Lutea splendens. Rich yellow. May to October. 10 in | 25 | 1 | 25 | | |
| Cornuta, var. Papilio. Violet blue. May to October. 10 in. | 25 | 1 | 25 | | |
| Cornuta, var. White Perfection. Pure white. May to October. 10 in | 25 | 1 | 25 | | |

FERNS

- ADIANTUM pedatum (Maidenhair Fern). 1 to 2 ft. Moist, shaded positions.
- ASPIDIUM acrostichoides (Christmas Fern). 1 to 2 ft. Evergreen.
 Dry or moist soils in shady places.
 Felix-mas (Male Fern). 2 ft. Semi-shaded positions, dry or moist
 - soils.
 - Goldianum. 2 to 4 ft. Semi-shaded positions, dry or moist soils.
 - marginale. Evergreen. 1 to 2 ft. Shaded positions, dry or moist
- ASPLENIUM Filix-femina (Lady Fern). 2 to 3 ft. Open or shaded positions, in moist or dry soils.
- BOTRYCHIUM Virginianum (Moonwort), 6 to 12 in. Shaded positions, moist or dry soils.
- DICKSONIA punctilobula (Boulder Fern). 2 to 3 ft. For open positions; forms large plantations.
- ONOCLEA sensibilis (Sensitive Fern). 1 to 2 ft. For open planting and wet soils.
 - Struthiopteris (Ostrich Fern), 2 to 4 ft. For open positions, dry or moist soils.
- OSMUNDA gracilis (Flowering Fern). 2 to 4 ft. Open or shaded positions, and moist soils.

 - Claytoniana. 2 to 5 ft. For open plantings, dry or moist soils. cinnamomea (Cinnamon Fern). 2 to 5 ft. For open or shaded positions, in wet soils.
- WOODSIA obtusa. 6 to 12 in. Shady places, in moist soil.
- WOODWARDIA angustifolia (Chain Fern). 1 ft. Open or shaded positions, in moist soils.
- The above varieties, 25 cts. each, \$2 per 10, \$15 per 100.
- The above, 15 varieties, \$3.50, or 100 in 5 varieties, our selection, \$13.50.

TREES AND SHRUBS FOR HEDGES

We shall be pleased to name special prices for plants in large quantity for hedging purposes. Prices per hundred are given on pages indicated.

EVERGREEN TREES

The following are only a few of the varieties that may be used for the purpose, but the list covers the most popular. We ask particular attention to the Hemlock, Tsuga Canadensis, which is one of the most popular and at the same time one of the most satisfactory evergreens for hedging purposes.

| PAGE | | PAGE |
|------------------------------|------------------|------|
| Picea excelsa 9 | | |
| Retinospora plumosa 13 | | |
| Retinospora plumosa aurea 13 | Isuga Canadensis | 17 |

DECIDUOUS TREES

A few of the most desirable trees adapted for close planting for hedges are as follows: We call particular attention to the Cockspur Thorn, Cratægus Crus-galli, which makes a magnificent defensive hedge. Strong growth, beautiful foliage and adaptability to trimming place it in the front rank of trees for hedges.

| | | PAGE | PAGE | |
|----------|------------|------|------------------------|---|
| | | | Cratægus Cordata 34 | |
| | | | Cratægus Oxyacantha 34 | |
| Cratægus | Crus-galli | 34 | Fagus sylvatica 34 | t |

EVERGREEN SHRUBS

There is no doubt that the Boxwood stands first among evergreen shrubs for hedge purposes. The plants we are offering are home-grown, therefore thoroughly acclimated, and will give excellent results. They should not be compared with the freshly imported Box upon which you have to take the risk until it is acclimated.

| | Pa | GE | PAGE |
|--------|---------------------------|-----------------|---|
| Azalea | amoena | 18 | Ilex crenata microphylla 21 Mahonia aquifolia 22 |
| Buxus | sempervirens suffruticosa | $\frac{10}{21}$ | Mahonia Japonica |

DECIDUOUS SHRUBS

Of the following the Berberis Thunbergii will make the lowest and closest hedge. Next would be the Ligustrum Regelianum, but both of these sorts will carry their branches and foliage right down to the ground. Of the other varieties the Ligustrums lend themselves readily to shearing for formal hedges, while the Hibiscus should be planted where the freer growing hedge is desired and the other sorts should be used where free-growing, untrimmed hedges are wanted.

| PAGE | PAGE |
|--|---|
| Acanthopanax spinosa 45 Berberis Thunbergii and vulgaris 45 Eleagnus longipes 49 Forsythia Viridissima | Ligustrum Ibota, Regelianum. 52 Ligustrum ovalifolium, vulgare. 52 Lonicera Tartarica53 Rhamnus cathartica54 |

INDEX

The following very complete Index will serve for a ready reference to the Trees, Shrubs and Plants, not only by their Botanical names but by the Common or Local names as well.

This list comprises a collection of over 300 species, and nearly 2,000 varieties, to which might be added our large lists of Paeonies, Iris, Chrysanthemums and Phloxes, bringing the total to nearly 3,000 varieties. From this vast array of plant material you may select almost everything required for a complete planting.

In addition to the items given in this list, we have many varieties of Trees, Shrubs and Plants in small quantities, quantities too small to offer in a general list, but covering a stock quite large enough to supply your wants, and, therefore, if you do not find in this list the particular item you require, write us about it.

DEPARTMENTS

SPECIES AND VARIETIES

| PAGE | PAGE | PAGE |
|---------------------|-----------------------|----------------------|
| Aaron's Beard51 | Alum Root71 | Asclepias66 |
| Abelia45 | Alyssum64 | Ash35, 41 |
| Abies 5 | Amelanchier32, 46 | Asparagus61 |
| Acanthopanax45 | Amelopsis | Aspidium78 |
| Acanthus64 | Amygdalus. See | Asplenium78 |
| Acer29, 30, 31 | Prunus46 | Aster66, 67, 77 |
| Achillea64 | Anchusa64 | Astilbe66 |
| Aconitum64 | Andromeda (see, also, | Astrantia66 |
| Actinidia59 | Oxydendrum), | Aubretia66 |
| Adam's Needle27 | 18, 22, 38 | Azalea18, 19, 45 |
| Adiantum78 | Anemone65 | |
| Adonis64 | Anthemis65 | |
| Æsculus31, 45 | Apples60 | |
| Ailanthus31 | Aquilegia65 | Baby's Breath70 |
| Ajuga64 | Arabis65 | Baccharis46 |
| Akebia | Aralia32, 45 | Bachelor's Buttons75 |
| Alder31 | Arborvitæ6, 15, 16 | Balloon-flower75 |
| Alkanet | Arenaria65 | Bambusa59 |
| Allspice, or Sweet | Aristolochia59 | Baptisia66 |
| Shrub46 | Armeria | Barberry46 |
| Almond, Flowering53 | Aronia46 | Barren-wort69 |
| Alnus31 | Arrow-wood57 | Basswood42 |
| Althæ (see also Hi- | Artemesia65 | Beard Tongue74 |
| biscus)50, 64 | Arundo59 | Bear's Breech64 |
| | | |

INDEX

81

| PAGE | PAGE | PAGE |
|--------------------------------|----------------------|---|
| Beauty Fruit46 | Cerasus33 | Deciduous Shrubs45 |
| Beech34, 35 Belemcanda66 | Ceratostigma67 | Deciduous Trees. 29-43 |
| Belemcanda66 | Cercidiphyllum33 | Delphinium68 |
| Bell-flower67 | Cercis33, 47 | |
| Bellis66 | Chamomile65, 66 | Desmodium51 |
| Benzoin | Chaste Tree58 | Desmodium, See Lespedeza48 |
| Berberis46 | Chelone67 | |
| Betonica. See | Cherries, Fruit60 | Deutzia48 |
| Betonica. See Stachys66, 77 | Cherry, Flowering 33 | Dianthus68 |
| Betula32 | Chestnut32, 61 | Dicentra68 |
| Bignonia59 | | Dicksonia78 |
| Biota 6 | Chinese Angelica | Diervilla49 |
| Birch32 | Tree32 | Diospyros34 |
| Bittersweet59 | Chinese Arborvitæ 6 | Digitalis68 |
| Black Alder31 | Chinese Cedrela32 | Dogwood33, 47 |
| Blackberries61 | Chionanthus47 | Doronicum69 |
| | Chokeberry46 | |
| Black Haw58 | Christmas Rose70 | Dutchman's Pipe59 Dyers' Greenweed50 |
| Black Walnut35, 61 | Chrysanthemum67 | Dyers Greenweed50 |
| Blanket-Flower69 | Chrysogonum67 | |
| Blazing Star72 | Chrysopis67 | |
| Bleeding Heart68 | Cimicifuga67 | Echinacea69 |
| Blood-root76 | Cineraria. See Arte- | Elæagnus48 |
| Bocconia66 | misia68 | Elder54 |
| Boltonia66 | Cinquefoil53 | Elm |
| Boston Ivy59 | Citrus47 | Elscholtzia49 |
| Botrychium78 | Cladrastris33 | Elymus59 |
| Bowman's Root70 | Clematis59, 68 | Empress Tree38 |
| Box19, 20 | Clethra47 | English Primrose 75 |
| Bridal Wreath55 | Columbine65, 77 | English Ivy60 |
| Buckthorn53 | Comptonia | Epimedium69 |
| Buddleia46 | Comptonia47 | Erianthus59 |
| Bugbane67 | Cone-flower69, 76 | Erigeron69 |
| Bugle64 | Conoclinium68 | Eryngium69 |
| Buttercup75 | Convallaria68 | Esculent Roots61 |
| Butterfly Bush46 | Coral Berry55 | Eulalia59 |
| Butterfly Weed66 | Corchorus47 | Euonymus21, 49, 59 |
| Buttonwood | Coreopsis68 | |
| Buttonwood38 | Cornelian Cherry47 | Eupatorium69 |
| Buxus19, 20, 21 | Corn-flower67 | Euphorbia69 |
| | Cornus33, 47 | Evening Primrose73 |
| ~ | Coronilla68 | Evergreen Shrubs.18-27 |
| Calimeris67 | Corylus47 | Evergreen Thorn21 |
| Callirhoë67 | Cotoneaster21, 48 | Evergreen Trees5-17 |
| Calycanthus46 | Cowslip73, 75 | Exochorda50 |
| Campanula67 | Crab Apple, Flow- | |
| Candytuft71 | ering39, 41 | |
| Caragana32, 46 | Cranberry Bush57 | Fagus34, 35 |
| Cardinal-flower73 | Cranesbill69 | False Bittersweet59 |
| Carpinus | Cratægus21, 34 | False Camellia41 |
| Carya32 | Crown-Vetch68 | False Dragonhead75 |
| Caryopteris46 | Crow's Foot75 | False Indigo66 |
| Catalpa32 | Cryptomoria | False Solomon's Seal.76 |
| Catchfly73 | Cryptomeria 6 | False Wall Cress66 |
| Ceanothus46 | Currents Tree36 | Fatsia32 |
| Cedar 6 | Currants | Ferns |
| Cedrela32 | Cydonia48 | Feverfew 69, 75 |
| Todrug | Cypress12, 13, 41 | Fir |
| Cedrus 6 | Cytisus34, 48 | Fir 5 Flame-flower72 |
| Celastrus59 | | Flax73 |
| Celtis32 | | Fleabane69, 71 |
| Centaurea67 | D | |
| Cephalanthus47 | Daisy66, 67 | Flowering Almond53 |
| | Daphne21 | Flowering Crab Ap- |
| Cerastium67 | Day Lily 69, 70 | ple39 |

| PAGE | Page | PAGE |
|--|---|--|
| Forget-me-not 73 Forsythia 50 Foxgloven 68 Fox Grape 60 Fraxinus 35 Freet Grape 60 | | Magnolia36, 37 |
| Forsythia50 | Hydrangea50, 51, 60 Hypericum51 | Mahonia22 |
| Foxgloven68 | | Maidenhair Tree41 |
| Fox Grape60 | | Mallows69, 71 |
| Fraxinus35 | The control of the | Mahonia |
| Frost Grape 60 Fruit 60, 61 Funkia 69 | llex6, 21, 22, 51 | Master-wort66 |
| Fruit | Incarvillea | Matrimony vine53 |
| runkia | Iria 72 | Meadow Rue |
| | Ironweed | Meadow Sweet76 |
| Gaillardia69 | Itea | Mattriniony vine 35 Meadow Rue .77 Meadow-sage .76 Mertensia .73 Mintshrub .49 Mist-flower .68 Mist-flower .68 |
| Calaga 69 | Ivy59, 60, 73 | Mintshrub49 |
| Gav Feather72 | | Mist-flower68 |
| Gentiana67 | Tarabi Fadda FF | Mist-Hower 58 Mist, or Smoke Tree.54 Mock Orange 53 Monarda 73 Moneywort 73, 78 Monkshood 64 Morus 37 Mountain Ash 41 Mourning Bride 76 Vulherry 37 |
| Gallardia | Jacob's Ladder75 Japan, or Boston Ivy.59 | Mock Orange53 |
| Geum | Japan, Or Buston Ivy.55 | Monorwort 73 78 |
| Gillenia | Japan Cypress13 Japan Judas47 Japan Quince48 | Monkshood64 |
| Cloditachia 25 | Japan Quince48 | Morus |
| Gleditschia 35 Globe Flower .47, 77 Gloxinia71 Glyptostrobus. See | Japanese Holly22 | Mountain Ash41 |
| Gloxinia71 | Japanese Maples31 Japanese Snowball58 | Mourning Bride76 |
| Glyptostrobus. See | Japanese Snowball58 | Mulberry .37 Mullein .77 Myosotis .73 |
| | Jasmine51 | Mullein |
| Goat's Beard76 Goat's Rue69 | Jasminum .51 Jersey Tea .46 Judas Tree .33 | Myrica53 |
| Goat's Rue69 | Judas Tree33 | Myrica |
| Gold-flower51 Golden Bell50 | Juglans35 | |
| Golden Chain 34 | June Berry32 Juniperus7, 8, 9 | Negundo. See Acer |
| Golden Glow76 Golden Joint67 | Juniperus7, 8, 9 | Negundo37 |
| Golden Joint67 | | Nepeta |
| Golden Tuft64 Gooseberries61 | Kalmia 92 | Negundo 37 Nepeta 73 Nettle Tree 32 Nuts 61 Nucs 37 |
| | Kalmia | Nyssa37 |
| Goundsel Shrub. 46, 76 | Kerria. See Corchor- | 1. y 55 d |
| Guelder Rose58 | | |
| Goundsel Shrub. 46, 76 Grapes | Kniphofia72 | Oak |
| Gypsophila70 | Koelreutaria36 Kudzu Vine60 | CEnothera |
| | Rudzu vine | Old Man65 Old Woman65 |
| Haloria 25 | | Oleaster49 |
| Halesia | Laburnum36 | Onocles |
| Hardy Orange47 | Larch | Ophlopogon74 Orange, Hardy47 Oriental Plane38 |
| Hardy Roses62, 63 | Larkspur | Orange, Hardy47 |
| Harebell67 | Larkspur 68 Lathyrus 72 Laurel 22 | ()gior 4' |
| Hawthorn34 | Laurel22 | Osmanthus 22 Osmunda |
| Hedera 60 | Lavandula72 | Osmunda78 |
| Hedera60 Hedge Plants79 | Lavender | Oswego Tea, or Fra- |
| Helenium70 | Leather-flower68 | grant Balm73 |
| Helianthus70 | Lespedeza51 | Oxydendrum38 |
| Helenium 70 Helianthus 70 Heliopsis 70 Heliotrope 77 Helleborus 70 Hemorocallis or Doy | Lavender | |
| Hollohorus 70 | Liatris | Pæonia74 |
| Hemerocallis or Day | Ligustrum51, 52 | Pachysandra22, 74 |
| Lily70 | Lilium 72 | Pardanthus See Rel- |
| Hemlock | Lily69, 70, 72, 77 | Pæouia |
| Hepatica71 | Lily-of-the-valley68 | Parrotia38 |
| Herbaceous Plants, | Lilium | Pasque Flower65 Pavia. See Æsculus, |
| Heuchera71 | Linum | Pavia. See Asculus, |
| Helleborus | Liquidambar36 Liriodendron36 | 45 55 |
| Hickory35 | Liver Leaf | Peach, Flowering38 Peaches, Fruit61 Pearl Bush50 |
| High Cranberry Bush.57 | | Pearl Bush50 |
| Holly6, 21, 22 | Locust35, 40 | Pears 61 |
| Hollyhocks (see, also, | London Pride73 | Penstemon74 |
| Althæa)64, 71 | Lonicera52, 60 | Periploca60 |
| Honey Locust35 | Lychnis 72 | Penstemon .74 Periploca .60 Periwinkle .78 Perstan Iron Tree .38 |
| Honeysuckle. 45, 52, 60 | Locust 35, 40 London Pride 73 Lonicera 52, 60 Loosestrife 73 Lychnis 73 Lycium 53 Lycium 53 | Persica |
| Hornbeam32 | Lysimachia73 Lythrum73 | Persimmon34 |
| Horse-Chestnut31 | Lythrum | Phalaris59 |

INDEX

| PAGE | 1 AGE | 1 |
|---|---|---|
| nt 11 . 1 . 1 . han 52 | Scabiosa76 Scarlet Trumpet60 | Tecoma, See Bignonia. Thalictrum |
| Philadelphus53 | G | The lietum 77 |
| Phlov | Scarlet Trumpet 00 | Thanctium |
| Dhwagaannug 53 | Schizophragma Hy- | The Pearl64 |
| Physocarpus | Schizophragma Hy- drangeoides60 | Thermopsis77 |
| Physostegia | arangeordes | mi o |
| Pices | Sciadopitys14 | Thorn34 |
| 10 | | Thorn Evergreen21 |
| Pieris | G. II-II- | Thorn Evergreen21 Thrift |
| Pinks 68, 75, 76 | Sea Holly | THEFIT |
| Dinug 10 11 | Sea Lavender77 | Thuiopsis15 |
| Fillus | Soal flower 68 | Thuis 15 16 |
| Plane, Oriental 38 | Seal-Howel | THUJA |
| Platanus 38 Platycodon 75 Plumbago 67 Plum, Flowering 39 Plums, Fruit 61 Podosernus 12 | Sedum | Thujopsis 15 Thuja 15 16 Thyme 77 Thymus 77 Tickseed 68 |
| Distraction 75 | Senecio | Thymus |
| Platycodon | Complete Downer 46 | Ti alraged (19 |
| Plumbago67 | Service Berry40 | TICKSeeu |
| Dlum Flowering 39 | Shad Bush32 | Tiger Lily |
| Fium, Floweringou | Shoon horey 57 | Tilio 49 |
| Plums, Fruit | Sheep-berry | m - 3 |
| Podocarpus12 | Scotch Broom 48 Sea Holly 69 Sea Lavender 77 Seal-flower 68 Sedum 76 Senecio 76 Service Berry 46 Shad Bush 32 Sheep-berry 57 Shrub Yellow Root 58 Shrubbery Cinquefoil 53 | Tradescantia |
| Delementum 75 | Shrubbery Cinquefoil.53 | Tree of Heaven31 |
| Polemonium | Siborian Pop 39 46 | Tickseed 68 Tiger Lily 72 Tilia 42 Tradescantia 77 Tree of Heaven 31 Trillium 77 |
| Polyanthus | Siberial Lea52, 40 | 111111um |
| Poplar 39 | Silene | Trollius |
| D | Silk Vine | Trumpet Vine 59 |
| Poppy | Silberian Pea 32, 46 Silene 76 Silk Vine 60 Silver-cork Fir 5 Skimmia 22 Skimmia 21 | Trollius |
| Populus39 | Shver-cork Fir 5 | Tump Tree |
| Potentilla 53 | Skimmia22 | Turtlehead67 |
| Deimanage 79 75 | Small Fruits61 | |
| Primrose 13, 13 | Smile sine | |
| Polyanthus 75 Poplar 39 Poplar 39 Poppy 66, 74 Populus 39 Potentilla 53 Primrose 73, 75 Primula 75 Privet 51, 52 | Smilacina | Ulmus42, 49 Umbrella Pine14 Umbrella Tree30 |
| Drivot 51 59 | Snakeroot 67. 69 | Ilmbrolla Pina 14 |
| Prunus. See, also, Cerasus 39, 53 Pseudo-tsuga 12 Pueraria 60 Purple Mist 54 Pyrethrum 75 Pyrus 39, 54 | Snake's Reard 74 | Ti la li me |
| Prunus, See, also, | Charles Deard | Umbrella Tree30 |
| Cornents 39 53 | Sneeze-wort70 | |
| D 7 | | |
| Pseudo-tsuga12 | Snowborny 55 | Vaccinium57 |
| Pueraria60 | Shownerry | Valerian 77 |
| Durnlo Mist 54 | Snowdrop Tree35 | Waleniana 75 |
| Turple Mist | Sophora 41 | valeriana |
| Pyrethrum | Caubua 41 | Valerian 77 Valeriana 77 Varnish Tree 35 Verbascum 77 Vorporio 77 |
| Pyrus | Corous41 | Vorhagoum 75 |
| 1 jius iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii | Sorrell Tree38 | verbascum |
| | Snowberry .55 Snowdrop Tree .35 Sophora .41 Sorrell Tree .38 Sour Gum .37 Sneadwell .78 | Veroascum 77 Veronica 77 Veronica 78 Viburnum 57, 58 Vinca 78 |
| Quercus39 | Crosdwall 70 | Veronica |
| Quercus | Spice Bush46 | Wiburnum 57 59 |
| Quinces61 | Spice Bush46 | VIDUITUM |
| | Spide Fusi | Vinca |
| | Chindle Dives | Vines and Climbing Plants59 |
| Ranunculus75 Raspberries61 Red Bud, or Judas33 Red Hot Poker72 | Spindle Tree30 | Planta 50 |
| Reenharries 61 | Spiræa.46, 54, 55, 66, 76 | Plants |
| D. J. D. J. T. J. O. | Spruce 0 10 19 | Viola |
| ned Bud, or Judas33 | Coluct | Violet 78 |
| Red Hot Poker72 | Spurge 69, 74 | Wingiti- |
| | Stachys | Virgina |
| nerus and Grasses55 | Stanhyles 55 | Virginia Creeper5! |
| Ketinospora12 | Staphyrea | Vitov 58 |
| Rhamnus53 | Star-wort67 | Tritia |
| Phododondvon 92 97 | Statice | Virgilia |
| Rhododendron25-21 | Stanhanandra 55 | |
| Khodotypus53 | Staphylea 55 Star-wort 67 Statice | *** 1 ** 11 |
| Rhubarb | Stokesia77 | Wake Robin |
| Phus 20 54 | Stokes' Aster | Walnut 35, 61 |
| mus | Stoneguen 76 | Way Muntle 59 |
| Rinnon Grass 59 | Stonecrop, | wax myrthe |
| Redinospora | Strawberries61 | wayraring Tree57 |
| Rook Cross | Strawberry Bush50 | Weigela49 |
| De less | Stuartia 41 55 | White Compien 75 |
| Rockfoil | Otalia | White Campion |
| Rose Acacia54 | Styrax | white Fringe4 |
| Pose Campion 72 | Sumac | Willow |
| B | Summer Grane 60 | Wake Robin |
| Rosemary | Summer Grape 60 | Winduower |
| Rose of Sharon 50 | Sunurops73 | Winter Berry51 |
| Rose Campion 73 Rose Campion 75 Rose of Sharon 50 Roses 62 Roses 52 Rosmarinus 75 Rosy Milfoil 64 Public 64 | Stokesia .77 Stokes' Aster .77 Stonecrop .76 Strawberries .61 Strawberry Bush .50 Stuartia .41 .55 Styrax .55 Sumac .39 .54 Summer Grape .60 Sundrops .73 Sunflower .70 Swamp Huckleberry57 | Wistaria |
| Noses | Swamp Huckleberry57 | Witch Hazel50 |
| Rosmarinus75 | | Witten Hazer |
| Rosy Milfoil64 | Sweet Fern47 Sweet Gum36 | Withe-rod57 |
| Rubus54 | Sweet Gum36 | Wolf's-bane6- |
| Rubus | Sweet William 69 | Wandaia 76 |
| Rudbeckia76 | Sweet William00 | woodsia |
| Rudbeckia76 Rugosa Roses63 | Sweet Pepper Bush.47 | Woodsia |
| 2.0000 | Sweet William68 Sweet Pepper Bush 47 Sweet Shrub46 | 111 20 111 |
| | Sweethnian 60 | |
| Salisburia41 | Sweeturier62 | Xanthoceras58 |
| 0-11- | Sweetbrier62 Sycamore30 | Xanthoceras58 Xanthorrhiza58 |
| Sanx41 | Symphoricarnus 55 | Zanthollmiza |
| Salvia 76 | Symphoricarpus55 Syringa55, 57 | |
| Sambueus | Бугида 55, 57 | Vorrow |
| Sambucus | | 14110W |
| Sandwort65 | | Yellow Wood3: |
| Salix 41 Salvia 76 Sambucus 54 Sandwort 65 Sanguinaria 76 Sanguinaria 76 | Tanacetum77 | Yew |
| Santolina | Tomovir | Vucus |
| C | ташагіх | Yarrow 6- Yellow Wood 33 Yew 12, 14, 15 Yucca 2 |
| Sassafras41 | Taxodium41 | |
| Santolina .76 Sassafras .41 Saxifraga .76 | Tamarix .56 Taxodium .41 Taxus .14, 15 | Zenobia18 |
| | | |
| | | |

OUR CATALOGUES

SUGGESTIONS FOR EFFECTIVE PLANTING.

This Catalog embodies an original and distinctive idea. For the convenience of those interested in any of the many varied planting problems we have arranged our catalog of Evergreens, Trees, Shrubs and Plants, by grouping together those plants best adapted for particular uses, as for instance, evergreens for formal effects; trees for screens and windbreaks, flowering shrubs for mid-summer effects, and so on. We believe it will prove a valuable aid to our patrons.

DISTINCTIVE TREES AND PLANTS.

An attractive booklet beautifully illustrated and descriptive of a number of charming Evergreens, Trees and Shrubs that are worthy of your better acquaintance.

THE ANDORRA HANDBOOK.

A beautifully illustrated descriptive guide to Trees and Shrubs with articles on their culture, pruning and place in planting. Price, 50 cents; and we are pleased to credit the amount on the first purchase amounting to \$5.

A RE-PRINT FROM THE "NATIONAL ARCHITECT."

This is of special interest to owner, architect or landscape architect who may be interested in the planting of large Evergreens and Trees for immediate effect.

PLANTING INSTRUCTIONS.

The finest plant grown will fail unless properly planted and given good after care when it reaches your hands. To secure the best results these instructions will prove invaluable. A copy is sent with every order.

SPRING AND FALL PRICE LISTS.

This Price List is revised semi-annually so as to conform to our actual stock records and is published for the convenience of large users of nursery stock. We are not jobbers but the largest nursery growing high-class stock for discriminating buyers.